

2016



E^{ASY} motion

BH

E^{ASY} motion

BH




Lifetime warranty

BH Bikes provides each buyer with a lifetime warranty for Road, Mtb, E-bikes and Trekking Series frames in accordance with the clauses and conditions established and stipulated on BH's website at www.bhbikes.com in the Support and Warranties section.

The lifetime warranty is activated in the BH store where you buy the bicycle.



2016



The logo features a stylized 'E' with 'ASY' in a smaller font above it, followed by the word 'motion' in a lowercase, sans-serif font.

E-BIKES

NITRO	12
REVO	14
EVO	17
EVO AWD	17
EASYGO	22
XENION	24

TREKKING

CITY	30
CLASSIC	34
SPORT	35
FIXIE	37
Warranty	38



EBIKES

DO EVERYTHING NECESSARY
TO FULFIL YOUR MOST
BURNING DESIRE, IN THE END
YOU WILL ACHIEVE IT.
LUDWIG VAN BEETHOVEN (1770-1827)
GERMAN COMPOSER AND MUSICIAN.





NITRO

12



REVO

14



EVO

17



EVO AWD

17



EASYGO

22



XENION

24

E-BIKES > COMPARISON



NITRO

REAR MOTOR

- Battery fully integrated in the frame
- High-performance, 500W rear motor
- Assistance up to 45km/h; throttle up to 20 km/h
- Standard Q Factor
- Standard transmission with possibility of double or triple chainring
- Approved as L1e motorcycle

Motor

- 1 (user torque) to 3.75 (engine torque) maximum assistance
- 500W rear motor with 75 to 84% efficiency
- 728W peak power
- Non-resistance engine in non-assistance mode

Battery

- 500Wh Lithium-ion battery integrated in the frame
- Autonomy up to 85km *
- * Under the Eco mode and favourable conditions
- Battery Life: maximum deterioration of 20% after 500 full-charge cycles > 30,000 km
- Automatic protection in sleep mode state

Display

- Compact and removable LCD display
- Multifunction display with information about autonomy, distance, speed, time, assistance, etc.

Models

- (1) Nitro City
- (2) Nitro Cross & Jet
- (2) Nitro 27'5" & 29"
- (1) Nitro Jumper 27'5"
-
- (1) Nitro Race
-
-

Optional kit

- GPS-tracker unit
- Bluetooth kit & APP Premium (IOS & Android)
- Winter cover for battery
- Rear carrier for spare battery
- Light kit



REVO

CENTER MOTOR

- Battery fully integrated in the frame
- Brose 250W central motor (made in Germany)
- Assistance up to 25km/h; throttle up to 6 km/h
- Standard Q Factor
- Standard transmission with possibility of double chainring or internal gear
- Approved as electric bicycle (EN15914)

- 1 (user torque) to 3.2 (engine torque) maximum assistance
- Brose central engine with efficiency of 75 to 82%
- Maximum torque of 90 Nm

- 500Wh Lithium-ion battery integrated in the frame
- Autonomy up to 105km *
- * Under the Eco mode and favourable conditions
- Battery Life: maximum deterioration of 20% after 500 full-charge cycles > 30,000 km
- Automatic protection in lethargy state

- Compact and removable LCD display
- Multifunction display with information about autonomy, distance, speed, time, assistance, etc.

- (4) Revo Cargo, Diamond, Diamond Wave & Diamond Wave Pro
- (2) Revo Cross & Jet
- (2) Revo 27'5" & 29"
- (1) Revo Jumper 27'5"
- (1) Revo Scape
-
-
-

- GPS-tracker unit
- Bluetooth kit & APP Premium (IOS & Android)
- Winter cover for battery
- Rear carrier for spare battery
- Light kit



EVO

REAR MOTOR / AWD: DOUBLE MOTOR

- Battery fully integrated in the frame. High-performance, 350W rear motor. Assistance up to 25 km/h
- Throttle up to 6 km/h
- Standard Q Factor
- Standard transmission with possibility of double plate or internal change
- Approved as electric bicycle (EN15914)

- 1 (user torque) to 3.75 (engine torque) maximum assistance
- Engines with efficiency of 75 to 82%. Rear 548W peak power
- Non-resistance motor in non-assistance mode

- 316Wh, 432Wh and 500Wh Lithium-ion batteries integrated in the frame
- up to 105km (500Wh battery) *
- up to 85km (432Wh battery) *
- up to 65km (316Wh battery) *
- * Under the Eco mode and favourable conditions
- Battery Life: maximum deterioration of 20% after 500 full-charge cycles > 30,000 km
- Automatic protection in lethargy state

- Compact and removable LCD display
- Multifunction display with information about autonomy, distance, speed, time, assistance, etc.

- (9) Evo Eco Lite, Street, City, City Wave, City Wave Pro, Diamond Wave, Volt Lite, Volt Sport Lite & Prox Lite
- (4) Evo Cross, Cross Pro, Jet & Jet Pro
- (5) Evo 27'5" Lite, 27'5", 27'5" Pro, 29" & 29" Pro
- (2) Evo Jumper 27'5", Jumper 29"
-
- (1) Evo Race Pro
-
-

- GPS-tracker unit
- Bluetooth kit & APP Premium (IOS & Android)
- Winter cover for battery
- Rear carrier for spare battery
- Light kit



EVO AWD

REAR MOTOR / AWD: DOUBLE MOTOR

- Battery fully integrated in the frame. Front- and rear 350W-250W engine. Assistance up to 32 km/h
- Throttle up to 6 km/h
- Standard Q Factor
- Standard transmission with possibility of double plate or internal change
- Approved as electric bicycle (EN15914)

- 1 (user torque) to 3.75 (engine torque) maximum assistance
- Engines with efficiency of 75 to 82%. Same 432W peak power front and rear
- Non-resistance motor in non-assistance mode

- 500Wh Lithium-ion battery integrated in the frame
Autonomy up to 65km*
* Under the Eco mode and favourable conditions
- Battery Life: maximum deterioration of 20% after 500 full-charge cycles > 30,000 km
- Automatic protection in lethargy state

- Compact and removable LCD display
- Multifunction display with information about autonomy, distance, speed, time, assistance, etc.

-
-
(1) Evo AWD 29" Snow
-
-
-
(1) Evo AWD Big Foot
-

- GPS-tracker unit
- Bluetooth kit & APP Premium (IOS & Android)
- Winter cover for battery
- Rear carrier for spare battery
- Light kit



EASYGO

REAR MOTOR

- Sliding Battery pack in seat support
- High-performance, 250W rear motor
- Assistance up to 25 km/h; throttle up to 6 km/h
- Standard Q Factor
- Standard transmission with possibility of double plate or internal change
- Approved as electric bicycle (EN15914)

- 1 (user torque) to 3 (engine torque) maximum assistance
- Engine with 75 to 82% efficiency
- 432W peak power
- Non-resistance engine in non-assistance mode

- 216Wh lithium-ion battery pack in the seat support.
- Autonomy up to 45km*
* Under the Eco mode and favourable conditions
- Battery Life: maximum deterioration of 20% after 500 full-charge cycles > 30,000 km
- Automatic protection in lethargy state

- Compact and removable LCD display
- Multifunction display with information about autonomy, distance, speed, time, assistance, etc.

(4) Easygo Street, City, Volt & 1909 Wave
(2) Easygo Cross & Jet
-
-
-
(1) Easygo Race
(1) Easygo Big Foot
(1) Easygo Kid

- Bluetooth kit & APP Premium (IOS & Android)
- Battery blocking lock



XENION

CENTER MOTOR

- Battery in pannier rack or front triangle
- 250W Bosch central motor
- Assistance up to 25 km/h; throttle up to 6 km/h
- Performance or CX, triple sensor performance motor
- Approved as electric bicycle (EN15914)


- 1 (user torque) to 3 (CX Performance torque) maximum assistance
- High efficiency, Bosch central engine
- Maximum torque of 75 Nm

- 400Wh and 500Wh Lithium-Ion Battery Powerpack
- Autonomy up to 105km (500Wh battery)*
up to 85km (400Wh battery) *
- * Under the Eco mode and favourable conditions
- Battery Life: maximum deterioration of 20% after 500 full-charge cycles > 30,000 km
- Automatic protection in lethargy state

- Compact and removable LCD display
- Multifunction display with information about autonomy, distance, speed, time, assistance, etc.

(5) Xenion Volt, Volt Pro, City Wave, City Wave Pro & Diamond Wave Pro
(3) Xenion Cross, Cross Pro & Jet Pro
6 - Xenion 27'5" Lite, 27'5" Pro, 29" Lite, 29" & 29" Pro
2 -Xenion Jumper 27'5" & Jumper 27'5" Pro
-
-
-
-

E-BIKES



OPTIONAL KIT



Bluetooth KIT & BH Bikes Premium APP

Nitro, Revo, Evo, Evo AWD, EasyGo

The optional Bluetooth module kit allows connecting the system to the Premium application (available free of charge in Apple Store and in Google Play) with several functions:

- Connectivity ANT+ with heart beat bands and speed and cadence sensors.
- More than 40 measurable parameters (speed, distance, calories, elevation, power, etc.)
- Customizable screen: Topographic profile / navigation map / virtual competitor / parameters.

- 3 riding types: manual, intelligent based on topography and intelligent based on heart beat.
- GPS navigation with intermediate points.
- File of routes
- System check (Battery wear status, calibration of torque sensor and identification of errors and operational protocol.
- Motor selection (Only **EVO AWD models**)



GPS tracker

Nitro, Revo, Evo, Evo AWD

The optional GPS Tracker module kit is the perfect anti-theft system. It allows locating your bike at any time. Its perfect integration into the bicycle makes it accessible only by the user and it is controlled using the website and it is easily configured using the Premium applications. The following functions stand out:

- Location of the bicycle with 10 metres precision (in the open-air using GPS)
- Bicycle route tracking configuring a connection frequency.
- Weak battery, Geofence, or connection type alarm
- Continuous power supply from the bicycle battery allowing long-lasting autonomy (once the main battery reaches 10% its power supply stops).



Winter cover

Nitro, Revo, Evo, Evo AWD

The optional winter battery-cover kit with a 5 mm layer of Neoprene keeps the battery heat, that way increasing its performance and allowing the user up to 15% more autonomy in extremely low temperatures (<10 °C). Additional mesh-- I will send



Additional support

Nitro, Revo, Evo, Evo AWD

Support for transporting an additional battery for long distances



Lights KIT

Nitro, Revo, Evo, Evo AWD

The optional lights kit allows connecting the standard 6 V lights to the system, controlling them from the display (or Premium application).



Blockage lock

EasyGo

The optional lock for EASYGO battery blockage fixes the battery to its support.



Quick Release

Evo



Drop Out adaptor for Kickstand

Evo


E-BIKES

> NITRO


NEO Nitro

45 km/h

 LCD Emotion

 500Wh

 500W

 Up to 85 Km





45 Km/h





Upgrade kits




Bluetooth kit + Premium App
GPS Tracker
Winter Battery Cover
Rear carrier for spare battery
Lights cable



NITRO JUMPER
27,5"
EN906





 120 mm Full Suspension Alloy
27,5" internal cable routing
 FOX FLOAT DPS Performance
 FOX 32 FLOAT
Performance 120mm
 Shimano XT 10sp



 Shimano Deore 40/28T
 Tektro Dorado 180mm
 Schwalbe Smart Sam
27,5"x2,25
 Shimano

 MD
 kg 24,3

45 Km/h






NITRO 29"
EN706

 MTB Alloy 29" internal
cable routing
 Rock Shox XC30 Remote
 Shimano XT 10sp
 Shimano Deore 40/28T





 Tektro Dorado 180mm
 Schwalbe Smart Sam
29"x2,25




 Shimano




 MD
 kg 23,4

45 Km/h



NITRO 27,5"
EN606

 MTB Alloy 27,5" internal
cable routing
 Rock Shox XC30 Remote
 Shimano XT 10sp
 Shimano Deore 40/28T

 Tektro Dorado 180mm
 Schwalbe Smart Sam
27,5"x2,25
 Shimano

 MD
 kg 23,9

45 Km/h





NITRO RACE
EN566

- Race Alloy 28" internal cable routing
- Emotion Carbon
- Shimano 105 11sp
- FSA CK-602 52/42/30T
- Tektro Dorado 180mm
- Schwalbe Marathon 700x25C
- Shimano
- MD
- kg 21,3
- 45 Km/h



NITRO JET
EN516

- Sport hybrid Alloy 28" internal cable routing
- SR Suntour NCX-D LO Lite
- Shimano XT 10sp
- Shimano Deore 48/36/26T
- Tektro Dorado 180mm
- Schwalbe Marathon 700x38C
- Shimano
- MD
- kg 23,6
- 45 Km/h



NITRO CROSS
EN506

- Sport Alloy 28" internal cable routing
- SR Suntour NCX-D LO Lite
- Shimano XT 10sp
- Shimano Deore 48/36/26T
- Tektro Dorado 180mm
- Schwalbe Marathon 700x38C
- Shimano
- MD
- kg 23,6
- 45 Km/h



NITRO CITY
EN406

- Sport Alloy 28" internal cable routing
- SR Suntour NCX-D LO Lite
- Shimano XT 10sp
- Shimano Deore 48/36/26T
- Tektro Dorado 180mm
- Schwalbe Marathon 700x38C
- Shimano
- MD
- kg 25,6
- 45 Km/h




E-BIKES

> REVO


REVO

Revo

 LCD Emotion

 500Wh

 250W

 Up to 105 Km





25 Km/h

Upgrade kits

Bluetooth kit + Premium App
GPS Tracker
Winter Battery Cover
Rear carrier for spare battery
Quick Release



REVO SCAPE 650B ER946





 160 mm Full Suspension Alloy
27.5" internal cable routing
 FOX FLOAT DPS Performance
 FOX 34 FLOAT Performance
160mm
 Shimano XT 11sp





 FSA 38T
 Shimano SLX 180mm
 Schwalbe Tough Tom
27.5"x2,35
 Shimano




 MD / LA
 kg 23,6
 25 Km/h



REVO JUMPER 650B ER906





 120 mm Full Suspension Alloy
27.5" internal cable routing
 FOX FLOAT DPS Performance
 FOX 32 FLOAT Performance
120mm
 Shimano XT 11sp




 FSA 38T
 Shimano SLX 180mm
 Schwalbe Rapid Rob
27.5"x2,25
 Shimano

 MD / LA
 kg 23,6
 25 Km/h



REVO 29" ER746





 MTB Alloy 29" internal
cable routing
 FOX 32 FLOAT Performance
 Shimano XT 10sp
 FSA 36/22T




 Shimano SLX 180mm
 Schwalbe Rapid Rob
29"x2,25
 Shimano

 MD/LA
 kg 22,1
 25 Km/h



REVO 27.5" ER646





 MTB Alloy 27.5" internal
cable routing
 FOX 32 FLOAT Performance
160mm
 Shimano XT 10sp
 FSA 36/22T




 Shimano SLX 180mm
 Schwalbe Rapid Rob
27.5"x2,25
 Shimano




 MD / LA
 kg 22,0
 25 Km/h



REVO JET ER516

 Sport hybrid Alloy 28"
internal cable routing
 SR Suntour NCX-D.LO Lite
 Shimano XT 10sp
 FSA 42/28T

 Shimano M396 180mm
 Schwalbe Big Apple
28"x2,0
 Shimano

 MD / LA
 kg 22,7
 25 Km/h



**REVO CROSS
ER506**

- Sport Alloy 28" internal cable routing
- SR Suntour NCX-D LO Lite
- Shimano XT 10sp
- FSA 42/28T

- Shimano M396 180mm
- Schwalbe Big Apple 28"x2,0
- Shimano

MD / LA
 kg 22,8
 25 Km/h



**REVO DIAMOND
WAVE PRO
ER456**

- City Wave Alloy 28"
- SR Suntour CR8V HLO
- Nuvinci M360
- FSA 44T

- Magura Hydraulic HS-11
- Schwalbe Marathon 700x38C
- Shimano Dynamo

MD / LA
 kg 26,8
 25 Km/h



**REVO DIAMOND
WAVE
ER416**

- City Wave Alloy 28" internal cable routing
- SR Suntour CR8V HLO
- Shimano Nexus 8sp
- FSA 44T

- Magura Hydraulic HS-11
- Schwalbe Marathon 700x38C
- Shimano Dynamo

MD / LA
 kg 25,3
 25 Km/h



**REVO DIAMOND
ER406**

- Sport Alloy 28" internal cable routing
- SR Suntour CR8V HLO
- Shimano Nexus 8sp
- FSA 44T

- Magura Hydraulic HS-11
- Schwalbe Marathon 700x38C
- Shimano Dynamo

MD / LA
 kg 26,0
 25 Km/h



**REVO CARGO
ER316**

- Cargo Alloy 26" internal cable routing
- SR Suntour NEX HLO
- Shimano Alfine 8sp
- FSA 44T

- Shimano M396 180mm
- Schwalbe Marathon 26x2,0
- Shimano Dynamo

MD
 kg 29,6
 25 Km/h



EVO

Emotion

Samsung 528Wh (48V / 11Ah)
500Wh
432Wh
316Wh

350W

Up to 105 Km
Up to 85 Km
Up to 65 Km

25 Km/h, 32 Km/h

Upgrade kits

Bluetooth kit + Premium App
GPS Tracker
Winter Battery Cover
Rear carrier for battery
Lights cable
Dropout adaptor for kickstand



EVO SNOW 29"

EV826

AWD

MTB Alloy 29" internal cable routing
 SR Suntour XCR-LO
 Shimano XT 10sp
 Shimano Deore 40/28T

Tektro E-Comp 180mm
 Schwalbe Rapid Rob 29"x2,25
 Shimano

MD
 kg 26,2
 32 Km/h



EVO BIG FOOT

PRO

EV806

AWD

Fat Bike Alloy 26" internal cable routing
 Emotion Hi-Ten
 Shimano Acera 8sp
 Emotion PW301 Double

Tektro E-Comp 180mm
 Emotion 26"x4,0
 Shimano

MD
 kg 28,7
 32 Km/h



EVO JUMPER

29" PRO

EV966

120 mm Full Suspension Alloy 29" internal cable routing
 Rock Shox Monarch
 Rock Shox XC30 Remote
 Shimano XT 10sp

Shimano Deore 40/28T
 Tektro E-Comp 180mm
 Schwalbe Rapid Rob 29"x2,25
 Shimano

MD / LA
 kg 23,6
 25 Km/h



EVO JUMPER

27,5" PRO

EV906

120 mm Full Suspension Alloy 27,5" internal cable routing
 Rock Shox Monarch
 Rock Shox XC30 Remote
 Shimano XT 10sp

Shimano Deore 40/28T
 Tektro E-Comp 180mm
 Schwalbe Rapid Rob 27,5"x2,25
 Shimano

MD / LA
 kg 23,5
 25 Km/h



EVO 29" PRO

EV746

MTB Alloy 29" internal cable routing
 FOX 32 FLOAT Performance
 Shimano XT 10sp
 Shimano Deore 40/28T

Tektro E-Comp 180mm
 Schwalbe Rapid Rob 29"x2,25
 Shimano

MD/LA
 kg 22,6
 25 Km/h

E-BIKES

> EVO



EVO 29"
EV726

- MTB Alloy 29" internal cable routing
- Rock Shox XC30
- Shimano XT 10sp
- Shimano Deore 40/28T
- (M) Tektro E-Comp 180mm
- Schwalbe Rapid Rob 29"x2,25
- Shimano
- kg** 23,1
- 25 Km/h**
- MD/LA**



EVO 27,5" PRO
EV646

- MTB Alloy 27,5" internal cable routing
- FOX FLOAT 32 Performance
- Shimano XT 10sp
- Shimano Deore 40/28T
- (M) Tektro E-Comp 180mm
- Schwalbe Rapid Rob 27,5"x2,25
- Shimano
- kg** 22,3
- 25 Km/h**
- MD / LA**



EVO 27,5" PRO
EV626

- MTB Alloy 27,5" internal cable routing
- Rock Shox XC30
- Shimano XT 10sp
- Shimano Deore 40/28T
- (M) Tektro E-Comp 180mm
- Schwalbe Rapid Rob 27,5"x2,25
- Shimano
- kg** 22,8
- 25 Km/h**
- MD / LA**



EVO 27,5" LITE
EV606

- MTB Alloy 27,5" internal cable routing
- SR Suntour XCT HLO
- Shimano Acera 8sp
- Shimano Acera 48/38/28T
- (M) Hydraulic Disc Brake 180mm
- Schwalbe Rapid Rob 27,5"x2,25
- Shimano
- kg** 23,4
- 25 Km/h**
- MD / LA**



EVO RACE PRO
EV566

- Race Alloy 28" internal cable routing
- Emotion Carbon
- Shimano 105 10sp
- FSA CK-602 52/42/30T
- (M) Tektro E-Comp 180mm
- Kenda K152 700x25C
- Shimano
- kg** 19,9
- 25 Km/h**
- MD**



EVO JET PRO
EV536

- Sport Hybrid Alloy 28" internal cable routing
- SR Suntour NCX-D.LO Lite
- Shimano XT 10sp
- Shimano Deore 48/36/26T
- (M) Tektro E-Comp 180mm
- Schwalbe Big Ben 28"x2,0
- Shimano
- kg** 24,3
- 25 Km/h**
- MD / LA**



EVO CROSS PRO

EV526

- Sport Alloy 28" internal cable routing
- SR Suntour NCX-D LO Lite
- Shimano XT 10sp
- Shimano Deore 48/36/26T

- Tektro E-Comp 180mm
- Schwalbe Big Ben 28"x2.0
- Shimano

MD / LA
 kg 24,2
 25 Km/h



EVO JET

EV516

- Sport Hybrid Alloy 28" internal cable routing
- SR Suntour NEX HLO
- Shimano Acera 8sp
- Shimano Acera 48/38/28T

- Tektro E-Comp 180mm
- Schwalbe Big Apple 28"x2.0
- Shimano

MD / LA
 kg 23,2
 25 Km/h



EVO CROSS

EV506

- Sport Alloy 28" internal cable routing
- SR Suntour NEX HLO
- Shimano Acera 8sp
- Shimano Acera 48/38/28T

- Tektro E-Comp 180mm
- Schwalbe Big Apple 28"x2.0
- Shimano

MD / LA
 kg 23,3
 25 Km/h



EVO CITY WAVE PRO

EV456

- City Wave Alloy 28" internal cable routing
- SR Suntour CR8V HLO
- Shimano XT 10sp
- Shimano Deore 48/36/26T

- Magura Hydraulic HS-11
- Schwalbe Marathon 700x38C
- Shimano Dynamo

MD / LA
 kg 26,7
 25 Km/h



EVO DIAMOND WAVE

EV436

- City Wave Alloy 28" internal cable routing
- SR Suntour CR8V MLO
- Shimano XT 10sp
- Shimano Deore 48/36/26T

- Magura Hydraulic HS-11
- Kenda 198 700x38C
- Shimano Dynamo

MD / LA
 kg 25,9
 25 Km/h



EVO CITY WAVE

EV416

- City Wave Alloy 28" internal cable routing
- SR Suntour NEX HLO
- Shimano Alivio 8sp
- Shimano Altus 48/36/26T

- Tektro E-Comp 180mm
- Kenda 198 700x38C
- Shimano Dynamo

MD / LA
 kg 26,3
 25 Km/h

E-BIKES

> EVO



EVO CITY
EV406

- City Alloy 28" internal cable routing
- SR Suntour NEX HLO
- Shimano Alivio 8sp
- Shimano Altus 48/36/26T

- Tektro E-Comp 180mm
- Schwalbe Marathon 700x38C
- Shimano Dynamo

MD / LA
 kg 26,3
 25 Km/h



EVO STREET
EV336

- Street Wave Alloy 26" internal cable routing
- SR Suntour NEX MLO
- Shimano Alivio 8sp
- Shimano Altus 48/36/26T

- Tektro E-Comp 180mm
- Kenda K193 26"x1,75
- Shimano Dynamo

MD
 kg 26,3
 25 Km/h



EVO ECO LITE
EV316

- Street Wave Alloy 26" internal cable routing
- Emotion Hi-Ten
- Shimano TX35 7sp
- Suntour XR-178 48/36/26T

- V-Brake Alloy
- Kenda K193 26"x1,75
- Shimano Dynamo

MD
 kg 26,5
 25 Km/h



EVO VOLT SPORT LITE
EV266

- Foldable Alloy 20" with internal cable routing
- Emotion Hi-Ten
- Shimano 2300 8sp
- Suntour 48T

- Tektro E-Comp 160mm
- Kenda 20"x1,95
- Shimano

MD
 kg 21,4
 25 Km/h



EVO VOLT LITE
EV256

- Foldable Alloy 20" with internal cable routing
- Emotion Hi-Ten
- Shimano 2300 7sp
- Suntour 48T

- V-Brake Alloy
- Kenda 20"x1,75
- Shimano Dynamo

MD
 kg 22,4
 25 Km/h



EVO PROX LITE
EV206

- Compact Alloy 20" with internal cable routing
- Emotion Hi-Ten
- Shimano 2300 7sp
- Suntour 48T

- V-Brake Alloy
- Kenda 20"x1,75
- Shimano Dynamo

MD
 kg 22,0
 25 Km/h



E-BIKES

> EASYGO

EASYGO

-  LCD Emotion
-  216Wh
-  250W
-  Up to 45 Km

25 Km/h

Upgrade kits

Bluetooth kit + Premium App
Battery Lock



EASYGO BIG FOOT










E806

-  Fat Bike Alloy 26" internal cable routing
-  Hydraulic Disc Brake 180mm
-  MD
-  Emotion Hi-Ten
-  Emotion 26"x4,0
-  kg 23,5
-  Shimano TX35 7sp
-  Alloy
-  Emotion PW301 Double
-  25 Km/h



EASYGO RACE











E566

-  Sport Alloy 28" internal cable routing
-  V-Brake Alloy
-  MD
-  Emotion Hi-Ten
-  Emotion Race 700x28C
-  kg 15,2
-  Alloy
-  Lasco 46T
-  25 Km/h



EASYGO JET











E516

-  Sport Hybrid Alloy 28" internal cable routing
-  V-Brake Alloy
-  MD
-  SR Suntour CR7V
-  Emotion Cross 700x38C
-  kg 19,4
-  Alloy
-  Shimano TX35 7sp
-  Shimano Altus 48/36/26T
-  25 Km/h



EASYGO CROSS











E506

-  Sport Alloy 28" internal cable routing
-  V-Brake Alloy
-  MD
-  SR Suntour CR7V
-  Emotion Cross 700x38C
-  kg 19,4
-  Alloy
-  Shimano TX35 7sp
-  Shimano Altus
-  25 Km/h



CITY WAVE

E436

-  City Wave Alloy 28" internal cable routing
-  Hydraulic Disc Brake 160mm
-  MD
-  SR Suntour NEX MLO
-  Emotion City 700x35C
-  kg 22,8 Kg
-  Alloy
-  Shimano TX35 7sp
-  Shimano Altus 48/36/26T
-  25 Km/h



WAVE 1909
EG416

- Retro Wave Alloy 28" internal cable routing
- Emotion Hi-Ten
- Shimano TX35 7SP
- Emotion PW 44T

- V-Brake Alloy
- Emotion City 700x35C
- Alloy

MD
kg 21,2
 25 Km/h



EASYGO STREET
EG316

- Street Wave Alloy 26" internal cable routing
- Emotion Suspension
- Shimano TX35D 7sp
- Emotion PW 44T

- V-Brake Alloy
- Emotion City 26"x1,75
- Alloy

MD
kg 19,7
 25 Km/h



EASYGO VOLT
EG206

- Foldable Alloy 20" internal cable routing
- Emotion Hi-Ten
- Shimano FT35 6sp
- Emotion PW 52T

- V-Brake Alloy
- Kenda K193 20"x1,75"
- Alloy

MD
kg 17,2
 25 Km/h



EASYGO KID
EG106

- MTB Alloy 24" internal cable routing
- SR Suntour XCT Jr
- Shimano TZ50 6sp
- Emotion PW AE43 Triple

- V-Brake Alloy
- Emotion Mtb 24"x1,95
- Alloy


MD
kg 17,5
 25 Km/h




E-BIKES


> XENION

XENION

 Bosch Remov.

 500Wh

 250W

 Up to 105 Km




25 Km/h


Upgrade kits —



XENION JUMPER 27,5" PRO EX926





 120 mm Full Suspension
Alloy 27,5"
 FOX 32 FLOAT Performance
Elite Remote 120mm
 Shimano XT 10sp
 18T

 Magura MT4 180mm
 Michelin Wildgrip
27,5"x2,35
 Alloy



 MD
kg 21,2 Kg.
 25 Km/h



XENION JUMPER 27,5" EX906





 120 mm Full Suspension
Alloy 27,5"
 Rock Shox 30 Gold
Remote
 Shimano Deore 10sp
 18T




 Shimano M396 180mm
 Michelin Wildgrip
27,5"x2,35
 Alloy



 MD
kg 21,2 Kg.
 25 Km/h



XENION 29" PRO EX746





 MTB Alloy 29" internal
cable routing
 FOX 32 FLOAT Perfor-
mance Remote
 Shimano XT 10sp
 18T




 Magura MT4 180mm
 Michelin Wildrace
29"x2,10
 Alloy


 MD / LA
kg 20,7 Kg.
 25 Km/h



XENION 29" EX726

 MTB Alloy 29" internal
cable routing
 Rock Shox XC30
 Shimano XT 10sp
 18T




 Shimano M396 180mm
 Michelin Country Grip'r
29"x2,10
 Shimano


 MD / LA
kg 21,0 Kg.
 25 Km/h



XENION 29" LITE EX706

 MTB Alloy 29" internal
cable routing
 SR Suntour XCT HLO
 Shimano Acera 8sp
 18T

 Shimano M355 180mm
 Rubena Ocelot 29"x2,10
 Shimano

 MD / LA
kg 22,0 Kg.
 25 Km/h



XENION 27,5\"/>

- MTB Alloy 27,5" internal cable routing
- FOX 32 FLOAT Performance Remote
- Shimano XT 10sp
- 18T

- Magura MT4 180mm
- Michelin Wildrace 27,5"x2,25
- Alloy

MD / LA
 kg 20,2 Kg.
25 Km/h



XENION 27,5\"/>

- MTB Alloy 27,5" internal cable routing
- Rock Shox XC30
- Shimano XT 10sp
- 18T

- Shimano M396 180mm
- Rubena Ocelot 27,5"x2,10
- Shimano

MD / LA
 kg 20,5 Kg.
25 Km/h



XENION 27,5\"/>

- MTB Alloy 27,5" internal cable routing
- SR Suntour XCT HLO
- Shimano Acera 8sp
- 18T

- Shimano M355 180mm
- Rubena Ocelot 27,5"x2,10
- Shimano

MD / LA
 kg 21,8 Kg.
25 Km/h



XENION JET PRO

- Sport Hybrid Alloy 28" internal cable routing
- SR Suntour NCX
- Shimano XT 10sp
- 18T

- Shimano M396 180mm
- Rubena Antipuncture 700x35C
- Alloy

MD / LA
 kg 21,1 Kg.
25 Km/h



XENION CROSS PRO

- Sport Alloy 28" internal cable routing
- SR Suntour NCX
- Shimano XT 10sp
- 18T

- Shimano M396 180mm
- Rubena Antipuncture 700x35C
- Alloy

MD / LA
 kg 21,2 Kg.
25 Km/h



XENION CROSS

- Sport Alloy 28" internal cable routing
- SR Suntour NEX HLO
- Shimano Alivio 8sp
- 18T

- Shimano M355 180mm
- Rubena Antipuncture 700x35C
- Alloy

MD / LA
 kg 21,6 Kg.
25 Km/h

E-BIKES

> XENION



**XENION DIAMOND
WAVE PRO
EX496**

- City Wave Alloy 28" internal cable routing
- SR Suntour CR8V HLO
- Shimano Nexus 8sp
- 18T

- Magura Hydraulic HS-11
- Rubena Antipuncture 700x35C
- Shimano

MD / LA
kg 23,9 Kg.
 25 Km/h



**XENION CITY
WAVE PRO
EX436**

- City Wave Alloy 28" internal cable routing
- SR Suntour NEX HLO
- Shimano XT 10sp
- 18T

- Shimano M355 180mm
- Rubena Antipuncture 700x35C
- Shimano

MD / LA
kg 23,9 Kg.
 25 Km/h



**XENION CITY
WAVE
EX416**

- City Wave Alloy 28" internal cable routing
- SR Suntour CR8V MLO
- Shimano Alivio 8sp
- 18T

- V-Brake Alloy
- Rubena 700x35C
- Shimano

MD / LA
kg 23,2 Kg.
 25 Km/h



**XENION VOLT PRO
EX256**

- Foldable Alloy 20" internal cable routing
- Emotion Hi-Ten
- Shimano Nexus 8sp
- 18T

- Magura Hydraulic HS-11
- CST C639 20"x1,50
- Shimano

MD
kg 21,7 Kg.
 25 Km/h



**XENION VOLT
EX206**

- Foldable Alloy 20" internal cable routing
- Emotion Hi-Ten
- Shimano Nexus 3sp
- 18T

- V-Brake Alloy
- CST C639 20"x1,50
- Shimano

MD
kg 20,6 Kg.
 25 Km/h





CITY 28"

30



CITY 26"

32



CITY 20"

33



CLASSIC

34



SPORT

35



FIXIE

37

TREKKING

**ANY EFFORT IS EASY
WITH HABIT.**

TITO LIVIO (59 AC-64 AC)
ROMAN HISTORIAN.

TREKKING

> CITY 28"



CAMBRIDGE MIX
TE916

- Alloy Hydrof. 28" City Wave
- SR Suntour Nex HLO
- Shimano Acera 8SP RDM390

- Shimano Acera M361
- Rubena 700*35 W / Reflex Band
- Shimano Dinamo

SM / MD
kg 18



CAMBRIDGE
TE906

- Alloy Hydrof. 28" City
- SR Suntour Nex HLO
- Shimano Acera 8SP RDM390

- Shimano Acera M361
- Rubena 700*35 W / Reflex Band
- Shimano Dinamo

SM / MD / LA
kg 18



OXFORD WAVE
TE716

- Alloy Hydrof. 28" City Wave
- SR Suntour Cr-8V HLO
- Shimano Nexus 8SP

- Emotion
- Rubena 700*35 W / Reflex Band
- Shimano Dinamo

SM / MD
kg 18,5



LONDON WAVE PRO
TE676

- Alloy Hydrof. 28" City Wave
- SR Suntour Cr-8V
- Shimano Acera 8SP

- SR Suntour XR-178
- Rubena 700*35 W / Reflex Band
- Shimano Dinamo

SM / MD / LA
kg 17,5



LONDON PRO
TE666

- Alloy Hydrof. 28" City
- SR Suntour Cr-8V
- Shimano Acera 8SP

- SR Suntour XR-178
- Rubena 700*35 W / Reflex Band
- Shimano Dinamo

SM / MD / LA
kg 17,5



LONDON WAVE
TE656

- Alloy 28" City Hybrid
- Emotion Suspension 28"
- Shimano TX35 7sp

- Emotion 3SP
- Kenda 700C*40 K-193
- Shimano Dinamo

SM / MD
kg 16,9



LONDON
TE646

- Alloy 28" City
- Emotion Suspension 28"
- Shimano TX35 7sp

- Emotion 3SP
- Kenda 700C*40 K-193
- Shimano Dinamo

- SM / MD / LA
- kg** 16,9
-



GLASGOW WAVE
TE636

- Alloy 28" City Hybrid
- Emotion Cr-Mo 28"
- Shimano TX35 7sp

- Emotion 3SP
- Kenda 700C*40 K-193
- Steel

- SM / MD
- kg** 14,2
-



GLASGOW
TE626

- Alloy 28" City
- Emotion Cr-Mo 28"
- Shimano TX35 7sp

- Emotion 3SP
- Kenda 700C*40 K-193
- Steel

- SM / MD / LA
- kg** 14,2
-




BOSTON WAVE
TE616

- Emotion Wave Hi-Ten 28"
- Emotion Cr-Mo 28"
- Shimano TY21 6SP

- Emotion 3SP
- Kenda 700C*40 K-193
- Steel

- SM / MD
- kg** 16,2
-



TREKKING > CITY 26"



MIAMI PRO
TE536

- Emotion Wave Alloy 26"
- Emotion Suspension 26"
- Shimano TZ50 6SP

- Emotion 3SP
- Kenda K-198 26*1,75
- Steel

- MD
- kg 15
-



MIAMI
TE516

- Emotion Wave Alloy 26"
- Emotion Cr-Mo 26"
- Shimano TY21 6SP

- Emotion 42T
- Kenda K-193
- Steel

- MD
- kg 14
-



BOLERO PRO
TE436

- Emotion Wave HI-Ten 26" 6SP
- Emotion Cr-Mo 26"
- Shimano TY21 6SP

- Emotion 42T
- Kenda
- Steel

- MD
- kg 14,5
-



BOLERO
TE416

- Emotion Wave HI-Ten 26" 1SP
- Emotion Cr-Mo 26"
-

- Emotion 36T
- Kenda K-193
- Steel

- MD
- kg 14,5
-






IBIZA PRO
BP706

-  Ibiza Alloy Folding
-  Emotion Cr-Mo 20"
-  Shimano FT30 6SP

-  Alloy 52T
-  Kenda K-154
-  Alloy


 MD
kg 12,9




IBIZA
BP606

-  Ibiza Alloy Folding
-  Emotion Cr-Mo 20"
-  Shimano FT30 6SP

-  Steel 52T
-  Kenda K-154
-  Alloy

 MD
kg 13,2



TREKKING

> CLASSIC 28" / 26"



1909 WAVE PRO
TE896

- Emotion Tradicional Wave HI-Ten 28"
- Emotion Cr-Mo 28"
- Shimano TX35 7sp
- Emotion 3SP
-
- Steel
- MD
- kg 16,4
-



GACELA PRO
TE886

- Emotion Tradicional HI-Ten 28" Lite
- Emotion Cr-Mo 28"
- Shimano TX35 7sp
- Emotion 3SP
- Kenda
- Steel
- MD
- kg 16,4
-



1909 WAVE
TE866

- Emotion Tradicional Wave HI-Ten 28"
- Emotion Cr-Mo 28"
- Shimano TX35 7sp
- Emotion 1SP
- Kenda
- Steel
- MD
- kg 16,4
-



1909
TE856

- Emotion Tradicional HI-Ten 28"
- Emotion Cr-Mo 28"
- Shimano TX35 7sp
- Emotion 1SP
-
- Steel
- MD
- kg 16,4
-



GACELA
TE846

- Emotion Tradicional HI-Ten 28" Lite
- Emotion Cr-Mo 28"
- Shimano TX35 7sp
- Emotion 1SP
-
- Steel
- MD
- kg 16,4
-



CLASSIC
TE836

- Emotion Tradicional Wave HI-Ten 26"
- Emotion Cr-Mo 26"
- Shimano TX35 7sp
- Emotion 1SP
-
- Steel
- MD
- kg 16,4
-



**SILVERTIP MIX PRO
TS736**

- Alloy Hydrof. 28" Cross Disc
- SR Suntour Nex Hlo
- Shimano Acera RDM390 8SP

- SR Suntour XCT
- Rubena 700*35 With Reflective Band
- Alloy

SM / MD
kg 14,8



**SILVERTIP PRO
TS726**

- Alloy Hydrof. 28" Cross Disc
- SR Suntour Nex Hlo
- Shimano Acera RDM390 8SP

- SR Suntour XCT
- Rubena 700*35 With Reflective Band
- Alloy

SM / MD / LA
kg 14,8



**SILVERTIP MIX
TS716**

- Alloy Hydrof. 28" Cross Disc
- Emotionsport
- Shimano Acera RDM390 8SP

- SR Suntour XCT
- Rubena 700*35 With Reflective Band
- Alloy

SM / MD
kg 13,8



**SILVERTIP
TS706**

- Alloy Hydrof. 28" Cross Disc
- Emotionsport
- Shimano Acera RDM390 8SP

- SR Suntour XCT
- Rubena 700*35 With Reflective Band
- Alloy

SM / MD / LA
kg 13,8



**BEARTRACK MIX PRO
TS656**

- Alloy 28" Cross
- SR Suntour Sf16 Cr8V
- Shimano Tourney TX800

- Prowheel MY A502
- Kenda K-935 With Reflective Band
- Shimano Alloy

SM / MD
kg 14,8



**BEARTRACK PRO
TS646**

- Alloy 28" Cross
- SR Suntour Sf16 Cr8V
- Shimano Tourney TX800

- Prowheel MY A502
- Kenda K-935 With Reflective Band
- Shimano Alloy

SM / MD / LA
kg 14,8

TREKKING > SPORT 26"



**BEARTRACK MIX
TS6365**

- Alloy 28" Cross
- Emotion Suspension 28"
- Shimano TX35 7sp
- Prowheel A641
- Kenda K-193
- Alloy
- SM / MD
- kg** 14,2
-



**BEARTRACK
TS626**

- Alloy 28" Cross
- Emotion Suspension 28"
- Shimano TX35 7sp
- Prowheel A641
- Kenda K-193
- Alloy
- SM / MD / LA
- kg** 14,2
-



**BEARTRACK MIX
TS616**

- Alloy Confort 26"
- Emotion Suspension 26"
- Shimano TX35 7sp
- Prowheel MY-A641
- Confort 26**2.0
- Alloy
- SM / MD
- kg** 14,7
-



**RENEGADE MIX
TS516**

- Emotion Traditional Hi-Ten 28"
- Emotion Cr-Mo 28"
- Shimano TX35 7sp
- Prowheel MY-Ad41
- Kenda K-193
- Alloy
- SM / MD
- kg** 13,8
-



**RENEGADE
TS506**

- Emotion Traditional Hi-Ten 28"
- Emotion Cr-Mo 28"
- Shimano TX35 7sp
- Prowheel MY-Ad41
- Kenda K-193
- Alloy
- SM / MD / LA
- kg** 13,8
-



FIXIE
L0306

- Fixie HI Ten
- Fixie
-

- Alloy
- Kenda K193
- Alloy

- SM / MD / LA
- kg** 12,1
-



FIXIE
L0206

- Fixie HI Ten
- Fixie
-

- Alloy
- Kenda K193
- Alloy

- SM / MD / LA
- kg** 12,1
-



FIXIE
L0106

- Fixie HI Ten
- Fixie
-

- Alloy
- Kenda K193
- Alloy

- SM / MD / LA
- kg** 12,1
-



WARRANTY



The procedure for extending a warranty 1 or 2 years can be accessed via www.bh-emotion.com

- Electric bicycles will include an extended warranty card.
- The end user may request a +1 or +2 extended warranty directly via our warranty web page, within one month from the purchase of the bicycle, and the following information must be provided for this purpose:
 - *Type of extended warranty. Either “+1” or “+2”.*
 - *Model of bicycle for the warranty.*
 - *Battery serial number.*
 - *Extended warranty date. The date on which this is provided.*
 - *Sale invoice number given to the user.*
 - *Sale invoice date given to the user.*
 - *User name.*
 - *Address.*
 - *Telephone.*
 - *E-mail.*
- Once this data has been entered, the system will check:
 - *That the extended warranty date falls within the +1 month sale invoice date of the user.*
 - *That the bicycle model is MY2012, i.e., that it starts with the letter E.*

The system will use all that information to generate an extended warranty number and a pdf file (with the warranty number and conditions), which will be sent to the user by e-mail, once the payment has been received via the online payment gateway.
- Furthermore, once this warranty number has been generated, a delivery note will be generated and an invoice will be issued according to the type of warranty (+1 or +2).
- For all warranty claims, the end user will be requested to provide the following at a BH store:
 - *The sale invoice issued to the final customer.*
 - *The battery serial number.*
 - *The bicycle model.*

The warranty can then be checked to determine if it is valid and in order. If this is the case, the battery will be replaced.

Example:

Extended warranty no.

XXXXXXXXXX

Type of extension

+1

Extended warranties on the battery

2 year Warranty for the entire EMOTION range; components and battery.

Two extended warranties on the battery model:

- **Extended warranty +1: 3 years for battery (€150 retail price).**
- **Extended warranty +2: 4 years for battery (€300 retail price).**

EMOTION extended warranty conditions

1. The extended warranty specifies that it covers the BH EMOTION electric bicycle battery. It also states that it is governed by the laws of the country in which it is purchased and it may only be applied to bicycles acquired at an authorised European BH EMOTION retailer.
2. Batteries are guaranteed against manufacturing defects for a 3 year period (extended warranty +1) or 4 year period (extended warranty +2), starting from the date on which it is purchased by the buyer from the authorised BH EMOTION retailer.
3. This extended warranty does not mean that the battery will not malfunction or that it will be last for an indefinite period. It only implies that the battery is covered by the extended warranty, as set forth in the corresponding conditions.
4. This extended warranty only applies to the original buyer of a BH EMOTION electric bicycle and may not be transferred to any subsequent owners.
5. The bicycle and the battery should be taken to an authorised BH EMOTION retailer of the country in which it was purchased in order to make a warranty claim. The bicycle must be fully assembled and the original invoice must be provided along with the purchase date (it should be kept in a safe place).
6. Following an in-depth review of the battery in question, all warranties are subject to the decision made by our engineers concerning the nature of the fault.
7. This extended warranty will be cancelled and rendered ineffective, in the following instances:
 - *Improper use.*
 - *Negligent use.*
 - *When it is hired out.*
 - *For use in competition of any kind.*
 - *Repairs and/or maintenance.*
 - *Changes and/or modifications.*
 - *Accidents.*

This extended warranty only covers batteries which were fully assembled when purchased and put together at an
8. This warranty does not cover:
 - *Damage arising from faulty assembly and maintenance and/or the installation of pieces and accessories which are not compatible with the BH EMOTION bicycle.*
 - *Damage suffered by the original buyer of the bicycle, regardless of how the damage was caused.*
 - *Damage caused by the original buyer of the bicycle to third parties, regardless of how the damage was caused.*
 - *Gradual deterioration of the battery in the course of its intended use.*
9. All labour expenses related to the application of the warranty are to be met by the owner of the bicycle. During the period of application of the warranty, BH will repair all batteries or, if necessary, will replace the battery with another of the same model or the most similar model from those available.

Dealers

BH Bikes Europe (headquarters)

P.I. Jundiz- Perretagana 10
01015 Vitoria, Alava (Spain)
Tel: + 34 945 13 52 02
bh@bhsa.es service@bhsa.es
www.bhbikes.com

BH Bikes Portugal

Tel + 351 912 468 700
joaoroloportugal@gmail.com

BH Bikes France

Sud-est

Dominique.sanders@wanadoo.fr

Sud-ouest

bhsudouest@bhsa.es

Nord-ouest

bhnordouest@bhbikes.com

Est / Région Parisienne

sylvainboge@gmail.com

BH Bikes Benelux

Wallonie/Bruxelles-Brussel/Luxembourg:

Loic Marcourt
Tel: +32 478 02 34 93
loicmarcourt@bhbikesbelux.com

Flanders

Christophe Tassenon
Tel: +32 498 13 60 38
flanders@bhbikesbelux.com

Nederland

B.M. de Groot
Tel: +31 0183 35 24 27
info@bhbikes.nl

BH Bikes Italia

Offices - Showroom
Viale Nizza n°37 - Sorrento
Tel. +39 081 8771836
E-mail: info@italiabh.it

BH Bikes Deutschland

Hotline : 0800-5895398
Mail: bhgermany@bhbikes.com
Ruth Renkl - **PLZ 35, 36, 54-56, 60-69, 70-79, 88, 97**
Mail: r.renkl@bhbikes.com
Dominik Ruiz-Morales - **PLZ 80-87, 89, 90-96**
Mobile : +49 (170) 9355020
Mail: dominik@bhbikes.com
Marc Rotter - **PLZ 01-09, 10-19, 20-29, 30-34, 37-39, 40-49, 50-53, 57-59, 98-99**
Mobile: +49 (170) 6735699
Mail: marc@bhbikes.com
Ruth Renkl - **PLZ 35, 36, 54-56, 60-69, 70-79, 88, 97**
Mobile: +49 (151) 67 639 639
Mail: r.renkl@bhbikes.com

BH Bikes Schweiz

Zollinger Sport Ag
Tel: + 41(0) 56 268 62 80
franz@zollingersport.ch
toni@zollingersport.ch (FR)

BH Bikes Österreich

Tel: + 43 (0) 72 42 350614
Tel: + 43 (0) 66 41 617931
bhaustria@bhsa.es

BH Bikes Ireland

Tel: + 353 (87) 646 4343
djmonson@gmail.com

BH Bikes Asia

8F, No 107, Sec 3, Xitun District
Taichung City 40762
Taiwan (R.O.C)
Tel: +886 4 2358 2050
info@bhbikesasia.com
www.bhbikesasia.com

BH Bikes China

No.155, Baiyundu Rd., Ludu Town,
Taichang City, Jiangsu, China (215412)
Tel: +86 512 53 28 90 80
www.bhbikes.cc
info@bhbikes.cc

BH Bikes USA

20155 Ellipse
Foothill Ranch, CA 92610
Tel: + 1 (0) 608 438 5080
www.bhbikes-us.com
dbarnes@bhbikesusa.com

BH Bikes Australia

JetBlack Products
PO Box 3563
Rouse Hill
NSW 2155

BH Bikes México

Carlos Luna Villatoro
carlos.luna@bh.com.mx
T: +52 (1) 444 8240029

BH Bikes Japan

1-11-13 Kunimidai, Kizugawa-Shi, Kyoto
Tel: +819 098 858 569
nakata@bhbikesjapan.co.jp

B H B I K E S . C O M



BH BIKES
USA


BH BIKES
MÉXICO

BH BIKES
EUROPE

BH BIKES
ASIA

BH BIKES
CHINA

BH BIKES
AUSTRALIA



BH