

2018



FELT
BICYCLES



INSIDE FELT

SINCE 1991

Wir bei Felt sind unserem Ziel immer treu geblieben: Wir wollen die besten Fahrräder der Welt entwerfen, entwickeln und bauen.

Alles fing Ende der 1980er Jahre an. Damals bat Motocross-Star Johnny O'Mara den gewieften Motorradmechaniker Jim Felt, ihm ein Rad für das Zeitfahren zu bauen.

Johnny O'Mara nahm als Training für Motocross an Triathlons teil. Als Triathlon-Leistungssportler hatte Jim Felt klare Vorstellungen, wie er die damaligen Designs verbessern konnte. Er konzentrierte

sich darauf, die Fahrerposition für höchste aerodynamische Effizienz zu optimieren.

Es funktionierte. Schon bald gewann Johnny O'Mara die ersten Rennen, und wenig später baute Jim Räder für viele der besten Triathleten der Welt.

Als Paula Newby-Fraser 1991 den Kona Ironman auf einem Felt Rad gewann, war Jim Felt offiziell im Fahrradbusiness.

Seit jenen Anfangstagen hat sich die Marke Felt weit über Triathlon Bikes hinaus entwickelt.

Heute bietet Felt komplette Modellreihen in allen Bereichen an: MTB, Strassenräder, Triathlon, Citybikes und BMX. Das Renommee der Felt Bikes umfasst diverse Siege in großen Rundfahrten, eine olympische Goldmedaille, Weltmeistertitel und zahlreiche nationale Titel.

Felt Bicycles - wir entwickeln, wir erneuern, aber wir bleiben nie stehen.

Felt n'a jamais renoncé à sa mission : concevoir, développer et fournir les meilleurs vélos au monde. Les origines de cette mission remontent à plus de deux décennies.

Tout a commencé à la fin des années 1980 quand la star du motocross Johnny O'Mara a demandé à son mécanicien Jim Felt de lui construire un vélo de contre-la-montre. Johnny faisait des triathlons comme entraînement au motocross.

En tant que triathlète lui aussi, Jim avait déjà ses propres idées pour améliorer les concepts de l'époque.

Il s'est concentré sur l'optimisation de la position du cycliste afin de maximiser l'efficacité aérodynamique.

Et ça a marché. Johnny a immédiatement commencé à gagner des courses, et Jim se mit rapidement à fabriquer des vélos pour les meilleurs triathlètes du monde. Quand Paula Newby-Fraser a gagné l'Ironman de Kona en 1991 sur un Felt, Jim a été officiellement propulsé dans le monde du vélo.

Depuis ses premiers pas, la marque Felt a grandi bien au-delà de ses racines de triathlon. Aujourd'hui il comprend une ligne de vélos complète pour le VTT, la route, le triathlon, les cités et le BMX. Le curriculum vitae de vélos Felt comprend victoires en grands tours, une médaille d'or olympique, championnats du monde, et de nombreux titres nationaux.

Felt Bicycles - nous concevons, nous innovons, mais nous ne restons jamais immobile.





E-Bikes

QX E Pony (45km/h)	7
Redemption E	10 - 11
Sport E	4 - 6
Surplus E	8 - 9
Verza E	3

MTB / VTT

Compulsion	13
Decree	15 - 18
DD	51 - 52
Dispatch 7	42 - 43
Dispatch 9	39 - 40
Doctrine	31 - 33
Edict	25 - 29
Nine	34 - 38
QX Kids	47 - 49
SIX	45 - 46
Surplus	54 - 55
Virtue	20 - 23

ROAD

AR	57 - 60
FR	62 - 67
FX Series	79 - 82
TK Series	89
TRI / TT	84 - 88
VR	69 - 72
Woman Series	74 - 77

CITY / TREKKING / URBAN

QX Series	93 - 97
Verza Speed	91 - 92

BMX Bikes

Freestyle / Dirt	99 - 100
------------------	----------



ELECTRIC SERIES

Das VERZAe vereint eine stabile Geometrie und elegantes Design mit modernen Komponenten - eine Seltenheit bei Elektrorädern mit tiefem Durchstieg. Das Ergebnis ist ein fantastisches urbanes Rad für die Freizeit, die bequeme Fahrt zur Arbeit, zum schnellen Einkaufen oder zum Kindertransport im Anhänger. Fahren Sie das VERZAe, es ist eine echte Alternative zum Auto.

Le VERZAe combine un pilotage stable, un design élégant et des composantes modernes dont les vélos électriques step-through sont rarement équipés. Le résultat obtenu est un fantastique vélo urbain, adapté pour des déplacements confortables, tant pour des loisirs que pour faire les courses à l'épicerie. Le VERZAe est un outil de transport durable: une véritable alternative à l'automobile.

**FINISH**

Matte Steel Blue (Silver, Lime Reflective)

SIZES

XS (44) / S (48) / M (52)

WEIGHT

23.8 kg



FRAME Felt step thru Shimano e-bike design, double butted 6061 aluminum: Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, Integrated rack, kickstand & Basta lock mount, full internal cable routing, disc-brake specific

FORK SR Suntour SF14-NCX-D DS LO 1 1/8" steerer, hydr Lockout, coil spring w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, post mount

HEADSET FSA No. 42/ACB-1-A 1.125" - 1.5" integrated Aheadset with reducer fork crown race to 1.125": ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 2 x 10mm straight washers

STEM Felt VERZAe ajustable 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, adjustment range 0- 60°, w/ black Cr-Mo hardware XS/ S = 70mm M = 90mm L = 110mm

HANDLEBAR

Felt VERZAe double butted aluminum trekking style bar: Ø31.8mm, 30° sweep XS/S = 660mm M/L = 680mm

SHIFTERS Shimano Acera SL-M390 9-speed Rapid Fire

REAR DERAILLEUR Shimano Deore RD-M591-SGS Shadow: long cage

CRANKSET Shimano E6000 aluminum crank arms S - 170mm M / L / XL - 175mm

BOTTOM BRACKET Shimano e6000 dirve, 250 W output, 25 km/h

PEDALS VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

BATTERY Shimano 500Wh rack type battery pack

CHAIN KMC X9

FREEWHEEL/CASSETTE Shimano CS-HG 40 9-speed cassette, 11-34T

BRAKE LEVERS Shimano M315

FRONT BRAKE Shimano M315 hydraulic, 160mm 6-bolt

REAR BRAKE Shimano M315 hydraulic: 160mm 6-bolt

SADDLE Felt VERZAe design comfort gel: unisex fit w/ dual density base

SEATPOST Felt twin clamp micro adjust 6061 aluminum, Ø27.2mm XS = 250mm, S - L = 300mm

SEATPOST CLAMP Felt bolt type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

WHEELSET Alexrims MD19 double-wall aluminum disc brake, single eyelets

FRONT HUB Shimano HB-M475, 32H: 6-bolt disc mount w/ Shimano QR lever

REAR HUB Shimano FH-M475 8/9/10-speed cassette, 36H: 6-bolt disc mount w/ Shimano QR lever

TIRES Schwalbe Energizer KevlarGuard, reflective sidewall, 700x38c w/ presta valve tubes

KICKSTAND Felt KSA 40 style kickstand

LIGHTSYSTEM B&M Lumotec IQ Eyc DC 45Lux headlight, B&M custom rack fit rearlight w/Linetec

CARRIER Felt 6061 aluminum tube style battery carrier: custom integrated for frame fit w/ internal electric cable wiring & integr. rear light, accessory attachment mount

ACCESSOIRES ABUS Amparo frame lock: w/single key system for battery lock



FINISH
Matte Black (White, Aqua)

SIZES
Lady: 44, 49 cm

WEIGHT
20.4 kg



FRAME Felt Sport-e suspension Shimano e-bike design, double butted 6061 aluminum: Semi integrated, Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, Integrated kickstand & Basta lock mount, full internal cable routing, disc-brake specific

FORK SR Suntour SF14-NCX D DS LO CTS Air, tapered steerer, hydr Lockout, air cartridge w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, post mount

HEADSET FSA No. 42 1.125" - 1.5" integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 1 x 10mm straight washers

STEM Felt QX SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware 44cm = 70mm, 49cm = 90mm

HANDLEBAR Felt QX 6061 double butted aluminum riser bar: Ø31.8mm, 25mm rise x 9° sweep 44 - 49cm = 620mm width

GRIPS Felt ergo grip dual-density Kraton rubber, wing-style

SHIFTERS Shimano SLX 11-speed

REAR DERAILLEUR Shimano XT 11-speed Shadow Plus

CRANKSET Shimano E8000 aluminum crank arms 44- 170mm, 49 - 175mm

BOTTOM BRACKET Shimano e8000 drive, 250 W output, 25 km/h

PEDALS VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

BATTERY Shimano 500Wh standard type battery pack

CHAIN KMC X11

FREEWHEEL/CASSETTE Shimano SLX 11-speed, 11-40T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M6000 180mm rotor

REAR BRAKE Shimano Deore M6000 180mm rotor

SADDLE Felt QX design low profile: w/ comfort fit padding, Cr-Mo rails

SEATPOST Felt twin clamp micro adjust 6061 aluminum, Ø27.2mm x 300mm

SEATPOST CLAMP Felt bolt type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

WHEELSET Alexrims MD19 double-wall aluminum disc brake, single eyelets

FRONT HUB Shimano HB-M525, 32H: 6-bolt disc mount w/Shimano QR lever

REAR HUB Shimano Deore HB-525 10-speed cassette, 32H: 6-bolt disc mount w/Shimano QR lever

TIRES Schwalbe EnergizerLife KevlarGuard, reflective sidewall, 700x35c w/ presta valve tubes

KICKSTAND Felt KSA 40 style kickstand: rear dropout mount

LIGHTSYSTEM LED 50 Lux DC headlight, LED DC rear light w/Linetec

CARRIER Felt 6061 aluminum tube style frame mount integrated carrier: w/internal electric cable wiring, accessory attachment mount

**FINISH**

Matte Black (Aqua, Charcoal)

SIZES

Man: 48, 52, 55, 58 cm

WEIGHT

20.4 kg



FRAME Felt Sport-e suspension Shimano e-bike design, double datted 6061 aluminum: Semi integrated, Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, Integrated kickstand & Basta lock mount, full internal cable routing, disc-brake specific

FORK SR Suntour SF14-NCX D DS LO CTS Air, tapered steerer, hydr Lockout, air cartridge w/preload adjust, 63mm travel: aluminium lowers & crown , STKM stanchions & steerer, post mount

HEADSET FSA No. 42 1.125" - 1.5" integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 1 x 10mm straight washers

STEM Felt QX SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware 44cm = 70mm, 48cm = 80mm, 52cm = 90mm 55cm = 100mm, 58cm = 110mm

HANDLEBAR Felt QX 6061 double butted aluminum riser bar: Ø31.8mm, 25mm rise x 9° sweep 44 - 48cm = 620mm width 52 - 58cm = 640mm width

GRIPS Felt ergo grip dual-density Kraton rubber

SHIFTERS Shimano SLX 11-speed

REAR DERAILLEUR Shimano XT 11-speed Shadow Plus

CRANKSET Shimano E8000 aluminum crank arms 44- 170mm, 48-58 - 175mm

BOTTOM BRACKET Shimano e8000 dirve, 250 W output, 25 km/h

PEDALS VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

BATTERY Shimano 500Wh standard type battery pack

CHAIN KMC X11

FREEWHEEL/CASSETTE Shimano SLX 11-speed, 11-40T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M6000 180mm rotor

REAR BRAKE Shimano Deore M6000 180mm rotor

SADDLE Felt QX design low profile: w/ comfort fit padding, Cr-Mo rails

SEATPOST Felt twin clamp micro adjust 6061 aluminum, Ø27.2mm x 300mm

SEATPOST CLAMP Felt bolt type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

WHEELSET Alexrims MD19 double-wall aluminum disc brake, single eyelets

FRONT HUB Shimano HB-M525, 32H: 6-bolt disc mount w/Shimano QR lever

REAR HUB Shimano Deore HB-525 10-speed cassette, 32H: 6-bolt disc mount w/Shimano QR lever

TIRES Schwalbe EnergizerLife KevlarGuard, reflective sidewall, 700x35c w/ presta valve tubes

KICKSTAND Felt KSA 40 style kickstand: rear dropout mount

LIGHTSYSTEM LED 50 Lux DC headlight, LED DC rear light w/Linetec

CARRIER Felt 6061 aluminum tube style frame mount integrated carrier: w/internal electric cable wiring, accessory attachment mount

**FINISH**

Man: Matt Pewter (Red, Black)
Lady: White (Charcoal, Red)

SIZES

Man: 48, 52, 55, 58 cm
Lady: 44, 49 cm

WEIGHT

21.2 kg



FRAME Felt Sport-e suspension Shimano e-bike design, double butted 6061 aluminum: Semi integrated, Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, Integrated kickstand & Basta lock mount, full internal cable routing, disc-brake specific

FORK SR Suntour SF14-NCX-D DS LO CTS tapered steerer, hydr Lockout, coil spring w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, post mount

HEADSET FSA No. 42 1.125" - 1.5" integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 1 x 10mm straight washers

STEM Felt QX SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware

HANDLEBAR Felt QX 6061 double butted aluminum riser bar: Ø31.8mm, 25mm rise x 9° sweep

GRIPS Felt ergo grip dual-density Kraton rubber, wing-style

SHIFTERS Shimano Acera SL-M390 9-speed Rapid Fire

REAR DERAILLEUR Shimano Deore RD-M591-SGS Shadow: long cage

CRANKSET Shimano E8000 aluminum crank arms

BOTTOM BRACKET Shimano e8000 drive, 250 W output, 25 km/h

PEDALS VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

BATTERY Shimano 500Wh standard type battery pack

CHAIN KMC X9

FREEWHEEL/CASSETTE Shimano CS-HG 40 9-speed cassette, 11-34T

BRAKE LEVERS Shimano M315

FRONT BRAKE Shimano M315 hydraulic: 180mm 6-bolt

REAR BRAKE Shimano M315 hydraulic: 180mm 6-bolt

SADDLE Felt QX design low profile: w/ comfort fit padding, Cr-Mo rails

SEATPOST Felt twin clamp micro adjust 6061 aluminum, Ø27.2mm x 300mm

SEATPOST CLAMP Felt bolt type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

WHEELSET Alexrims MD19 double-wall aluminum disc brake, single eyelets

FRONT HUB Shimano HB-M475, 32H: 6-bolt disc mount w/ Shimano QR lever

REAR HUB Shimano FH-M475 8/9/10-speed cassette, 36H: 6-bolt disc mount w/ Shimano QR lever

TIRES Schwalbe EnergizerLife KevlarGuard, reflective sidewall, 700x35c w/ presta valve tubes

KICKSTAND Felt KSA 40 style kickstand: rear dropout mount

LIGHTSYSTEM LED 50 Lux DC headlight, LED DC rear light w/Linetec

CARRIER Felt 6061 aluminum tube style frame mount integrated carrier: w/internal electric cable wiring, accessory attachment mount

Fr. 3899.-

QX *e-pompy*[®] max. 45 km/h



FINISH

Matte Black (Shadow, Orange)

SIZES

Man: 48, 52, 55, 58 cm
Lady: 44, 49 cm

WEIGHT

21.40 kg



FRAME Felt QX suspension Bosch e-bike design, double butted 6061 aluminum: Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, Integrated kickstand & Basta lock mount, full internal cable routing, disc-brake specific

FORK SR Suntour SF14-NCX-D DS LO CTS tapered steerer, hydr. Lockout, 63mm travel: post mount

MOTOR Bosch Performance Line System eDrive Unit, 250W output, 45 km/h

BATTERY Bosch 500Wh frame type battery pack

SHIFTERS Shimano Deore SL-M610 10-speed Rapid Fire

REAR DERAILLEUR Shimano Deore RD-M610-SGS Shadow: long cage

CRANKSET "Felt eBike Bosch-specific crankset, forged aluminum: 44 - 48cm=170mm, 52cm = 172.5mm, 55 - 58cm = 175mm

CHAINWHEEL Bosch-specific 18T chainwheel

HEADSET FSA No. 42 1.125" - 1.5" integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap

STEM Felt QX SL design 3D-forged aluminum w/4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm, 7° rise, w/ black Cr-Mo hardware
44cm = 70mm, 48cm = 80mm, 52cm = 90mm, 55cm = 100mm, 58cm = 110mm

HANDLEBAR Felt QX 6061 double butted aluminum riser bar: Ø31.8mm, 25mm rise x 9° sweep 44 - 48cm = 620mm width 52 - 58cm = 640mm

CHAINGUIDE Felt eBike style custom Bosch design

PEDALS VP-615 Felt design, low profile body

CHAIN KMC X10

FREEWHEEL/CASSETTE Shimano CS-HG 62 10-speed cassette, 11-32T

BRAKE LEVERS Magura MT 4 hydraulic

FRONT BRAKE Magura MT 4 hydraulic: 180mm 6-bolt

REAR BRAKE Magura MT 4 hydraulic: 180mm 6-bolt

SADDLE Felt QX design low profile: w/ comfort fit padding, Cr-Mo rails

SEATPOST Felt twin clamp micro adjust 6061 aluminum, Ø27.2mm x 300mm

RIMS/WHEELSET Alexrims MD19 double-wall aluminum disc brake, single eyelets

FRONT HUB Shimano HB-M475, 32H: 6-bolt disc mount w/ Shimano QR lever

REAR HUB Shimano FH-M475 8/9/10-speed cassette, 32H: 6-bolt disc mount w/ Shimano QR lever

TIRES Schwalbe EnergizerLife KevlarGuard, reflective sidewall, 700x35c w/ presta valve tubes

FENDERS Felt QX style fenders: w/stainless hardware

KICKSTAND Felt KSA 40 style kickstand: rear dropout mount

LIGHTSYSTEM LED 50 Lux DC headlight, LED DC rear light w/Linetec

CARRIER Felt 6061 aluminum tube style frame mount integrated carrier: w/internal electric



FINISH
Navy (Black, Silver)

SIZES
S (16") / M (18") / L (20") / XL (22")

WEIGHT
TBC



FRAME Felt 27.5+ Surplus-e Shimano Specific E-Bike frame, Fully integrated down tube, Boost 148x12mm rear OLD and slacker head angle, post mount disc, Ø31.6mm seatpost size

FORK Rock Shox Revelation RC Solo Air, 120mm Boost 15 / 110mm thru axle

HEADSET FSA No.57 semi-integrated tapered headset, external lower cup: ACB water sealed bearings, w/ Felt Tornado aluminum top cap

STEM Felt DEVOX MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts: S = 50mm, M/ L / XL = 60mm

HANDLEBAR Felt DEVOX MTB 6061 riser, Ø31.8mm, 25mm rise x 9° back sweep (760mm)

GRIPS Felt lock-on grip

SHIFTERS Shimano SLX 11-speed

REAR DERAILLEUR Shimano XT 11-speed Shadow Plus

CRANKSET Shimano E8000 aluminum crank arms
S - 170mm, M / L / XL - 175mm

CHAINWHEEL 34t

BOTTOM BRACKET Shimano e8000 MTB drive, 250 W output, 25 km/h

BATTERY Shimano E8020 500Wh integrated battery pack

CHAIN KMC X11

FREEWHEEL/CASSETTE Shimano SLX 11-speed, 11-46T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M6000 180mm rotor

REAR BRAKE Shimano Deore M6000 180mm rotor

SADDLE WTB Volt Race w / Cr-Mo rails

SEATPOST KS E-ten I
S / M - Ø30.9 x 342mm - 100mm travel
L / XL - Ø30.9 x 392mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 cold-forged w/ Cr-Mo bolt, Ø34.9mm

WHEELSET WTB Scraper i35 27.5 x 35mm

FRONT HUB Shimano Deore, 32H, Centerlock, Boost 15 / 110mm thru axle

REAR HUB Shimano Deore, 32H, Centerlock, Boost 12 / 148mm thru axle

TIRES Maxxis Rekon +, Dual, 27.5x2.8

**FINISH**

Storm Grey (Black, Red)

SIZES

S (16") / M (18") / L (20") / XL (22")

WEIGHT

TBC



FRAME Felt 27.5+ Surplus-e Shimano Specific E-Bike frame, Fully integrated down tube, Boost 148x12mm rear OLD and slacker head angle, post mount disc, Ø31.6mm seatpost size

FORK SR Suntour Aion, RLR, Air, 120mm, Boost 110mm thru axle

HEADSET FSA No.57 semi-integrated tapered headset, external lower cup: ACB water sealed bearings, w/ Felt Tornado aluminum top cap

STEM Felt DEVOX MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts: S = 50mm, M/ L / XL = 60mm

HANDLEBAR Felt DEVOX MTB 6061 riser, Ø31.8mm, 25mm rise x 9° back sweep (760mm)

GRIPS Felt lock-on grip

SHIFTERS Shimano Deore 10-speed

REAR DERAILLEUR Shimano SLX 10-speed Shadow Plus

CRANKSET Shimano E8000 aluminum crank arms S - 170mm, M / L / XL - 175mm

CHAINWHEEL 34t

BOTTOM BRACKET Shimano e8000 MTB drive, 250 W output, 25 km/h

BATTERY Shimano E8020 500Wh integrated battery pack

CHAIN KMC X10

FREEWHEEL/CASSETTE Shimano HG500 11-42 10 speed

BRAKE LEVERS Shimano M365

FRONT BRAKE Shimano M365 hydraulic: 180mm rotor

REAR BRAKE Shimano M365 hydraulic: 180mm rotor

SADDLE Felt DEVOX MTB saddle

SEATPOST Felt DEVOX 2-bolt micro adjust, 6061 aluminum, one piece design Ø30.9mm x 15mm offset: S = 350mm, M - XL = 400mm

SEATPOST CLAMP Aluminum 6061 cold-forged w/ Cr-Mo bolt, Ø34.9mm

WHEELSET Double wall, tubeless ready, 27.5x35mm inner width

FRONT HUB Forged alloy 32H, Centerlock, Boost 15 / 110mm thru axle

REAR HUB Forged alloy, 32H, Centerlock, Boost 12 / 148mm thru axle

TIRES Maxxis Rekon +, Dual, 27.5x2.8



FINISH
Storm Grey (Black)

SIZES
S (16") / M (18") / L (20") / XL (22")

WEIGHT
TBC



FRAME Felt 27.5+ Redemption ,Shimano E-Bike specific All-Mountain, double-buttet 6061 aluminum, Hydroform, 140mm travel, Fully integrated battery, ControlTaper head tube, disc brake specific, replaceable derailleur hanger, Boost 12 / 148mm, full internal cable routing, Ø31.6mm seatpost size

SHOCK Rock Shox DELUXE RT, DEBONAIR, 185X52.5 Trunnion mount

FORK Rock Shox Yari RC Solo Air, 150mm Boost 15 / 110mm thru axle

HEADSET FSA No.57 semi-integrated tapered headset, external lower cup: ACB water sealed bearings, w/ Felt Tornado aluminum top cap

STEM Felt DEVOX MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts: S = 50mm, M/ L / XL = 60mm

HANDLEBAR Felt DEVOX MTB 6061 riser, Ø31.8mm, 25mm rise x 9° back sweep (760mm)

GRIPS Felt lock-on grip

SHIFTERS Shimano SLX 11-speed

REAR DERAILLEUR Shimano XT 11-speed Shadow Plus

CRANKSET Shimano E8050 aluminum crank arms S - 170mm, M / L / XL - 175mm

CHAINWHEEL 34t

BOTTOM BRACKET Shimano e8000 MTB dirve, 250 W output, 25 km/h

BATTERY Shimano E8020 500Wh integrated battery pack

CHAIN KMC X11

FREEWHEEL/CASSETTE Shimano SLX 11-speed, 11-46T

BRAKE LEVERS Shimano SLX

FRONT BRAKE Shimano SLX M7000 203mm rotor

REAR BRAKE Shimano SLX M7000 180mm rotor

SADDLE WTB Volt Race w / Cr-Mo rails

SEATPOST KS E-ten I
S / M - Ø30.9 x 342mm - 100mm travel
L / XL - Ø30.9 x 392mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 cold-forged w/ Cr-Mo bolt, Ø34.9mm

WHEELSET WTB Scraper i35 27.5 x 35mm

FRONT HUB Shimano Deore, 32H, Centerlock, Boost 15 / 110mm thru axle

REAR HUB Shimano Deore, 32H, Centerlock, Boost 12 / 148mm thru axle

TIRES
Maxxis Minion DHF, Dual 27.5x2.8
Maxxis High Roller 2, Dual 27.5x2.8

**FINISH**

Olive Green (Black)

SIZES

S (16") / M (18") / L (20") / XL (22")

WEIGHT

TBC



FRAME Felt 27.5+ Redemption, Shimano E-Bike specific All-Mountain, double-butted 6061 aluminum, Hydroform, 140mm travel, Fully integrated battery, ControlTaper head tube, disc brake specific, replaceable derailleur hanger, Boost 12 / 148mm, full internal cable routing, Ø31.6mm seatpost size

SHOCK Rock Shox DELUXE R, DEBONAIR, 185X52.5 Trunnion mount

FORK SR Suntour Aion, Air, 150mm, Boost 110mm thru axle

HEADSET FSA No.57 semi-integrated tapered headset, external lower cup: ACB water sealed bearings, w/ Felt Tornado aluminum top cap

STEM Felt DEVOX MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts: S = 50mm, M/ L / XL = 60mm

HANDLEBAR Felt DEVOX MTB 6061 riser, Ø31.8mm, 25mm rise x 9° back sweep (760mm)

GRIPS Felt lock-on grip

SHIFTERS Shimano Deore 10-speed

REAR DERAILLEUR Shimano SLX 10-speed Shadow Plus

CRANKSET Shimano E8000 aluminum crank arms S - 170mm, M / L / XL - 175mm

CHAINWHEEL 34t

BOTTOM BRACKET Shimano e8000 MTB drive, 250 W output, 25 km/h

BATTERY Shimano E8020 500Wh integrated battery pack

KMC X10

FREEWHEEL/CASSETTE Shimano HG500 11-42 10 speed

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M6000 203mm rotor

REAR BRAKE Shimano Deore M6000 180mm rotor

SADDLE Felt DEVOX MTB saddle

SEATPOST KS E-ten I
S / M - Ø30.9 x 342mm - 100mm travel
L / XL - Ø30.9 x 392mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 cold-forged w/ Cr-Mo bolt, Ø34.9mm

WHEELSET Double wall, tubeless ready, 27.5x35mm inner width

FRONT HUB Forged alloy 32H, Centerlock, Boost 15 / 110mm thru axle

REAR HUB Forged alloy, 32H, Centerlock, Boost 12 / 148mm thru axle

TIRES
Maxxis Minion DHF, Dual 27.5x2.8
Maxxis High Roller 2, Dual 27.5x2.8



COMPULSION SERIES

ENDURO

Das Compulsion mit 160mm Federweg und mit 27,5" Rädern ist das perfekte All-Mountain oder Enduro-Bike. Das patentierte Equilink™-System bietet einen vollen Federweg, unbeeinträchtigt von Antrieb und Bremsen. Und genau darin liegt das grosse Geheimnis des Compulsion: Die Kombination aus der Effektivität eines wirklich schnellen All Mountain-Bikes mit den Vorzügen von 160 mm supersensiblen Federweg.

Le Compulsion avec 160mm de débattement et des roues de 27,5 pouces est un chef-d'oeuvre tout-terrain. Le système Equilink™ unique et breveté permet un débattement complet du piston indépendamment de l'influence de l'entraînement et des freins. Et c'est précisément là tout le secret du Compulsion: un mariage réussi entre l'efficacité d'un vélo Trail très rapide et les atouts d'un débattement super sensible de 160 mm.



COMPULSION 10 FRAMESET

Fr. 1899.-

**FINISH**

Matte Lime (Cyan, Grey)

SIZESS (16") / M (18")
FRAMESET: S (16") / M (18") / L (20")**WEIGHT**

12.9 kg



FRAME Felt All-Mountain, Double-Butted 6061 Aluminum, Hydroform, 160mm Travel, Equilink Suspension Technology, Con-Troltaper Head Tube, Post Disc Mount, Replaceable Derailleur Hanger, Stan-Dard 73mm Threaded Bottom Bracket, 12 X 142mm W/ Syntace Style Thru Axle

SHOCK Rock Shox Monarch Plus Rc3, Debonair With High Volume Eyelet, Custom Tune, 216 X 63

FORK Rock Shox Pike Rct3 Dual Position Air, 160mm

HEADSET Fsa Fsa Dx Pro Semi Integrated Tapered Headset, External Lower Cup W/8mm Custom Cone Spacer

STEM Felt Mtb 3D-Forged Threadless 1-1/8" +/- 7° Rise For Ø31.8mm Handlebar W/ Black Cr-Mo Bolts:
Sm - 50mm
Md - 60mm
Lg/Xl - 70mm

HANDLEBAR Felt Mtb Carbon Flat Top, Ø31.8mm, 8mm Rise X 9° Sweep, (760mm)
GRIPS Felt Wing Lock-On Grip
Bar Ends/Caps Felt Bubble-Tech F-Wing

CHAIN Sram Xx1

SHIFTERS Sram X01 11-Speed

REAR DERAILLEUR Sram X01

CRANKSET Race Face Turbine
S - 170mm
M/L/XL - 175mm

CHAINWHEEL 32T

BOTTOM BRACKET Race Face 73mm

CHAIN Sram XX1

FREEWHEEL Sram Xg1180,
11-Speed, 10-42T

BRAKE LEVERS Sram Guide Rsc
W/ Carbon Lever,

FRONT BRAKE Sram Guide Rsc
W/ Carbon Lever, 180mm Rotor
REAR BRAKE Sram Guide Rsc
W/ Carbon Lever, 160mm Rotor

SADDLE WTB Volt Race - Cr-Mo Rails

SEATPOST KS Lev Integra
S/M - Ø30.9 X 342mm - 100mm Travel
Lg/Xl - Ø30.9 X 392mm - 125mm Travel

SEATPOST Clamp Aluminum 6061 Cnc Cold-Forged W/
Cr-Mo Bolt, Ø34.9mm

RIMS / WHEELSET Wtb Kom I23

FRONT HUB Novatec, 6-Bolt, 15X100

REAR HUB Novatec, 6-Bolt, 12X142, Xd Driver For
Sram 1X11

SPOKES 2.0/1.8mm Double-Butted Stainless

TIRES Ft: Schwalbe Hans Dampf Snake-Skin, TI-Ready,
Folding, 27.5 X 2.35 Rr: Schwalbe Rock Razor Snakes-
kin, TI-Ready, Folding, 27.5 X 2.35



DECREE SERIES

TRAIL 27.5"

Das Decree ist ein kompromissloses 27.5" Trailbike mit der patentierten Felt Active Stay Technologie (FAST) im Hinterbau, die lange Aufstiege und unglaublich schnelle Abfahrten in jedem Gelände ermöglichen. Dazu können Sie mit dem innovativen Flip-Chip System die Geometrie ihren Wünschen anpassen: Sie können die Tretlagerhöhe um 10 mm absenken oder erhöhen und gleichzeitig den Steuerwinkel um ein Grad flacher oder steiler stellen. Dank einer absenkbaren Sattelstütze ist das Decree ein Trail-Bike für alle Gelegenheiten.

Le Decree est un Trail-Bike équipé de roues 27.5 permettant toutes les fantaisies. Son système de suspension arrière breveté, utilisant la technologie FAST (Felt Active Stay Technology) lui permet d'effectuer de longues montées avec un rendement exceptionnel mais également de survoler les descentes les plus engagées. Son système innovatif Flip-Chip permet de changer la géométrie du vélo. L'angle du tube de selle sera modifié de plus ou moins un degré ce qui par conséquent abaissera ou augmentera de 10mm la hauteur du boîtier de pédalier. Equipé d'une tige de selle télescopique, le Decree vous permettra de vous faire plaisir en toutes occasions.

**FINISH**

Dark Grey (Red)

SIZES

S (16") / M (18") / L (20") / XL (22")

WEIGHT

26.83 lbs, 12.17 kg



FRAME Felt Trail, 140mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1X specific, 12 x 148mm Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing

SHOCK RockShox Super Deluxe RCT, Debonair with custom tune, 205 x 62.5 Trunnion

FORK RockShox Pike RC Solo Air, 150mm travel, 15 x 110mm Boost thru axle

HEADSET FSA sealed cartridge bearings, semi-integrated upper, external cup lower, DX Pro, 1.125 - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\emptyset 31.8$ mm with Cr-Mo bolts, SM/MD: 60mm, LG/XL: 70mm

HANDLEBAR Devox carbon riser, $\emptyset 31.8$ mm, 15mm rise, 9° sweep, 760mm wide

GRIPS Felt Pauley Grip, lock-on

SHIFTERS SRAM X01 Eagle, 1x12

REAR DERAILLEUR SRAM X01 Eagle, 12-speed

CRANKSET SRAM X01 Eagle, 34T, SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET SRAM GXP, BSA threaded, 73mm

CHAIN SRAM X01, 12-speed

FREEWHEEL/CASSETTE SRAM XG1295, 12-speed, 10-50T

BRAKE LEVER SRAM Guide RSC

FRONT BRAKE SRAM Guide RSC hydraulic disc, 180mm rotor

REAR BRAKE SRAM Guide RSC hydraulic disc, 160mm rotor

SADDLE WTB Volt Race, Cr-Mo rails

SEATPOST RockShox Reverb Stealth with 1X remote, $\emptyset 30.9$ mm, SM: 100mm travel, MD/LG: 125mm travel, XL: 150mm travel

SEATPOST CLAMP Felt single bolt, $\emptyset 34.9$ mm

RIMS/WHEELSET Race Face Aeffect-R wheelset, tubeless ready

FRONT HUB Race Face, 15 x 110mm Boost thru axle, 6-bolt

REAR HUB Race Face, XD driver, 12 x 148mm Boost thru axle, 6-bolt

TIRES Schwalbe Fat Albert, SnakeSkin, TL-Easy, folding, tubeless ready, 27.5 x 2.35"



FINISH
Matte Carbon (Blue)

SIZES
S (16") / M (18") / L (20") / XL (22")

WEIGHT
27.24 lbs, 12.36 kg



FRAME Felt Trail, 140mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1X specific, 12 x 148mm Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing

SHOCK RockShox Deluxe RT3, Debonair with custom tune, 205 x 62.5mm Trunnion

FORK RockShox Revelation RC 150mm travel, 15 x 110mm Boost thru axle

HEADSET Sealed cartridge bearings, semi-integrated upper, external cup lower, 1.125 - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, SM/MD: 60mm, LG/XL: 70mm

HANDLEBAR Devox 6061 riser, $\varnothing 31.8$ mm, 15mm rise, 6° sweep, 760mm wide

GRIPS Felt Pauley Grip, lock-on

SHIFTERS SRAM GX Eagle, 1x12

REAR DERAILLEUR SRAM GX Eagle 12-speed

CRANKSET SRAM Stylo 6K Powerspline, 34T, SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET SRAM Powerspline, BSA threaded, 73mm

CHAIN SRAM GX, 12-speed

FREEWHEEL/CASSETTE SRAM GX, 12-speed, 10-50T

BRAKE LEVER Magura

FRONT BRAKE Magura MT5 hydraulic disc, 180mm rotor

REAR BRAKE Magura MT5 hydraulic disc, 160mm rotor

SADDLE WTB Volt Race, Cr-Mo rails

SEATPOST KS LEV SI with South Paw P, $\varnothing 30.9$ mm, SM: 100mm travel, MD/LG: 125mm travel, XL: 150mm travel

SEATPOST CLAMP Felt single bolt, $\varnothing 34.9$ mm

RIMS/WHEELSET Race Face Aeffect-R wheelset, tubeless ready

FRONT HUB Race Face, 15 x 110mm Boost thru axle, 6-bolt

REAR HUB Race Face, XD driver, 12 x 148mm Boost thru axle, 6-bolt

TIRES Schwalbe Nobby Nic Performance, folding, tubeless ready, 27.5 x 2.35"

**FINISH**

Matte Carbon (Lime Green)

SIZES

S (16") / M (18") / L (20")

WEIGHT

28.3 lbs, 12.84 kg



FRAME Felt Trail, 140mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1X specific, 12 x 148mm Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing

SHOCK RockShox Delux R, Debonair with custom tune, 205 x 62.5 Trunnion

FORK RockShox Recon Gold RL, 150mm travel, 15 x 110mm Boost thru axle

HEADSET Sealed cartridge bearings, semi-integrated upper, external cup lower, 1.125 - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, SM/MD: 60mm, LG/XL: 70mm

HANDLEBAR Devox 6061 riser, $\varnothing 31.8$ mm, 15mm rise, 6° sweep, 760mm wide

GRIPS Felt Pauley Grip, lock-on

SHIFTERS SRAM GX Eagle, 1x12

REAR DERAILLEUR SRAM GX Eagle 12-speed

CRANKSET SRAM Stylo 6K Powerspline, 34T, SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET SRAM Powerspline, BSA threaded, 73mm

CHAIN SRAM GX, 12-speed

FREEWHEEL/CASSETTE SRAM GX, 12-speed, 10-50T

BRAKE LEVER Magura

FRONT BRAKE Magura MT4 hydraulic disc, 180mm rotor

REAR BRAKE Magura MT4 hydraulic disc, 160mm rotor

SADDLE Devox performance

SEATPOST KS eTen i dropper with South Paw P, $\varnothing 30.9$ mm, SM/MD: 100mm travel, LG/XL: 125mm travel

SEATPOST CLAMP Felt single bolt, $\varnothing 34.9$ mm

RIMS/WHEELSET Double wall, tubeless ready, 29mm inner width

FRONT HUB 15 x 110mm Boost thru axle, 6-bolt, 32H

REAR HUB XD driver, 12 x 148mm Boost thru axle, 6-bolt, 32H

SPOKES 2.0/1.8mm double-buttet stainless steel

TIRES Schwalbe Nobby Nic Performance, folding, tubeless ready, 27.5 x 2.35"

DECREE 40

Fr. 2799.-

DECREE FRD FAMEKIT

Fr. 3299.-



FINISH
Midnight Blue (Fluoro Yellow)

SIZES
S (16") / M (18") / L (20") / XL (22")

FINISH
Matte Textreme (Blue, Red)

SIZES
S (16") / M (18") / L (20")

FRAME Felt Trail, 6061 front triangle with UHC Performance carbon fiber swingarm, MmC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount

SHOCK Rock Shox Monarch RT, Debonair with High Volume eyelet, custom tune, 200 x 57

FORK Rock Shox Revelation RL Solo Air, 150mm travel

HEADSET FSA SX semi integrated tapered headset, external lower cup w/8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/MD - 60mm, LG/XL - 70mm

HANDLEBAR Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (760mm)

SHIFTERS Shimano Deore 2x10

FRONT DERAILLEUR Shimano Deore, high direct mount

REAR DERAILLEUR Shimano Deore 10-speed Shadow Plus, long cage

CRANKSET Shimano Deore 2x10
SM - 170mm
MD/LG/XL - 175mm
CHAINWHEEL 36/22T

BOTTOM BRACKET Shimano 73mm

CHAIN Shimano HG54

FREEWHEEL/CASSETTE Shimano Deore 10-speed, 11-36T

BRAKE LEVERS Shimano M355

FRONT BRAKE Shimano M355, 180mm rotor

REAR BRAKE Shimano M355, 160mm rotor

SADDLE WTB Volt Comp - Steel rails

SEATPOST KS Drop Zone
SM/MD - Ø30.9 x 350mm - 100mm travel

LG - Ø30.9 x 385mm - 125mm travel
XL - Ø30.9 x 420mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET Aluminum double wall, 21mm inside

FRONT HUB Shimano Deore, centerlock, 15x100

REAR HUB Shimano Deore, centerlock, 12x142

SPOKES 2.0/1.8mm double-buttet stainless

TIRES Schwalbe Nobby Nic Performance, Folding, 27.5 x 2.35

WEIGHT 13.3 kg

FRAME Felt Trail, UHC Ultimate + TeXtreme carbon fiber, MmC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

SHOCK Rock Shox Monarch Plus RC3, Debonair with High Volume eyelet, custom tune, 200 x 57

HEADSET FSA NO.42/CF/ACB-A w/8.7mm Carbon custom cone spacer

SEATPOST CLAMP Aluminum 7075 CNC w/ titanium bolt, Ø34.9mm

WEIGHT 2.38 kg



VIRTUE SERIES

TRAIL 29"

Mit 29" Rädern und 130 mm Equilink™ Federweg begeistert das Virtue mit seinem Mix aus Vielseitigkeit und Performance. Das patentierte Federungssystem bietet unbeeinflusst von Schaltung oder Bremsen einen vollen Federweg. Das Virtue vereint die Wendigkeit und Leistung eines Cross-Country-Rads mit der Stabilität und Kontrolle eines aggressiven Trailrads. Erleben Sie es selber!

Avec 130mm de débattement Equilink™ et des roues de 29 pouces, le Virtue est la parfaite alliance entre polyvalence et performances inégalées sur ce secteur. Le système de suspension unique et breveté permet un débattement complet du piston indépendamment de l'influence de l'entraînement ou des freins. Le Virtue Nine combine l'agilité et la performance d'un vélo crosscountry avec la stabilité et le contrôle d'un vélo Trail agressif.

Découvrez par vous-même!



FINISH
Matte Carbon (Green, Red)

SIZES
S (16") / M (18") / L (20") / XL (22")

WEIGHT
12.17 kg



FRAME Felt Trail, UHC Advanced + TeXtreme carbon fiber, MmC w/ InsideOut construction, full carbon dro-pouts, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

SHOCK Rock Shox Monarch RT3 Solo Air with High Volume Eyelet, custom tune, 200 x 57

FORK Rock Shox Pike RCSolo Air, 140mm travel

HEADSET FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/ MD - 70mm, LG/XL - 80mm

HANDLEBAR Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (740mm)

GRIPS ESI Racers Edge
Bar Ends/Caps ESI bar plugs

SHIFTERS Sram X01 Eagle Trigger 12-speed

REAR DERAILLEUR Sram X01 Eagle 12-speed

CRANKSET Sram X01 Eagle
SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 30T

BOTTOM BRACKET Sram 73mm

CHAIN Sram X01 Eagle

FREEWHEEL/CASSETTE Sram XG 1295 Eagle black,
12-speed, 10-50T

BRAKE LEVERS Sram Guide RSC

FRONT BRAKE Sram Guide RSC, 180mm rotor

REAR BRAKE Sram Guide RSC, 180mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST Rock Shox Reverb Stealth
SM/MD - Ø30.9 x 340mm - 100mm travel
LG/XL - Ø30.9 x 390mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/
Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET DT Swiss M1700

FRONT HUB DT Swiss M1700, 6-bolt, 15x100

REAR HUB DT Swiss M1700, 6-bolt, 12x142, XD driver
for Sram 1x12

SPOKES DT Swiss M1700

TIRES Schwalbe Nobby Nic Snakeskin, TL-ready,
Folding, 29 x 2.35

**FINISH**

Matte Carbon (Charcoal, Green, Turquoise)

SIZES

S (16") / M (18") / L (20") / XL (22")

WEIGHT

13.4 kg



FRAME Felt Trail, UHC Performance carbon fiber, MmC w/ InsideOut construction, full carbon dropouts, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

SHOCK Rock Shox Monarch RT Solo Air with High Volume Eyelet, custom tune, 200 x 57

FORK Rock Shox Pike RCSolo Air, 140mm travel

HEADSET FSA NO.42ACB w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/ MD - 70mm, LG/XL - 80mm

HANDLEBAR Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (740mm)

SHIFTERS Shimano XT 2x11

FRONT DERAILLEUR Shimano XT, high direct mount

REAR DERAILLEUR Shimano XT 11-speed Shadow Plus, long cage

CRANKSET Shimano XT 2x11

SM - 170mm

MD/LG/XL - 175mm

CHAINWHEEL 38/26T

BOTTOM BRACKET Shimano 73mm

CHAIN Shimano HG700

FREEWHEEL/CASSETTE Shimano XT 11-speed, 11-42T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M615, 180mm rotor

REAR BRAKE Shimano Deore M615, 180mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST Rock Shox Reverb Stealth
SM/MD - Ø30.9 x 340mm - 100mm travel
LG/XL - Ø30.9 x 390mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET DT Swiss M1900


FRONT HUB DT Swiss M1900, centerlock, 15x100

REAR HUB DT Swiss M1900, centerlock, 12x142

SPOKES DT Swiss M1900

TIRES Schwalbe Nobby Nic Snakeskin, TL-ready, Folding, 29 x 2.35



FINISH	SIZES	WEIGHT	
Matte Huckleberry (Black, Orange)	S (16") / M (18") / L (20")	13.72 kg	

FRAME Felt Trail, UHC Performance carbon fiber, MmC w/ InsideOut construction, full carbon dropouts, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

SHOCK Rock Shox Monarch RT Solo Air with High Volume Eyelet, custom tune, 200 x 57

FORK Rock Shox Revelation RL Solo Air, 140mm travel

HEADSET FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/ MD - 70mm, LG/XL - 80mm

HANDLEBAR Felt MTB 6061 Flat top, Ø31.8mm, 5mm rise x 9° sweep (740mm)

GRIPS Felt Wing lock-on grip
Bar Ends/Caps Felt Bubble-Tech F-Wing

SHIFTERS Shimano SLX 2x11

FRONT DERAILLEUR Shimano SLX, high direct mount

REAR DERAILLEUR Shimano SLX 11-speed Shadow Plus, long cage

CRANKSET Shimano SLX 2x11
SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 36/26T

BOTTOM BRACKET Shimano 73mm

CHAIN Shimano HG54
FREEWHEEL/CASSETTE Shimano SLX 11-speed, 11-42T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M615, 180mm rotor

REAR BRAKE Shimano Deore M615, 180mm rotor

CABLES Felt sealed slick

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST KS Drop Zone
SM/MD - Ø30.9 x 350mm - 100mm travel
LG - Ø30.9 x 385mm - 125mm travel
XL - Ø30.9 x 420mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET WTB Stp i19 TCS

FRONT HUB Forged aluminum, 6-bolt, 15x100

REAR HUB Forged aluminum, 6-bolt, 12x142

SPOKES 2.0/1.8mm
double-butted stainless

TIRES Schwalbe Nobby Nic Performance, Folding, 29 x 2.35



FINISH
Matte Textreme (Blue, Red)

SIZES
S (16") / M (18") / L (20")

WEIGHT
2.44 kg



FRAME Felt Trail, UHC Ultimate + TeXtreme carbon fiber, MmC w/ InsideOut construction, full carbon dropouts, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

SHOCK Rock Shox Monarch RT3 Solo Air with High Volume Eyelet, custom tune, 200 x 57

HEADSET FSA NO.42/CF/ACB-A w/8.7mm Carbon custom cone spacer

SEATPOST CLAMP Aluminum 7075 CNC w/ titanium bolt, Ø34.9mm



EDICT SERIES

XC FULL SUSPENSION

Das Edict Nine mit 100 mm Federweg ist ein reinrassiges Crosscountry & Marathon Race-Bike. Mit einer 100mm Federgabel ist es dafür ausgelegt, die härtesten XC World Cup-Strecken und die schwierigsten Marathon-Parcours souverän zu meistern. Mit der Felt Active Stay Technology (FAST™) – als Weltmeisterrad bewährt – und effizienten, stabilen 29-Zoll-Laufrädern, sowie einer perfekten Geometrie bietet das Edict genau, was ein Crosscountry Fahrer verlangt.

L'Edict à 100 mm de débattement est un VTT cross-country et marathon racé. Avec une fourche de 100 mm de débattement il est conçu pour venir à bout des circuits XC les plus rudes en coupe du monde et apprivoiser les courses marathon ou XTERRA les plus exténuantes. Équipant la Felt Active Stay Technology ((FAST™) testée et approuvée en championnat du monde avec des roues efficaces et stables de 29 pouces, ainsi que une géométrie parfaite fournit l'Edict exactement ce que il faut pour un coureur de cross-country.

**FINISH**

Matte Textreme (White)

SIZES

S (16") / M (18") / L (20")

WEIGHT

10.03 kg



FRAME Felt XC, 100mm travel, FAST suspension, UHC Ultimate + TeXtreme carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

SHOCK RockShox Deluxe RT Full Sprint remote, Debonair, custom tune, 190 x 40mm

FORK RockShox SID, World Cup Solo air, 100mm travel, OneLoc full sprint, 15 x 110mm Boost thru axle

HEADSET FSA integrated sealed cartridge bearing, No.42ACB-A, 1.125" - 1.5"

STEM Race Face Turbine $\pm 6^\circ$ rise, $\varnothing 31.8$ mm, SM/MD: 70mm, LG: 90mm, XL: 100mm

HANDLEBAR Race Face Next carbon flat bar, $\varnothing 31.8$ mm, 9° sweep, 720mm wide

GRIPS ESI Racers Edge

SHIFTERS SRAM XX1 Eagle, 1x12

REAR DERAILLEUR SRAM XX1 Eagle 12-speed

CRANKSET SRAM XX1 Eagle, 34T, SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET SRAM GXP, BSA threaded, 73mm

CHAIN SRAM XX1, 12-speed

FREEWHEEL/CASSETTE SRAM XG1295, 12-speed, 10-50T

BRAKE LEVER SRAM Level Ultimate

FRONT BRAKE SRAM Level Ultimate hydraulic disc, 180mm rotor

REAR BRAKE SRAM Level Ultimate hydraulic disc, 160mm rotor

SADDLE Prologo Nago X10, Nack carbon rails

SEATPOST Race Face Next SL carbon, $\varnothing 30.9$ x 400mm

SEATPOST CLAMP Felt single clamp with titanium bolt, $\varnothing 34.9$ mm

RIMS/WHEELSET DT Swiss XRC1200 wheelset, tubeless ready

FRONT HUB DT, 15 x 110mm Boost thru axle, 6-bolt

REAR HUB DT, XD driver, 12 x 148mm Boost thru axle, 6-bolt

TIRES Schwalbe Rocket Ron front + Racing Ralph rear Evo, LiteSkin, Addix speed, folding, tubeless ready, 29 x 2.25"



FINISH
Matte Carbon (Blue, Grey)

SIZES
S (16") / M (18") / L (20") / XL (22")

WEIGHT
10.79 Kg



FRAME Felt XC, 100mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

SHOCK RockShox Deluxe RC3 Debonair, custom tune, 190 x 40mm

FORK RockShox SID RL Solo air, 100mm travel, remote, 15 x 110mm Boost thru axle

HEADSET FSA integrated sealed cartridge bearing, No.42ACB-A, 1.125" - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, SM/MD: 80mm, LG: 90mm, XL: 100mm

HANDLEBAR Devox carbon flat top, $\varnothing 31.8$ mm, 8mm rise, 9° sweep, 720mm wide

GRIPS ESI Racers Edge

SHIFTERS SRAM X01, 1x12

REAR DERAILLEUR SRAM X01 Eagle, 12-speed

CRANKSET SRAM X01 Eagle, 34T, SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET SRAM GXP, BSA threaded, 73mm

CHAIN SRAM X01, 12-speed

FREEWHEEL/CASSETTE SRAM XG1295, 12-speed, 10-50T

BRAKE LEVER SRAM Level TLM

FRONT BRAKE SRAM Level TLM hydraulic disc, 180mm Centerline rotor

REAR BRAKE SRAM Level TLM hydraulic disc, 160mm Centerline rotor

SADDLE Prologo Kappa RS, T2.0 rails

SEATPOST Felt carbon post, forged head, 15mm offset, $\varnothing 30.9$, SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, $\varnothing 34.9$ mm

RIMS/WHEELSET DT Swiss X1750 wheelset, tubeless ready, 25mm inner width

FRONT HUB DT, 15 x 110mm Boost thru axle, 6-bolt

REAR HUB DT, XD driver, 12 x 148mm Boost thru axle, 6-bolt

TIRES Schwalbe Rocket Ron front + Racing Ralph rear Evo, LiteSkin, Addix speed, folding, tubeless ready, 29 x 2.25"

**FINISH**

Matte Black (Lime Green)

SIZES

S (16") / M (18") / L (20") / XL (22")

WEIGHT

11.66 kg



FRAME Felt XC, 100mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

SHOCK RockShox Deluxe RL Debonair, custom tune, 190 x 40mm

FORK RockShox Reba RL Solo air, 120mm travel, remote, 15 x 110mm Boost thru axle

HEADSET FSA integrated sealed cartridge bearing, No.42ACB-A, 1.125" - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, SM/MD: 80mm, LG: 90mm, XL: 100mm

HANDLEBAR Devox 6061 flat top, $\varnothing 31.8$ mm, 5mm rise, 9° sweep, 720mm wide

GRIPS Felt Pauley Grip, lock-on

SHIFTERS SRAM GX, 1x12

REAR DERAILLEUR SRAM GX Eagle 12-speed

CRANKSET SRAM Stylo 6K Powerspline, SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET SRAM Powerspline, BSA threaded, 73mm

CHAIN SRAM GX, 12-speed

FREEWHEEL/CASSETTE SRAM GX, 12-speed, 10-50T

BRAKE LEVER Magura

FRONT BRAKE Magura MT4 hydraulic disc, 180mm rotor

REAR BRAKE Magura MT4 hydraulic disc, 160mm rotor

SADDLE Prologo Kappa RS, T2.0 rails

SEATPOST Felt butted 6061, dual bolt, 15mm offset, $\varnothing 30.9$, SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, $\varnothing 34.9$ mm

RIMS/WHEELSET DT Swiss X1750 wheelset, tubeless ready, 25mm inner width

FRONT HUB DT, 15 x 110mm Boost thru axle, 6-bolt

REAR HUB DT, XD driver, 12 x 148mm Boost thru axle, 6-bolt

TIRES Schwalbe Rocket Ron front + Racing Ralph rear Evo, Performance, Addix, folding, tubeless ready, 29 x 2.25"



FINISH
Matte Black (Red)

SIZES
S (16") / M (18") / L (20") / XL (22")

WEIGHT
12.78 Kg



FRAME Felt XC, 100mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

SHOCK RockShox Deluxe RL Debonair, custom tune, 190 x 40mm

FORK RockShox Recon RL Solo air, 120mm travel, remote, 15 x 110mm Boost thru axle

HEADSET FSA integrated sealed cartridge bearing, No.42ACB-A, 1.125" - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, SM/MD: 80mm, LG: 90mm, XL: 100mm

HANDLEBAR Devox 6061 flat top, $\varnothing 31.8$ mm, 5mm rise, 9° sweep, 720mm wide

GRIPS Felt Pauley Grip, lock-on

SHIFTERS SRAM GX, 1x12

REAR DERAILLEUR SRAM GX Eagle 12-speed

CRANKSET SRAM Stylo 6K Powerspline, SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET SRAM Powerspline, BSA threaded, 73mm

CHAIN SRAM GX, 12-speed

FREEWHEEL/CASSETTE SRAM GX, 12-speed, 10-50T

BRAKE LEVER Magura

FRONT BRAKE Magura MT4 hydraulic disc, 180mm rotor

REAR BRAKE Magura MT4 hydraulic disc, 160mm rotor

SADDLE Devox performance

SEATPOST Felt butted 6061, dual bolt, 15mm offset, $\varnothing 30.9$, SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, $\varnothing 34.9$ mm

RIMS/WHEELSET Double wall, tubeless ready, 25mm inner width

FRONT HUB 15 x 110mm Boost thru axle, 6-bolt, 32H

REAR HUB XD driver, 12 x 148mm Boost thru axle, 6-bolt, 32H

SPOKES 2.0/1.8mm double-butted stainless steel

TIRES Schwalbe Rocket Ron front + Racing Ralph rear Evo, Performance, Addix, folding, tubeless ready, 29 x 2.25"



FINISH
Matte Textreme (White)

SIZES
S (16") / M (18") / L (20")

WEIGHT
TBC



FRAME Felt XC, 100mm travel, FAST suspension, UHC Ultimate + TeXtreme carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing, Ø30.9 seat post size

SHOCK RockShox Deluxe RT Full Sprint remote, Debonair, custom tune, 190 x 40mm

HEADSET FSA integrated sealed cartridge bearing, No.42ACB-A, 1.125" - 1.5"

SEATPOST CLAMP Felt single clamp with titanium bolt, Ø34.9mm

ACCESSORIES Frameset includes rear shock, headset, seat clamp and rear thru axle



29" HARDTAIL SERIES

Die 29" Hardtail Serie überzeugt Felts professionelle Crosscountry-Fahrer mit modernster Rahmentechnologie und überlegener Fahrqualität. Diese Räder verbinden das sichere Handling von 29-Zoll-Laufrädern mit rassisger Rennleistung. Ob Sie World Cup XC-Profi sind, sich XTERRA verschrieben haben, auf Marathon spezialisiert oder Freizeitsportler sind – es gibt sicher ein 2018 Felt, das genau für Sie passt.

Avec une technologie de pointe pour le cadre et une qualité de pilotage supérieure qui ont su convaincre les pilotes Felt professionnels en cross-country, la Série 29" hardtail de Felt allie les caractéristiques de maniabilité sécurisées des roues 29 pouces à des performances de course racées. Que vous soyez un pro en coupe du monde XC ou un fanatique de XTERRA, un spécialiste du marathon ou un pilote occasionnel pour le plaisir, vous trouverez sans aucun doute le 29" hardtail de Felt version 2018 qui vous convient parfaitement.

**FINISH**

Matte Carbon (Blue, Grey)

SIZES

S (16") / M (18") / L (20")

WEIGHT

9.64 kg



FRAME Felt XC, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, flat mount disc mounts, BB92, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

FORK RockShox Sid RL Solo Air, 100mm travel, OneLoc remote, 15 x 110mm Boost thru axle

HEADSET FSA integrated sealed cartridge bearing, No.42ACB-A, 1.125" - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, XS: 70mm, SM/MD: 80mm, LG: 90mm, XL: 100mm

HANDLEBAR Devox carbon flat top, $\varnothing 31.8$ mm, 8mm rise, 9° sweep, 720mm wide

GRIPS ESI Racers Edge

SHIFTERS SRAM X01, 1x12

REAR DERAILLEUR SRAM X01 Eagle, 12-speed

CRANKSET SRAM X01 Eagle, 34T, XS/SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET SRAM GXP

CHAIN SRAM X01, 12-speed

FREEWHEEL/CASSETTE SRAM XG1295, 12-speed, 10-50T

BRAKE LEVER SRAM Level TLM

FRONT BRAKE SRAM Level TLM hydraulic disc, 180mm rotor

REAR BRAKE SRAM Level TLM hydraulic disc, 160mm rotor

SADDLE Prologo Kappa RS, T2.0 rails

SEATPOST Devox carbon post, forged head, 15mm offset, $\varnothing 27.2$, XS/SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET DT Swiss X1750 wheelset, tubeless ready, 25mm inner width

FRONT HUB DT, 15 x 110mm Boost thru axle, 6-bolt

REAR HUB DT, XD driver, 12 x 148mm Boost thru axle, 6-bolt

TIRES Schwalbe Rocket Ron front + Racing Ralph rear Evo, LiteSkin, Addix speed, folding, tubeless ready, 29 x 2.25"



FINISH
Pistachio (Carbon)

SIZES
S (16") / M (18") / L (20")

WEIGHT
10.74 kg



FRAME Felt XC, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, flat mount disc mounts, BB92, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

FORK RockShox Sid RL Solo Air, 100mm travel, OneLoc remote, 15 x 110mm Boost thru axle

HEADSET FSA integrated sealed cartridge bearing, No.42ACB-A, 1.125" - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, XS: 70mm, SM/MD: 80mm, LG: 90mm, XL: 100mm

HANDLEBAR Devox 6061 butted riser, $\varnothing 31.8$ mm, 15mm rise, 9° sweep, 720mm wide

GRIPS ESI Racers Edge

SHIFTERS Shimano XT M8000, 2x11

FRONT DERAILLEUR Shimano XT, side swing, direct mount

REAR DERAILLEUR Shimano XT M8000 11-speed Shadow Plus, mid cage

CRANKSET Shimano XT M8000, 36/26T, XS/SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET Shimano

CHAIN Shimano HG701, 11-speed

FREEWHEEL/CASSETTE Shimano M8000, 11-speed, 11-42T

BRAKE LEVER Shimano

FRONT BRAKE Shimano XT M8000 hydraulic disc, 180mm rotor

REAR BRAKE Shimano XT M8000 hydraulic disc, 160mm rotor

SADDLE Prologo Kappa RS, T2.0 rails

SEATPOST Devox carbon post, forged head, 15mm offset, $\varnothing 27.2$, XS/SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET DT Swiss X1750 wheelset, tubeless ready, 25mm inner width

FRONT HUB DT, 15 x 110mm Boost thru axle, 6-bolt

REAR HUB DT, Shimano driver, 12 x 148mm Boost thru axle, 6-bolt

TIRES Schwalbe Rocket Ron front + Racing Ralph rear Evo, LiteSkin, Addix speed, folding, tubeless ready, 29 x 2.25"



FINISH
Matte Carbon (Red, Grey)

SIZES
S (16") / M (18") / L (20")

WEIGHT
1.14 kg



FRAME Felt XC, butted 6061 aluminum, Hydroform, ControlTaper head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur

**FINISH**

Matte Textreme (Gloss Black, Red)

SIZES

S (16") / M (18") / L (20")

WEIGHT

9.51 kg



FRAME Felt XC, UHC Advanced + TeXtreme carbon fiber, MmC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, 140mm post disc mounts, standard 73mm threaded bottom bracket, Syntace style 12x142mm through axle, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

FORK Rock Shox SID RL, Oneloc remote, tapered steerer, 100mm

HEADSET FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm, SM/MD - 80mm, LG - 90mm, XL - 100mm

HANDLEBAR Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (720mm)

GRIPS ESI Racers Edge
Bar Ends/Caps ESI bar plugs

SHIFTERS Sram X01 11-speed

REAR DERAILLEUR Sram X01

CRANKSET Sram X01
XS/SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 30T

BOTTOM BRACKET Sram 73mm

CHAIN Sram X1

FREEWHEEL/CASSETTE Sram XG1180, 11-speed, 10-42T

BRAKE LEVERS Sram Level TLM

FRONT BRAKE Sram Level TLM, 180mm rotor

REAR BRAKE Sram Level TLM, 160mm rotor

SADDLE WTB Silverado Race - Cr-mo rails

SEATPOST Felt carbon shaft w/ forged head, micro-adjust, 15mm offset, Ø27.2
XS/SM (350Mm)
MD/LG/XL (400Mm)

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET DT Swiss X1800

FRONT HUB DT Swiss X1800, 6-bolt, 15x100

REAR HUB DT Swiss X1800, 6-bolt, 12x142, XD driver for Sram 1x11

SPOKES DT Swiss X1800

TIRES Schwalbe Racing Ralph Evo, TL-ready, folding, 29 x 2.10

**FINISH**

Matte Carbon (White)

SIZES

S (16") / M (18") / L (20")

WEIGHT

10.7 kg



FRAME Felt XC, UHC Performance carbon fiber, MmC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 142mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

FORK Rock Shox Reba RL Solo Air, Tapered steerer, Oneloc remote, 100mm

HEADSET FSA NO. 42/47/ACB w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm, SM/MD - 80mm, LG - 90mm, XL - 100mm

HANDLEBAR Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (720mm)

SHIFTERS Shimano XT 2x11

FRONT DERAILLEUR Shimano XT, low clamp 34.9, dual pull, top swing

REAR DERAILLEUR Shimano XT 11-speed Shadow Plus, long cage

CRANKSET Shimano XT 2x11

SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 36/26T

BOTTOM BRACKET Shimano 73mm

CHAIN Shimano HG700

FREEWHEEL/CASSETTE Shimano XT 11-speed, 11-42T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M615, 180mm rotor

REAR BRAKE Shimano Deore M615, 160mm rotor

SADDLE WTB Silverado Race - Cr-mo rails

SEATPOST Felt carbon shaft w/ forged head, micro-adjust, 15mm offset, Ø27.2
XS/SM (350mm)
MD/LG/XL (400mm)

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET DT Swiss X1900

FRONT HUB DT Swiss X1900, centerlock, 15x100

REAR HUB DT Swiss X1900, centerlock, 12x142

SPOKES DT Swiss X1900

Tires Schwalbe Racing Ralph Performance, folding, 29 x 2.10



FINISH
Matte Carbon (White, Red)

SIZES
S (16") / M (18") / L (20") / XL (22")

WEIGHT
11.31 kg



FRAME Felt XC, UHC Performance carbon fiber, MmC w/ InsideOut construction, full carbon dropouts, ControTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 142mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

FORK Rock Shox Reba RL Solo Air, Tapered steerer, Oneloc remote, 100mm

HEADSET FSA NO.42/47/ACB w/4mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm, SM/MD - 80mm, LG - 90mm, XL - 100mm

HANDLEBAR Felt MTB 6061 Flat top, Ø31.8mm, 5mm rise x 9° sweep (720mm)

SHIFTERS Shimano Deore 2x10

FRONT DERAILLEUR Shimano Deore, high clamp 34.9, dual pull, down swing

REAR DERAILLEUR Shimano XT 10-speed Shadow Plus, long cage

CRANKSET Shimano Deore 2x10
XS/SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 38/24T

BOTTOM BRACKET Shimano 73mm

CHAIN Shimano HG700

FREEWHEEL/CASSETTE Shimano Deore 10-speed, 11-36T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M447, 180mm rotor

REAR BRAKE Shimano Deore M447, 160mm rotor

SADDLE WTB Silverado Race - Cr-mo rails

SEATPOST Felt butted 6061, dual-bolt w/ forged head, micro-adjust, 15mm offset, Ø27.2
XS/SM (350Mm)
MD/LG/XL (400Mm)

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET WTB Stp i19 TCS

FRONT HUB Shimano Deore, centerlock, 15x100

REAR HUB Shimano Deore, centerlock, 12x142

SPOKES 2.0/1.8mm double-butted stainless

TIRES Schwalbe Racing Ralph Performance, folding, 29 x 2.10

**FINISH**

Matte Carbon (Yellow, Green)

SIZES

S (16") / M (18") / L (20")

WEIGHT

12.05 kg



FRAME Felt XC, UHC Performance carbon fiber, MmC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

FORK Rock Shox Recon Silver RL Solo Air, tapered steerer, Oneloc remote, 100mm

HEADSET FSA NO.42/47/ACB w/4mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm, SM/MD - 80mm, LG - 90mm, XL - 100mm

HANDLEBAR Felt MTB 6061 butted riser, Ø31.8mm, 15mm rise x 9° sweep (720mm)

GRIPS Felt Wing lock-on grip
Bar Ends/Caps Felt Bubble-Tech F-Wing

SHIFTERS Shimano Deore 2x10
Front Derailleur Shimano Deore, high clamp 34.9, dual pull, down swing

REAR DERAILLEUR Shimano Deore 10-speed Shadow, long cage

CRANKSET Shimano Deore 2x10
XS/SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 36/22T

BOTTOM BRACKET Shimano 73mm

CHAIN Shimano HG54

FREEWHEEL/CASSETTE Shimano Deore 10-speed, 11-36T

BRAKE LEVERS Shimano M355,

FRONT BRAKE Shimano M355, 180mm rotor

REAR BRAKE Shimano M355, 160mm rotor

CABLES Felt sealed slick

SADDLE WTB Silverado Comp - Steel rails

SEATPOST Felt butted 6061, dual-bolt w/ forged head, micro-adjust, 15mm offset, Ø27.2
XS/SM (350Mm)
MD/LG/XL (400Mm)

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET Aluminum double wall, 19mm inside

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

SPOKES 2.0mm stainless

TIRES Schwalbe Rapid Rob Kevlarguard, folding, 29 x 2.25



FINISH
Matte Black (Blue, Chartreuse)

SIZES
S (16") / M (18") / L (20") / XL (22")

WEIGHT
13.42 kg



FRAME Felt XC, butted 6061 aluminum, Hydroform, ControlTaper head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur

FORK Rock Shox XC30, tapered steerer, Poploc remote, 100mm

HEADSET FSA NO.10 w/16.2mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm, SM/MD - 80mm, LG - 90mm, XL - 100mm

HANDLEBAR Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (720mm)

SHIFTERS Shimano Deore 3x10
FRONT DERAILLEUR Shimano Deore, low clamp 34.9, dual pull, top swing

REAR DERAILLEUR Shimano Deore 10-speed Shadow, long cage

CRANKSET Shimano Deore 3x10
XS/SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 42/32/24T

BOTTOM BRACKET Shimano 73mm

PEDALS Low-profile nylon platform

CHAIN Shimano HG54

FREEWHEEL/CASSETTE Shimano Deore 10-speed, 11-36T

BRAKE LEVERS Shimano M355,
FRONT BRAKE Shimano M355, 180mm rotor

REAR BRAKE Shimano M355, 160mm rotor

SADDLE WTB Silverado Comp - Steel rails

SEATPOST Felt butted 6061, dual-bolt w/ forged head, micro-adjust, 15mm offset, Ø30.9
XS/SM (350Mm)
MD/LG/XL (400Mm)

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET WTB Stp i19 TCS

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

SPOKES 2.0mm stainless

TIRES Schwalbe Rapid Rob, folding, 29 x 2.25

**FINISH**

Matte Black (Red, Grey)

SIZES

S (16") / M (18") / L (20") / XL (22")

WEIGHT

TBC



FRAME Felt XC, SuperLite aluminum, hydroform, ControlTaper head tube, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD

FORK RockShox Recon RL Solo Air, 100mm travel, OneLoc remote

HEADSET FSA integrated sealed cartridge bearing, No.42ACB-A, 1.125" - 1.5"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, XS: 50mm, S/M: 60mm, L/XL: 70mm

HANDLEBAR Devox 6061 butted riser, $\varnothing 31.8$ mm, 15mm rise, 6° sweep, 720mm wide

GRIPS Felt Pauley Grip

SHIFTERS Shimano SLX M7000, 2x11

FRONT DERAILLEUR Shimano SLX M7000, dual pull, down swing, 31.8 clamp

REAR DERAILLEUR Shimano XT M8000, 11-speed, Shadow Plus, long cage

CRANKSET Praxis Cadet M30, 36/26T, XS/SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET Shimano, BSA threaded, 73mm

CHAIN Shimano HG60, 11-speed

FREEWHEEL/CASSETTE Shimano M-7000, 11-speed, 11-42T

BRAKE LEVER Shimano

FRONT BRAKE Shimano M365 hydraulic disc, 180mm rotor

REAR BRAKE Shimano M365 hydraulic disc, 160mm rotor

SADDLE Devox performance

SEATPOST Devox butted 6061, dual bolt, 15mm offset, $\varnothing 27.2$, XS/SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Double wall, tubeless ready, 24mm inner width

FRONT HUB 100mm QR, 6-bolt, 32H

REAR HUB 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Rapid Rob K-Guard, folding, tubeless ready, 29 x 2.25"



FINISH
Blue (White, Black)

SIZES
XS (14") / S (16") / M (18") / L (20") / XL (22")

WEIGHT
TBC



FRAME Felt XC, F-Lite aluminum, hydroform, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD

FORK SR/Suntour XCM-HLO, 100mm travel, preload, hydraulic lockout

HEADSET FSA semi-integrated, No.10, 1.125"

STEM Devox, ±7° rise, Ø31.8mm with Cr-Mo bolts, XS: 50mm, S/M: 60mm, L/XL: 70mm

HANDLEBAR Devox 6061 butted riser, Ø31.8mm, 15mm rise, 6° sweep, 720mm wide

GRIPS Felt Pauley Grip

SHIFTERS Shimano Acera M3000, 3x9

FRONT DERAILLEUR Shimano Acera M3000, dual pull, down swing, 31.8 clamp

REAR DERAILLEUR Shimano Deore M592, 9-speed Shadow, long cage

CRANKSET Shimano Acera M371, 44/32/22T, XS/SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET Shimano, sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace M94, 9-speed

FREEWHEEL/CASSETTE SunRace CSM96, 9-speed, 11-36T

BRAKE LEVER Shimano

FRONT BRAKE Shimano M315 hydraulic disc, 180mm rotor

REAR BRAKE Shimano M315 hydraulic disc, 160mm rotor

SADDLE Felt MTB performance

SEATPOST Devox butted 6061, dual bolt, 15mm offset, Ø27.2, XS/SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, Ø31.8mm

RIMS/WHEELSET Double wall, tubeless ready, 24mm inner width

FRONT HUB 100mm QR, Center Lock, 32H

REAR HUB 135mm QR, Center Lock, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Rapid Rob K-Guard, folding, 29 x 2.25"

DISPATCH 7 SERIES

XC 27.5"

Die speziellen Leichtbauahmen der Dispatch 7-Serie bieten alle Leistungsmerkmale von Felt-MTBs, wie grosszügige Reifenfreiheit, perfekte Geometrie und ein Handling mit genau der richtigen Balance aus Steifigkeit und Nachgiebigkeit. Diese einzigartigen Merkmale des Felt Dispatch 7 ergeben ein Rad, das bei steilsten Anstiegen, rasantesten Abfahrten und schnellsten Singletracks gleichermassen zu Hause ist.

Ces cadres légers spécifiques à la série Dispatch 7 intègrent toute la performance des VTT Felt incluant un passage de roue généreuse, une géométrie précise et une maniabilité avec le bon équilibre entre rigidité et souplesse. Toutes ces caractéristiques uniques du Felt Dispatch 7 forment un vélo tout aussi à l'aise dans les montées raides que dans les larges chemins forestiers pare-feu, ou les singletracks rapides.





FINISH	SIZES	FINISH	SIZES
Matte Charcoal (White, Black)	S (16") / M (18") / L (20")	Matte Light Grey (Fluo, Turquoise)	XS (14") / S (16") / M (18") / L (20")

FRAME Felt XC, F-Lite aluminum, hydroform, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD	BRAKE LEVER Shimano
FORK RockShox Recon RL Solo Air, 100mm travel, OneLoc remote	FRONT BRAKE Shimano M365 hydraulic disc, 180mm rotor
HEADSET FSA semi-integrated, No.10, 1.125"	REAR BRAKE Shimano M365 hydraulic disc, 160mm rotor
STEM Devox, ±7° rise, Ø31.8mm with Cr-Mo bolts, XS: 50mm, S/M: 60mm, L/XL: 70mm	SADDLE Devox performance
HANDLEBAR Devox 6061 butted riser, Ø31.8mm, 15mm rise, 6° sweep, 720mm wide	SEATPOST Devox butted 6061, dual bolt, 15mm offset, Ø27.2, XS/SM: 350mm, MD/LG/XL: 400mm
GRIPS Felt Pauley Grip	SEATPOST CLAMP Felt single bolt, Ø31.8mm
SHIFTERS Shimano Deore, 2x10	RIMS/WHEELSET Double wall, tubeless ready, 24mm inner width
FRONT DERAILLEUR Shimano Deore, dual pull, down swing, 31.8 clamp	FRONT HUB 100mm QR, Center Lock, 32H
REAR DERAILLEUR Shimano Deore M6000 10-speed, Shadow Plus, long cage	REAR HUB 135mm QR, Center Lock, 32H
CRANKSET Shimano Deore, 36/26T, XXS/XS/SM: 170mm, MD/LG/XL: 175mm	SPOKES 2.0mm stainless steel
BOTTOM BRACKET Shimano, BSA threaded, 73mm	TIRES Schwalbe Rapid Rob K-Guard, folding, tubeless ready, 27.5 x 2.25"
CHAIN Shimano HG54, 10-speed	
FREEWHEEL/CASSETTE Shimano HG-500, 10-speed, 11-42T	

FRAME Felt XC, F-Lite aluminum, hydroform, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD	BRAKE LEVER Shimano
FORK SR/Suntour XCM-HLO, 100mm travel, preload, hydraulic lockout	FRONT BRAKE Shimano M315 hydraulic disc, 180mm rotor
HEADSET FSA semi-integrated, No.10, 1.125"	REAR BRAKE Shimano M315 hydraulic disc, 160mm rotor
STEM Devox, ±7° rise, Ø31.8mm with Cr-Mo bolts, XS: 50mm, S/M: 60mm, L/XL: 70mm	SADDLE Devox performance
HANDLEBAR Devox 6061 butted riser, Ø31.8mm, 15mm rise, 6° sweep, 720mm wide	SEATPOST Devox butted 6061, dual bolt, 15mm offset, Ø27.2, XS/SM: 350mm, MD/LG/XL: 400mm
GRIPS Felt Pauley Grip	SEATPOST CLAMP Felt single bolt, Ø31.8mm
SHIFTERS Shimano Acera, 3x9	RIMS/WHEELSET Double wall, tubeless ready, 25mm inner width
FRONT DERAILLEUR Shimano Acera, dual pull, down swing, 31.8 clamp	FRONT HUB 100mm QR, Center Lock, 32H
REAR DERAILLEUR Shimano Deore M592, 9-speed, Shadow, long cage	REAR HUB 135mm QR, Center Lock, 32H
CRANKSET Shimano Acera, 44/32/22T, XXS/XS/SM: 170mm, MD/LG/XL: 175mm	SPOKES 2.0mm stainless steel
BOTTOM BRACKET Shimano, sealed cartridge, BSA threaded, square taper axle, 73mm	TIRES Schwalbe Rapid Rob K-Guard, folding, 27.5 x 2.25"
CHAIN SunRace M94, 9-speed	
FREEWHEEL/CASSETTE SunRace CSM96, 9-speed, 11-36T	

Fr. 749.-

Dispatch 7 / 70

**FINISH**

Matte Mint (Purple, Black)

SIZES

XS (14") / S (16") / M (18") / L (20")

FRAME Felt XC, F-Lite aluminum, hydroform, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD

FORK SR/Suntour XCM-HLO, 100mm travel, preload, hydraulic lockout

HEADSET FSA semi-integrated, No.10, 1.125"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, XS: 50mm, S/M: 60mm, L/XL: 70mm

HANDLEBAR Devox 6061 riser, $\varnothing 31.8$ mm, 15mm rise, 6° sweep, 720mm wide

GRIPS Felt Pauley Grip

SHIFTERS Shimano Acera, 3x9

FRONT DERAILLEUR Shimano Alivio, dual pull, down swing, 31.8 clamp

REAR DERAILLEUR Shimano Alivio M4000, 9-speed, Shadow, long cage

CRANKSET SR/Suntour XCM, 44/32/22T, XXS/XS/SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace M94, 9-speed

FREEWHEEL/CASSETTE SunRace CSM96, 9-speed, 11-36T

BRAKE LEVER Tektro
FRONT BRAKE Tektro M285 hydraulic disc, 180mm rotor

REAR BRAKE Tektro M285 hydraulic disc, 160mm rotor

SADDLE Devox performance

SEATPOST Devox butted 6061, dual bolt, 15mm offset, $\varnothing 27.2$, XS/SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Double wall, tubeless ready, 24mm inner width

FRONT HUB 100mm QR, 6-bolt, 32H

REAR HUB 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Rapid Rob K-Guard, folding, 27.5 x 2.25"

Fr. 679.-

Dispatch 7 / 80

**FINISH**

Matte Yellow (Green, Black)

SIZES

XXS(12") / XS(14") / S(16") / M(18") / L(20")

FRAME Felt XC, F-Lite aluminum, hydroform, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD

FORK SR/Suntour XCM-HLO, 100mm travel, preload, hydraulic lockout

HEADSET FSA semi-integrated, No.10, 1.125"

STEM Devox, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm with Cr-Mo bolts, XS: 50mm, S/M: 60mm, L/XL: 70mm

HANDLEBAR Devox 6061 riser, $\varnothing 31.8$ mm, 15mm rise, 6° sweep, 720mm wide

GRIPS Felt Pauley Grip

SHIFTERS Shimano Altus, 3x8

FRONT DERAILLEUR Shimano Altus, dual pull, down swing, 31.8 clamp

REAR DERAILLEUR Shimano Acera 8-speed, long cage

CRANKSET Shimano Tourney TY501, 42/32/22T, XXS/XS/SM: 170mm, MD/LG/XL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace M84, 8-speed

FREEWHEEL/CASSETTE SunRace CSM56, 8-speed, 11-34T

BRAKE LEVER Tektro

FRONT BRAKE Tektro M285 hydraulic disc, 180mm rotor

REAR BRAKE Tektro M285 hydraulic disc, 160mm rotor

SADDLE Devox performance

SEATPOST Devox butted 6061, dual bolt, 15mm offset, $\varnothing 27.2$, XS/SM: 350mm, MD/LG/XL: 400mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Double wall, tubeless ready, 24mm inner width

FRONT HUB 100mm QR, 6-bolt, 32H

REAR HUB 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Smart Sam K-guard, 27.5 x 2.25"



SIX & KIDS SERIES

XC HARDTAIL

Die Felt Six Serie vereint bewährte Leistung und erschwingliche Alltagstauglichkeit in einem 26-Zoll-Mountainbike. Diese Räder werden allen Aufgaben perfekt gerecht, auch Offroad-Touren und sogar anspruchsvollen Singletrails. Das Q Kids – als vollwertiges Geländerad konzipiert und in zwei Größen erhältlich – ist der ideale Einstieg in das Abenteuer Mountainbiking für junge Fahrer. Mit den Felt Six und Kids Rädern wird Mountainbiking zu einem Erlebnis für die ganze Familie.

La Série Six de Felt combine performances éprouvées et praticité au quotidien sur un VTT 26 pouces. Ces vélos sont parfaits dans toutes les situations VTT, y compris des chemins forestiers et même des singletracks exigeants. Le Q Kids de Felt combine performances en situation réelle et praticité au quotidien dans un VTT développé spécialement pour les jeunes cyclistes. Conçus comme des machines tout-terrain à part entière et disponibles en deux versions, les Q Kids feront découvrir l'action VTT aux plus jeunes. Avec ces vélos Felt, rouler en VTT devient un loisir pour toute la famille.

**FINISH**

Matte Black (Red, White)

SIZES

XXS (12") / XS (14") / S (16") / M (18")

WEIGHT

14.1 kg



FRAME Felt XC, 6061 butted aluminum, Dynaform, oversized semi-integrated 1-1/8" head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp

FORK SR Suntour XCM-HLO, Hydraulic lockout, Preload, 100mm

HEADSET FSA NO.10 w/15mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm, S - 80mm, M - 90mm

HANDLEBAR Felt MTB 6061, 25mm rise x 9° sweep: XXS/XS/S (640mm), M (680mm)

SHIFTERS Shimano Acera 3x9

FRONT DERAILLEUR Shimano Acera, low clamp 34.9, dual pull, top swing

REAR DERAILLEUR Shimano Alivio 9-speed, long cage

CRANKSET Suntour XCM XXS/XS/S - 170mm M - 175mm

CHAINWHEEL 44/32/22T

CHAIN Sunrace M94 9-speed

BOTTOM BRACKET Square taper

PEDALS Low-prof le nylon platform

CHAIN Sunrace M94

FREEWHEEL Sunrace CSM96, 9-speed, 11-34T

BRAKE LEVERS Tektro hydraulic Disc

FRONT BRAKE Tektro FEH-01 hydraulic Disc, 180mm rotor

REAR BRAKE Tektro FEH-01 hydraulic Disc, 160mm rotor

SADDLE Felt MTB performance

SEAT POST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9

SEAT POST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm

RIMS / WHEELSET Aluminum double wall, 26mm inside

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

TIRES Felt THC, 26 x 2.1

SIX 80

Fr. 599.-

SIX 95

Fr. 499.-



FINISH
Metallic Blue (Chartreuse)

SIZES
XXS (12") / XS (14") / S (16") / M (18")

FINISH
Matte Lemon (Black, Green)

SIZES
XXS (12") / XS (14") / S (16")

FRAME Felt XC, 6061 butted aluminum, Dynaform, oversized semi-integrated 1-1/8 head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp

CHAIN Sunrace M84
FREEWHEEL Sunrace CSM66, 8-speed, 11-34T
BRAKE LEVERS Tektro TS360A
FRONT BRAKE Tektro Novella mechanical disc, 180mm rotor

FRAME Felt XC, 6061 butted aluminum, Dynaform, oversized semi-integrated 1-1/8 head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp

BRAKE LEVERS Shimano STEF41
FRONT BRAKE Tektro 855AL V-brake
REAR BRAKE Tektro 855AL V-brake
SADDLE Felt MTB performance

FORK SR Suntour XCT, Preload, 100mm
HEADSET FSA NO.10 w/15mm custom cone spacer

REAR BRAKE Tektro Novella mechanical disc, 160mm rotor
SADDLE Felt MTB performance

HEADSET FSA NO.10 w/15mm custom cone spacer

SEAT POST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm, S - 80mm, M - 90mm

SEAT POST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm, S - 80mm, M - 90mm

SEAT POST CLAMP Aluminum 6061 CNC cold-forged w/Cr-Mo bolt, Ø34.9mm

HANDLEBAR Felt MTB 6061, 25mm rise x 9° sweep: XXS/XS/S (640mm), M (680mm)

SEAT POST CLAMP Aluminum 6061 CNC cold-forged w/Cr-Mo bolt, Ø34.9mm

HANDLEBAR Felt MTB 6061, 25mm rise x 9° sweep: XXS/XS/S (640mm), M (680mm)

RIMS / WHEELSET Aluminum double wall, 24mm inside, -brake

SHIFTERS Shimano Altus 3x8

RIMS / WHEELSET Aluminum double wall, 26mm inside

SHIFTERS Shimano ST-EF41-L 3x7

FRONT HUB Forged aluminum, QRx100

FRONT DERAILLEUR Shimano Altus, low clamp 34.9, dual pull, top swing

FRONT HUB Forged aluminum, 6-bolt, QRx100

FRONT DERAILLEUR Shimano Altus, low clamp 34.9, dual pull, top swing

REAR HUB Forged aluminum, QRx135

REAR DERAILLEUR Shimano Acera, long cage

REAR HUB Forged aluminum, 6-bolt, QRx135

REAR DERAILLEUR Shimano Altus

TIRES Felt THC, 26 x 2.1

CRANKSET Suntour XCT Sunto XXS/XS/S - 170mm M - 175mm

TIRES Felt THC, 26 x 2.1

CRANKSET SSR Melt Forged Aluminum XXS/XS/S - 170mm M - 175mm

WEIGHT 14.8kg

CHAINWHEEL 42/32/22T

WEIGHT 14.6kg

CHAINWHEEL 48/38/28T

CHAIN Sunrace M84 8-speed

CHAIN KMC Z51

BOTTOM BRACKET Square taper

BOTTOM BRACKET Square taper

PEDALS Low-prof le nylon platform

PEDALS Low-prof le nylon platform

FREEWHEEL Sunrace 7-speed freewheel, 13-34T

Fr. 649.-

QX 24 HYDRAULIC DISC



FINISH

Gloss Blue (Orange/Lime)

WEIGHT

12.75 kg



FRAME Felt Q Kids Series, Dynaform 6061 aluminum, 1-1/8" Head tube, forged dropouts, IS disc mounts, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front Derailleur clamp

HEADSET Threadless 1-1/8", forged cups w/ 3 x 5mm straight spacers

BRAKE LEVERS Tektro TS325A

FORK SR Suntour XTC-JR, 50mm

STEM Felt kids MTB one piece melt forged threadless 1-1/8" +/-10° rise for Ø31.8mm Handlebar w/ Cr-Mo bolts 50mm

FRONT/REAR BRAKE Tektro M285 hydraulic disc, 160mm rotor

SHIFTERS SRAM X.5, 9-speed

HANDLEBAR Felt MTB Kids aluminum, Ø31.8mm, 15mm rise x 9° sweep, (600mm)

SADDLE Felt Kids MTB w / Cr-Mo rails

REAR DERAILEUR SRAM X.5

PEDALS Kids Nylon platform199

SEATPOST Felt 6061, single bolt, 15mm offset, Ø27.2 (300Mm)

CRANKSET Forged Aluminum 155mm

CHAIN Sunrace

RIMS Aluminum double wall, 24mm inside, Disc, 24"

CHAINWHEEL 28T

FREEWHEEL/CASSETTE Sunrace 9-speed, 11-36T

TIRES KENDA, 24 x 2.35

Fr. 449.-

QX 24 ALU



FINISH

- 1. Matte Black (Silver, Multicolor)
- 2. Gloss Orange (Blue, Chartr.)

WEIGHT

12.57 kg



FRAME Felt Q Kids Series, Dynaform 6061 aluminum, 1-1/8" Head tube, forged dropouts, IS disc mounts, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front Derailleur clamp

STEM Felt kids MTB one piece melt forged threadless 1-1/8" +/-10° rise for Ø31.8mm handlebar w/ Cr-Mo bolts 50mm

SEATPOST Felt 6061, single bolt, 15mm offset, Ø27.2 (300Mm)

FORK SR Suntour XTC-JR, 50mm

HANDLEBAR Felt MTB Kids aluminum, Ø31.8mm, 15mm rise x 9° sweep, (600mm)

RIMS Aluminum double wall, 24mm inside, V-Brake, 24"

SHIFTERS Shimano Tourney Revo 8-speed

PEDALS Kids Nylon platform199

TIRES MTB Knobby Design, 24 x 1.95

REAR DERAILEUR Shimano Altus

CHAIN Sunrace M54PC1051

WEIGHT 12.57kg

CRANKSET Forged Alu with chainring guard, 155mm

FREEWHEEL/CASSETTE Sunrace 8-speed, 13-34T

CHAINWHEEL 28 T

BRAKE LEVERS Tektro TS325A

HEADSET Threadless 1-1/8", forged cups w/ 3 x 5mm straight spacers

FRONT/REAR BRAKE Tektro 855AL V-brake

SADDLE Felt Kids MTB w / Cr-Mo rails



FINISH
1. Gloss Blue (Cyan/Chartreuse)

FINISH
2. Gloss Red (Mint, Green)

FINISH
3. Rasta (Red, Yellow, Green)



FRAME Felt Q Kids Series, 20" Dynaform 6061 aluminum, 1-1/8" Head tube, forged dropouts, IS disc mounts, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front Derailleur clamp

FORK SR Suntour JR, 40mm

SHIFTERS Shimano Tourney Revo 7-speed

REAR DERAILLEUR Shimano Tourney

CRANKSET Forged Aluminum with double chainring guard, 140mm

HEADSET Threadless 1-1/8", forged cups w/ 3 x 5mm straight spacers

STEM Felt kids MTB one piece melt forged threadless 1-1/8" +/-10° rise for Ø31.8mm handlebar w/ Cr-Mo bolts 50mm

HANDLEBAR Felt MTB Kids aluminum, Ø31.8mm, 15mm rise x 9° sweep, (600mm)

PEDALS Kids Nylon platform199

CHAIN Sunrace

FREEWHEEL/CASSETTE Sunrace 7-speed, 14-28T

BRAKE LEVERS Tektro TS325A

FRONT/REAR BRAKE Tektro 855AL V-brake

SEATPOST Felt 6061, single bolt, 15mm offset, Ø27.2 (250Mm)

RIMS Aluminum double wall, 24mm inside, V-Brake, 20"

TIRES KENDA, 20 x 2.25

WEIGHT 11.04 kg

Fr. 249.-

BASE 16



FINISH

Matte Orange

WEIGHT

8.8 kg



FRAME Felt BMX 6061 Alu, traditional round tube 16" BMX design

CHAIN KMC Z410, 1/8"

RIMS Aluminum single-wall, 16"

FORK Felt BMX 1" steerer tube, 3/8" axle slots

FREEWHEEL 14T Cog

TIRES Kenda, 16 x 2.25"

SHIFTERS Shimano Tourney Revo 7-speedAM

BRAKE LEVERS Tektro Junior size

ACCESSOIRES Steel training wheels, full coverage chainguard

REAR DERAILLEUR Shimano Tourney

FRONT BRAKE Alu caliper

CRANKSET Junior, Steel one piece, 114mm, 28T

REAR BRAKE Coaster brake

HANDLEBAR Felt BMX style, steel, 14cm rise

SEATPOST Ø25.4 x 230mm

Fr. 199.-

BASE 12



FINISH

1. Lime

2. Cyan Light Blue

WEIGHT

8.6 kg



FRAME Felt BMX 6061 aluminum, traditional round tube 12" BMX design

CHAIN KMC Z410, 1/8"

RIMS Alu single-wall, 12", 16H

FORK Felt BMX 1" steerer tube, 3/8" axle slots

FREEWHEEL 16T Cog

TIRES Kenda, 12 x 2.25"

SHIFTERS Shimano Tourney Revo 7-speedAM

BRAKE LEVERS Tektro Junior size

ACCESSOIRES Steel training wheels, full coverage chainguard

REAR DERAILLEUR Shimano Tourney

FRONT BRAKE Alu caliper

CRANKSET Junior, Steel one piece, 92mm, 28T

REAR BRAKE Coaster brake

HANDLEBAR Felt BMX style, steel, 14cm rise

SEATPOST Ø25.4 x 230mm



DD SERIES

FAT BIKE

Der Felt DD wurde sorgfältig um seine "super-fetten" 26 x 4" Räder erbaut und fährt am Liebsten auf wenig benutzten Pfaden oder im Schnee. Vom Sandstrand bis zur Schneepiste, vom Waldweg bis zum Singletrail, der DD kennt keine Grenzen. Bemerkenswert agil, komfortabel und absolut zuverlässig ausgerüstet, bringt Ihnen dieses "Fat Bike" ein vollkommen neues Bike Erlebnis.

Construit sur la base de ses roues en super-épaisseur de 26 x 4", le Felt DD est fait pour prendre le chemin le moins fréquenté, pour rouler dans la neige ou à la campagne, le DD ne connaît pas de frontières. Remarquablement agile, confortable et parfaitement fiable, chaque vélo est entièrement conçu et équipé avec les meilleurs soins autour des roues multisportives. Ce vélo "Fat Bike" vous apporte une toute nouvelle expérience du vélo.



FINISH
Matte Army Green (Black, Orange)

SIZES
S (16") / M (18") / L (20")

WEIGHT
14.7 kg



FRAME Felt Fat, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 100mm threaded bottom bracket, 190mm OLD, Ø30.9mm seatpost, Ø34.9mm clamp adaptor for high direct type front derailleur mount

FORK Rock Shox BLUTO RL A2, 100mm

HEADSET FSA NO.57 semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts:
SM - 60mm
MD - 70mm
LG - 80mm

HANDLEBAR Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (760mm)

GRIPS Felt Wing lock-on grip
Bar Ends/Caps Felt Bubble-Tech F-Wing

SHIFTERS Shimano XT 11-speed

REAR DERAILLEUR Shimano XT 11-speed Shadow Plus, long cage

CRANKSET Race Face Ride

SM - 170mm
MD/LG - 175mm

CHAINWHEEL 30T

BOTTOM BRACKET Race Face 100mm

PEDALS Low-profile nylon platform

CHAIN Shimano HG700

FREEWHEEL/CASSETTE Shimano XT 11-speed, 11-40T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M615, 180mm rotor

REAR BRAKE Shimano Deore M615, 160mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST Felt carbon shaft w/ forged head, micro-adjust, 15mm offset, Ø30.9
SM (350Mm)
MD/LG/XL (400Mm)

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm
RIMS/WHEELSET Single-wall w/ machined cut-outs,

80mm inside, 26"

FRONT HUB Forged Aluminum fat hub, 15x150

REAR HUB Forged Aluminum fat hub, 12x197

SPOKES 2.0mm stainless

TIRES Schwalbe Jumbo Jim EVO, folding, 26 x 4.0



FINISH
Matte Charcoal (Fluo, Red)

SIZES
M (18")

WEIGHT
15.6 kg



FRAME Felt Fat, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 100mm threaded bottom bracket, 190mm OLD, Ø30.9mm seatpost, Ø34.9mm clamp adaptor for high direct type front derailleur mount

FORK Felt Fat hydroformed 6061 aluminum, tapered steerer, 150 x 15mm front axle, post-mount, rack mounts

HEADSET FSA NO.57E/62 semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts:
SM - 60mm
MD - 70mm
LG - 80mm

HANDLEBAR Felt MTB 6061 Flat top, Ø31.8mm, 5mm rise x 9° sweep (760mm)

SHIFTERS Shimano Deore 3x9

FRONT DERAILLEUR Shimano SLX, high direct mount

REAR DERAILLEUR Shimano Alivio 9-speed, long cage

CRANKSET Race Face Ride
M - 175mm

CHAINWHEEL 44/32/22T

BOTTOM BRACKET Race Face 100mm

PEDALS Low-profile nylon platform

CHAIN Sunrace M94

FREEWHEEL/CASSETTE Sunrace CSM96, 9-speed, 11-36T

BRAKE LEVERS Tektro TS360A

FRONT BRAKE Tektro Novella mechanical disc, 180mm rotor

REAR BRAKE Tektro Novella mechanical disc, 160mm rotor

SADDLE Felt MTB performance

SEATPOST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9, 400mm

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET Single-wall, 80mm inside, 26", Tubeless Ready

FRONT HUB Forged Aluminum fat hub, 15x150

REAR HUB Forged Aluminum fat hub, 12x197

SPOKES 2.0mm stainless

TIRES Schwalbe Jumbo Jim EVO, folding, 26 x 4.0

SURPLUS SERIES

TRAIL HARDTAIL 27.5+

Das Surplus ist ein neues 27.5 Zoll + MTB von Felt und profitiert vom gleichen Rollwiderstand wie ein 29 Zoll Rad, hat aber gleichzeitig die Agilität und Beweglichkeit eines normalen 27,5 Zoll Modells. Mit seiner wendigen Trail-Geometrie, den Komfort-Reifen von 27,5 x 2,8 Zoll und seinem leichten Alu-Rahmen bietet Ihnen das Felt Surplus die ultimative 27,5 + MTB-Erfahrung und ermöglicht es Ihnen, jede Art von Gelände zu bewältigen.

Le Surplus est un tout nouveau VTT de 27,5+ pouces de Felt, bénéficiant de la même résistance au roulement qu'un 29 pouces, mais également de toute la manœuvrabilité des modèles conventionnels de 27,5 pouces. Avec sa géométrie adaptée pour le trail, ses pneus de 27.5 x 2.8 pouces et son cadre léger en alliage, le Felt Surplus vous offre une expérience ultime de VTT 27.5+ et vous permettra de vous attaquer à tout type de terrain.





FINISH
Matte Lime Green (Blue, Red)

SIZES
S (16") / M (18") / L (20")

WEIGHT
12.39 kg



FRAME Felt 27.5+, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, BB92 press fit bottom bracket, BOOST 148mm OLD, Ø30.9mm seatpost

FORK Rock Shox YARI 27.5+, tapered steerer, 15x110 BOOST, 120mm

HEADSET FSA NO.57E semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts:
XS/SM/MD - 60mm
LG/XL - 70mm

HANDLEBAR Felt MTB carbon riser, Ø31.8mm, 8mm rise x 9° sweep, (760mm)

SHIFTERS Shimano XT 11-speed

REAR DERAILLEUR Shimano XT 11-speed Shadow Plus, long cage

CRANKSET Race Face Turbine (BOOST)
XS/SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 30T

BOTTOM BRACKET Race Face BB92

PEDALS Low-profile nylon platform

CHAIN Shimano HG700

FREEWHEEL/CASSETTE Shimano XT 11-speed, 11-46T

BRAKE LEVERS Shimano Deore

FRONT BRAKE Shimano Deore M615, 180mm rotor

REAR BRAKE Shimano Deore M615, 160mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST KS LEV Integra
XS/SM - Ø30.9 x 342mm - 100mm travel
MD/LG/XL - Ø30.9 x 392mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET WTB Scrapper i40

FRONT HUB Forged Aluminum, 6-bolt, 15x110 (BOOST)

REAR HUB Forged Aluminum, 6-bolt, 12x148 (BOOST)

SPOKES 2.0mm stainless

TIRES Schwalbe Rocket Ron Snakeskin, TL-Easy, Folding, 27.5 x 2.8

**FINISH**

Matte Cement Grey (Purple, Black)

SIZES

S (16") / M (18") / L (20")

WEIGHT

12.84 kg



FRAME Felt 27.5+, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, BB92 press fit bottom bracket, BOOST 148mm OLD, Ø30.9mm seatpost

FORK Rock Shox REBA 27.5+, tapered steerer, 15x110 BOOST, 120mm

HEADSET FSA NO.57E/62 semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts:
XS/SM/MD - 60mm
LG/XL - 70mm

HANDLEBAR Felt MTB carbon riser, Ø31.8mm, 8mm rise x 9° sweep, (760mm)

SHIFTERS Shimano Deore 10-speed

REAR DERAILLEUR Shimano Deore 10-speed Shadow, long cage

CRANKSET Race Face Aeffect (BOOST)
XS/SM - 170mm
MD/LG/XL - 175mm

CHAINWHEEL 30T

BOTTOM BRACKET Race Face BB92

PEDALS Low-profile nylon platform

CHAIN Shimano HG54

FREEWHEEL/CASSETTE Sunrace CSMX3, 10 speed, 11-40T

BRAKE LEVERS Shimano Deore

FRONT/REAR BRAKE Shimano Deore M615, 180mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST KS Drop Zone w/ remote
XS - Ø30.9 x 300mm -70mm travel
SM - Ø30.9 x 350mm -100mm travel
MD - Ø30.9 x 385mm - 125mm travel
L/XL - Ø30.9 x 420mm - 125mm travel

SEATPOST CLAMP Aluminum 6061 CNC cold-forged w/ Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET ALEX Aluminum double wall, 35mm inside

FRONT HUB Forged Aluminum, 6-bolt, 15x110 (BOOST)

REAR HUB Forged Aluminum, 6-bolt, 12x148 (BOOST)

SPOKES 2.0mm stainless

TIRES Schwalbe Rocket Ron Performance, Folding, 27.5 x 2.8

AR AERO SERIES

Im Kampf gegen den Wind der bleibt die AR-Serie 2018 weiterhin weltweit führend. Entworfen und entwickelt mit CFD-Software und im Windkanal, ist dieses Aerorad bis zu 31% schneller als die typischen Rundrohr Straßenrahmen. Klassenbester in puncto Aerodynamik, Gewicht und Steifigkeit, bezwingt der AR den Wind als auch den Peloton.

Dans la bataille contre le vent la série AR 2018 continue d'être le leader mondial. Conçu et développé avec le logiciel CFD et à la soufflerie, ce vélo aero de route est jusqu'à 31% plus rapide qu'un vélo de route typique à tube rond. Dépassant la concurrence dans l'aérodynamique, le poids et la rigidité, l'AR conquiert le vent ainsi que le peloton.



**FINISH**

White (TeXtreme)

SIZES

51, 54, 56, 58, 61cm

WEIGHT

7.4 kg



FRAME Felt Aero Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, internal electronic-specific cable routing

FORK Felt Aero Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube, integrated crown race, crown, blades and dropouts

HEADSET FSA integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), No. 382/DJ, 1.125" - 1.25"

STEM Easton EC70 ±6° rise, Ø31.8mm, 48cm: 80mm, 51cm: 90mm, 54 - 56cm: 100mm, 58cm: 110mm, 61cm: 120mm

HANDLEBAR Easton EC70 Aero, 80mm reach, 125mm drop, Ø31.8mm, 48 - 54cm: 400mm, 56 - 61cm: 420mm

GRIPS Felt VelvetGel tape with 3M reflective base with reflective Felt Bubble-Tech F-Wing bar end plugs

SHIFTERS Shimano Ultegra R8050 Di2 11-speed

FRONT DERAILLEUR Shimano Ultegra R8050 Di2 braze-on

REAR DERAILLEUR Shimano Ultegra R8050 Di2 11-speed short cage

CRANKSET Shimano Ultegra R8050, 52/36T, 48cm: 165mm, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET Token BB30 with 24mm bearings

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

BRAKE LEVERS Shimano Ultegra R8050

FRONT BRAKE Shimano Ultegra R8000 dual pivot caliper with brake pads for carbon rims

REAR BRAKE Shimano Ultegra R8000 direct mount caliper with brake pads for carbon rims

SADDLE Fizik Arione R3

SEATPOST Felt Vibration Reducing Aero Road flip position UHC Advanced + TeXtreme carbon fiber with 3T DiffLock Comfort Module internals, 48 - 51cm: 280mm length, 5mm offset, 54 - 61cm: 350mm length, 25mm offset

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

RIMS/WHEELSET DT Swiss ARC1400 carbon, tubeless ready, 17mm inner width, 62.5mm depth; 1650g (wheelset)

FRONT HUB DT Swiss 240 Spline, 100mm QR

REAR HUB DT Swiss 240 Spline, 11-speed, 130mm QR

SPOKES DT Swiss Aerocomp 2.0/1.25/2.3 Bladed

TIRES Continental Grand Prix 4000 S II folding, 700 x 23c

ACCESSORIES Carbon assembly paste, chain plate protector, valve extenders, aero seat post slot covers, Di2 internal battery charging cables



FINISH
Matte Carbon (Charcoal, Fluoro Orange)

SIZES
51, 54, 56, 58, 61cm

WEIGHT
8.15 kg



FRAME Felt Aero Road UHC Performance carbon fiber, MmC with InsideOut construction, BSA threaded bottom bracket shell, carbon fiber dropouts, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

FORK FELT Aero Road Fork Design, 700c Threadless UHC Performance Carbon Fiber Monocoque Fork, 100% Carbon Fiber Control Taper 1.125" -> 1.25" Steerer with integrated crown race, Crown, Blades, & Dropout

HEADSET FSA No. 382/DJ integrated, 1.125" - 1.25" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 2 x 5mm + 1 x 10mm PC headset spacers, Felt compression device, carbon fiber top cap and aluminum bolt

STEM 3T ARX II Pro Grey, $\pm 6^\circ$ rise, $\varnothing 31.8$ mm
48 - 51cm = 90mm
54 - 56cm = 100mm
58cm = 110mm
61cm = 120mm

HANDLEBAR 3T Ergonoava Pro 77mm reach, 123mm drop, $\varnothing 31.8$ mm
48cm = 380mm
51cm = 400mm
54 - 56cm = 420mm
58 - 61cm = 440mm

SHIFTERS Shimano Ultegra

FRONT DERAILLEUR Shimano Ultegra braze-on

REAR DERAILLEUR Shimano Ultegra short cage

CRANKSET Shimano Ultegra
48cm = 165mm
51cm = 170mm
54 - 56cm = 172.5mm
58 - 61cm = 175mm

CHAINWHEEL Shimano 52/36T

BOTTOM BRACKET Shimano Hollowtech

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 12-25T

BRAKE LEVERS Shimano Ultegra

FRONT BRAKE Shimano Ultegra dual pivot caliper

REAR BRAKE Shimano Ultegra direct mount

SADDLE Prologo Zero II T2.0

SEATPOST Felt Vibration Reducing Aero Road flip position UHC carbon fiber with 3T DiffLock™ Comfort Module internals.
48 - 51cm = 280mm length
54 - 61cm = 350mm length

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

RIMS/WHEELSET Shimano RS330

FRONT HUB Shimano RS330

REAR HUB Shimano RS330, 11-speed

SPOKES Shimano RS330

TIRES Continental Grand Prix 4000 S II, 700c x 23c

ACCESSOIRES Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers

**FINISH**

Matte Black (Carbon, Fluoro Red)

SIZES

48, 51, 54, 56, 58, 61cm

WEIGHT

8.01 kg



FRAME Felt Aero Road UHC Performance carbon fiber, MmC with InsideOut construction, BSA threaded bottom bracket shell, carbon fiber dropouts, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

FORK Felt Aero Road UHC Performance Carbon Fiber Monocoque Fork, AeroTaper 1.125" - 1.25" carbon fiber steer tube with integrated crown race, carbon fiber crown, blades and dropouts

HEADSET FSA No. 382/DJ integrated, 1.125" - 1.25" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 2 x 5mm + 1 x 10mm PC headset spacers, Felt compression device, carbon fiber top cap and aluminum bolt

STEM Felt SuperLite, ±7° rise, Ø31.8mm, 48cm = 80mm, 51cm = 90mm, 54 - 56cm = 100mm, 58cm = 110mm, 61cm = 120mm

HANDLEBAR Felt Aero Road VariableShape, 80mm reach, 130mm drop, Ø31.8mm, 48cm = 380mm, 51cm = 400mm, 54 - 56cm = 420mm, 58 - 61cm = 440mm

GRIPS Felt Gel Tape

Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano 105

FRONT DERAILLEUR Shimano 105 braze-on

REAR DERAILLEUR Shimano 105 short cage

CRANKSET Shimano 105, 48cm = 165mm, 51cm = 170mm, 54 - 56cm = 172.5mm, 58 - 61cm = 175mm

CHAINWHEEL Shimano 52/36T

BOTTOM BRACKET Shimano Hollowtech

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 12-25T

BRAKE LEVERS Shimano 105

FRONT BRAKE Shimano 105 dual pivot caliper

REAR BRAKE Shimano 105 direct mount

CABLES Shimano 105 brake and derailleur with Felt Slick Housing

SADDLE Prologo Zero II T2.0

SEATPOST Felt Vibration Reducing Aero Road flip position UHC carbon fiber with 3T DiffLock™ Comfort Module internals, 48 - 51cm = 280mm length, 54 - 61cm = 350mm length

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

RIMS/WHEELSET Felt Aero R3

FRONT HUB Felt Aero R2, sealed cartridge bearing, 24H

REAR HUB Felt Aero R2, sealed cartridge bearing, 28H, 11-speed

SPOKES 2.0 / 1.5 / 2.0mm butted aero stainless steel with aluminum nipples

TIRES Continental Grand Prix 4000 S II, 700c x 23c

ACCESSOIRES Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers

AR FRD FRAMESET

Fr. 3499.-

AR1 FRAMESET

Fr. 2399.-



FINISH
Matte teXtreme (White)

SIZES
54, 56, 58 cm

FINISH
Matte Charcoal (Frost, Carbon)

SIZES
51, 54, 56, 58, 61 cm

FRAME Felt Aero Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, internal mechanical or internal electronic cable routing

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

ACCESSORIES Carbon assembly paste, chain plate protector, FSA headset, seat postaero seat post slot covers

WEIGHT 1.6kg

FORK Felt Aero Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube, integrated crown race, crown, blades and dropouts

HEADSET FSA integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), No. 382/DJ, 1.125" - 1.25"

SEATPOST Felt Vibration Reducing Aero Road flip position UHC Advanced + TeXtreme carbon fiber with 3T DiffLock Comfort Module internals, 48 - 51cm: 280mm length, 5mm offset, 54 - 61cm: 350mm length, 25mm offset

FRAME Felt Aero Road UHC Ultimate + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB30 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, internal electronic-specific cable routing

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

ACCESSORIES Carbon assembly paste, chain plate protector, FSA headset, seat postaero seat post slot coverst

WEIGHT 1.7 kg

FORK Felt Aero Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube, integrated crown race, crown, blades and dropouts

HEADSET FSA integrated sealed cartridge bearing with SL Ceramic, Aluminum cased ACB upper and lower bearings, carbon fiber headset spacers, No.44/CF-R, 1.125" - 1.25"

SEATPOST Felt Vibration Reducing Aero Road flip position UHC Advanced + TeXtreme carbon fiber with 3T DiffLock Comfort Module internals, 48 - 51cm: 280mm length, 5mm offset, Felt VariMount Aero Road flip position UHC Advanced + TeXtreme carbon fiber, 54 - 61cm: 350mm length, 25mm offset

FR RACE SERIES

Die neue FR Serie ist die leichteste und steifste Familie der Felt Rennräder. Von den Grand Tours bis zu den Weltmeisterschaften, von der Bergankunft bis zum schnellen Massensprint – Felts Strassenräder aus der FR Serie sind auf Sieg getrimmt. Mit messerscharfem Handling, bietet dieses Vollblut Rennrad unübertroffene Geschwindigkeit und erstklassige Fahrleistungen.

La nouvelle série FR est la famille de vélos de route la plus légère et la plus rigide de Felt. Dans les grands tours ou les championnats du monde, pour des arrivées au sommet des montagnes et des sprints groupés à haute vitesse, les vélos de route Série F de Felt taillés pour la performance sont conçus pour gagner. Avec une maniabilité nette rasoir, ce vélo de course pur-sang est gage de vitesse inégalée et de performance de classe mondiale.





FINISH
Matt teXtreme (Acid Green)

SIZES
51, 54, 56, 58, 61cm

WEIGHT
TBC



FRAME Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, and blades, flat mount disc standard, 12 x 100mm thru axle

HEADSET "FSA integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), Felt top cap, 43 - 47cm: IS-21, 1.125", 51 - 54cm: No.382, 1.125 - 1.25", 56 - 61cm: No.42, 1.125 - 1.5"

STEM 3T ARX II Team Stealth, ±6° rise, Ø31.8mm, 43cm: 80mm, 47 - 51cm: 90mm, 54 - 56cm: 100mm, 58cm: 110mm, 61cm: 120mm

HANDLEBAR 3T Ergosum Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm, 43 - 51cm: 400mm*, 54 - 56cm: 420mm, 58 - 61cm: 440mm
*Note - ErnovaTeam Stealth for 43 - 51cm size

GRIPS Felt VelvetGel tape with 3M reflective base with reflective Felt Bubble-Tech F-Wing bar end plugs

SHIFTERS SRAM RED eTap HRD 11-speed wireless

FRONT DERAILLEUR SRAM RED eTap braze-on

REAR DERAILLEUR SRAM RED eTap 11-speed

CRANKSET Quarq Prime Carbon, 52/36T, 43 - 47cm: 165mm, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET Token BB386 with 22/24mm bearings

CHAIN SRAM 11-speed

FREEWHEEL/CASSETTE SRAM 11-speed, 11-28T

BRAKE LEVERS SRAM RED eTap HRD, hydraulic

FRONT BRAKE SRAM RED eTap HRD hydraulic disc with 160mm rotor

REAR BRAKE SRAM RED eTap HRD hydraulic disc with 160mm rotor

SADDLE Prologo Nago Evo PAS TiRox

SEATPOST 3T Zero 25 Team Stealth, Ø27.2mm x 350mm length

SEATPOST CLAMP Felt single bolt, Ø31.8mm

RIMS/WHEELSET Zipp 30 Course disc clincher, tubeless ready

FRONT HUB Felt Road RSL3, sealed cartridge bearing, 12 x 100mm thru axle, Center Lock, 28H

REAR HUB Felt Road RSL3, sealed cartridge bearing, 11-speed, 12 x 142mm thru axle, Center Lock, 28H

SPOKES 2.0mm stainless steel

TIRES Vittoria Rubino Pro G+ folding, 700 x 25c

ACCESSORIES Carbon assembly paste, chain plate protector, SRAM eTap charger, SRAM eTap dongle

**FINISH**

Matte TeXtreme (Charcoal, Light Blue)

SIZES

47, 54, 56, 58, 61 cm

WEIGHT

7.2 kg



FRAME Felt Race Road UHC Advanced + TeXtreme® carbon fiber, MmC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Race Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

HEADSET 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing ; 51 - 54cm: FSA NO.382, 1.125" - 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing ; with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM 3T ARX II Team Stealth, ±6° rise, Ø31.8mm , 43 - 47cm = 80mm , 51cm = 90mm, 54 - 56cm = 100mm , 58cm = 110mm , 61cm = 120mm

HANDLEBAR 3T Ergosum Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm , 43 - 51cm = 400mm , 54 - 56cm = 420mm , 58 - 61cm = 440mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano Ultegra Di2 with secondary sprint shifters

FRONT DERAILEUR Shimano Ultegra Di2 braze-on

REAR DERAILEUR Shimano Ultegra Di2 short cage

CRANKSET Shimano Ultegra w/Pioneer Power Meter , 48cm = 165mm , 51cm = 170mm , 54 - 56cm = 172.5mm , 58 - 61cm = 175mm

CHAINWHEEL Shimano 52/36T

BOTTOM BRACKET Token For BB386 Frame with Shimano Crankset Battery Included

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

BRAKE LEVERS Shimano Ultegra Di2

FRONT BRAKE Shimano Ultegra dual pivot caliper

REAR BRAKE Shimano Ultegra Direct Mount caliper

CABLES Shimano brake and Di2 derailleur wire

SADDLE Prologo Nago Evo PAS TiRox
SEATPOST 3T Stylus 25 Team Stealth, Ø27.2mm , 48 - 51cm = 280mm , 54 - 61cm = 350mm

SEATPOST CLAMP 6061 Forged Aluminum, Steel 5mm Bolt

RIMS/WHEELSET MAVIC Ksyrium Elite Blue 25

FRONT HUB MAVIC Ksyrium Elite

REAR HUB MAVIC Ksyrium Elite

SPOKES MAVIC straight pull, bladed, front double butted

TIRES MAVIC Yksion Pro GripLink 25mm front

ACCESSOIRES Pioneer Power Meter, Carbon assembly paste, chain plate protector, Di2 internal battery charging cables

**FINISH**

Matte TeXtreme (Aqua, Red, White)

SIZES

51, 54, 56, 58, 61cm

WEIGHT

7.6 kg



FRAME Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, and blades, flat mount disc standard, 12 x 100mm thru axle

HEADSET FSA integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), Felt top cap, 43 - 47cm: IS-21, 1.125", 51 - 54cm: No.382, 1.125 - 1.25", 56 - 61cm: No.42, 1.125 - 1.5"

STEM 3T ARX II Pro Grey, ±6° rise, Ø31.8mm, 43cm: 80mm, 47 - 51cm: 90mm, 54 - 56cm: 100mm, 58cm: 110mm, 61cm: 120mm

HANDLEBAR 3T Ergosum Pro Grey, 89mm reach, 128mm drop, Ø31.8mm, 43 - 51cm: 400mm*, 54 - 56cm: 420mm, 58 - 61cm: 440mm
*Note - Ernova Pro Grey for 43 - 51cm size

GRIPS Felt VelvetGel tape with 3M reflective base with reflective Felt Bubble-Tech F-Wing bar end plugs

SHIFTERS Shimano Ultegra R8020 11-speed with Felt Elite sealed derailleur cable and housing

FRONT DERAILLEUR Shimano Ultegra R8000 braze-on

REAR DERAILLEUR Shimano Ultegra R8000 11-speed short cage

CRANKSET Rotor 3D30 UBB5, 52/36T, 43 - 47cm: 167.5mm, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET Token BB386 with 30mm bearings

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

BRAKE LEVERS Shimano Ultegra R8020, hydraulic

FRONT BRAKE Shimano BR8070 hydraulic disc with 160mm rotor

REAR BRAKE Shimano BR8070 hydraulic disc with 140mm rotor

SADDLE Prologo Nago Evo PAS T2.0

SEATPOST Felt UHC Performance carbon fiber, Ø27.2mm x 300mm length

SEATPOST CLAMP Felt single bolt, Ø31.8mm

RIMS/WHEELSET DT Swiss P1800 Spline DB, tubeless ready, 18mm inner width, 23mm depth; 1675g (wheelset)

FRONT HUB DT Swiss 370 Straight Pull, 12 x 100mm thru axle, Center Lock

REAR HUB DT Swiss 370 Straight Pull, 11-speed, 12 x 142mm thru axle, Center Lock

SPOKES DT Swiss New Aero 2.0/1.2/3.0 (DS); Aero-comp 2.0/1.0/2.8 (NDS), bladed

TIRES Vittoria Rubino Pro G+ folding, 700 x 25c

ACCESSORIES Carbon assembly paste, chain plate protector

**FINISH**

Matte TeXtreme (Orange)

SIZES

47, 51, 54, 56, 58, 61cm

WEIGHT

7.58 kg



FRAME Felt Race Road UHC Advanced, MmC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Race Road UHC Performance carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

HEADSET 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing ; 51 - 54cm: FSA NO.382, 1.125" - 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing ; with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM 3T ARX II Pro Grey, ±6° rise, Ø31.8mm: 43 - 51cm = 90mm, 54 - 56cm = 100mm, 58cm = 110mm, 61cm = 120mm

HANDLEBAR 3T Ergosum Pro Grey, 89mm reach, 128mm drop, Ø31.8mm, 43 - 51cm = 400mm, 54 - 56cm = 420mm, 58 - 61cm = 440mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano Ultegra

FRONT DERAILEUR Shimano Ultegra Braze-on

REAR DERAILEUR Shimano Ultegra Short Cage short cage

CRANKSET "Shimano Ultegra 48cm = 165mm, 51cm = 170mm, 54 - 56cm = 172.5mm, 58 - 61cm = 175mm"

CHAINWHEEL Shimano 52/36T

BOTTOM BRACKET Token For BB386 Frame with Shimano Crankset

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

BRAKE LEVERS Shimano Ultegra

FRONT BRAKE Shimano Ultegra dual pivot caliper

REAR BRAKE Shimano Ultegra direct mount caliper

CABLES Shimano Ultegra brake cable and Shimano Ultegra derailleur wire with Felt Compressionless Housing

SADDLE Prologo Nago Evo PAS T2.0

SEATPOST Felt UHC Performance carbon fiber, Ø27.2mm, 300mm length

SEATPOST CLAMP 6061 Forged Aluminum, Steel 5mm Bolt

RIMS/WHEELSET Shimano WH-RS21

FRONT HUB Shimano WH-RS21

REAR HUB Shimano WH-RS21, 11-speed

SPOKES WH-RS21

TIRES Schwalbe DURANO RaceGuard, 700c x 25c

ACCESSOIRES Carbon assembly paste, chain plate protector

FR1 FRAMESET

Fr. 1999.-



FINISH

Matte TeXtreme (Pewter, Red)

SIZES

51, 54, 56, 58, 61cm

FRAME Felt Race Road UHC Advanced + TeXtreme® carbon fiber, MmC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Race Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

HEADSET 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing ;
51 - 54cm: FSA NO.382, 1.125" - 1.25" sealed cartridge bearing;
56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing ;
with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

SEATPOST CLAMP 6061 Forged Aluminum, Steel 5mm Bolt

ACCESSOIRES Carbon assembly paste, chain plate protector

FR1 DISC FRAMESET

Fr. 1999.-



FINISH

Matte TeXtreme (Silver/White)

SIZES

51, 54, 56, 58, 61cm

FRAME Felt Race Road UHC Advanced + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Race Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

ACCESSOIRES Carbon assembly paste, chain plate protector

Fr. 899.-

FR50 ALU JR



FINISH
Matte Orange (Black, Chartr.)

SIZES
44 cm

FRAME Felt Race Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, threaded BSA bottom bracket shell, replaceable rear derailleur hanger

FORK Race Road UHC Performance carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steer tube

HEADSET 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing ; with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VariableAngle, $\pm 8^\circ/16^\circ$ rise, $\varnothing 31.8\text{mm}$ 51cm = 90mm 54 - 56cm = 100mm 58=110mm 61=120mm

HANDLEBAR Felt Ergonomic SL Road, short 65mm reach, 125mm drop, $\varnothing 31.8\text{mm}$ 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base
Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano Sora

FRONT DERAILLEUR Sora clamp-on, $\varnothing 34.9\text{mm}$

REAR DERAILLEUR Shimano Sora short cage

CRANKSET Shimano R345 51-54cm = 170mm 56-61cm = 175mm

CHAINWHEEL Shimano 50/34T

BOTTOM BRACKET Shimano Octalink,

68 x 113mm

CHAIN KMC 9-Speed

FREEWHEEL/CASSETTE SunRace 9-speed, 11-28T

BRAKE LEVERS Shimano Sora

FRONT/REAR BRAKE Dual pivot caliper

SADDLE Felt SuperLite Road

SEATPOST Felt Fit Woman Road UHC Performance carbon fiber, $\varnothing 27.2\text{mm}$, 300mm length

SEATPOST CLAMP Felt SuperLite Road, $\varnothing 27.2\text{mm}$, 330mm length

RIMS/WHEELSET Felt Road RSL3 (tubeless ready), 22mm Width, 24mm Depth

FRONT HUB Felt R4, sealed bearing, 28H

REAR HUB Shimano, sealed bearing, 32H, 9-speed (10-speed compatible)

SPOKES 2.0mm stainless steel

TIRES Schwalbe Lugano K-Guard, 700c x 25c

WEIGHT 9.6 kg

Fr. 799.-

F24 Alu JR



FINISH
Matte Black (Cyan, Red)

SIZES
40cm

FRAME Felt Race Road FLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, threaded BB, replaceable rear derailleur hanger

FORK Felt Race Road UHC Performance carbon fiber blades

HEADSET Threadless 1.125" sealed bearing w/ aluminum 20mm cone spacer, 2 x 10mm PC headset spacers & Felt top cap

STEM Felt SuperLite, $\pm 7^\circ$ rise, $\varnothing 26.0\text{mm}$, 80mm

HANDLEBAR Felt K:1, 75mm reach, 120mm drop, $\varnothing 26.0\text{mm}$, 360mm

GRIPS Felt Gel Tape

BAR ENDS/CAPS Felt Bubble-Tech "F Wing"

SHIFTERS microSHIFT Road Short Reach

FRONT DERAILLEUR microSHIFT Road clamp-on, $\varnothing 31.8\text{mm}$

REAR DERAILLEUR Shimano Claris short cage

CRANKSET Felt K:1 Road, 155mm

CHAINWHEEL Felt 50/36T

BOTTOM BRACKET Square Tapered, 68mm

PEDALS Superlight Road platform, toe clips & straps

CHAIN SunRace 8-speed

FREEWHEEL SunRace 8-speed, 12-25T

BRAKE LEVERS microSHIFT Road Short Reach w/ Tekro top mount levers

FRONT BRAKE Dual pivot caliper

REAR BRAKE Dual pivot caliper

CABLES Felt Slick brake & derailleur

SADDLE Felt K:2

SEATPOST Felt SuperLite Road, $\varnothing 27.2\text{mm}$, 300mm length

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8\text{mm}$

RIMS / WHEELSET Alex DA22

TIRES Kenda Konzept, 24" x 1"

ACCESSOIRES touch-up paint

WEIGHT 12.84 kg

VR SERIES

ENDURANCE ROAD

Die 2018 VR-Serie ist das absolut vielseitigste Rennrad von Felt. Es liefert flinke, wendige Leistung bei jedem Tempo und macht mit seiner Nachgiebigkeit und der angenehmen Geometrie auch die längste Fahrt zu einem Genuss. Das VR ist ein renntaugliches Rad ohne Einschränkungen bei der Fahrerposition oder Abstriche an der Ganztagstauglichkeit. Ideal für epische Abenteuer oder einen Gran Fondo, die VR-Serie zeigt Ihnen neue Höhepunkte.

La série VR 2018 est la famille de vélos de route la plus polyvalente de Felt. Le VR fournit des performances rapides et agiles à toutes les vitesses; il doit aussi fournir la forme et la souplesse adaptées pour que les longues sorties restent un plaisir. Le VR est un vélo de course sans limiter les positions du cycliste, ni sa capacité à être utilisé au quotidien. Idéal pour des aventures épiques ou un randonné cyclosportive, la série VR saura vous pousser au niveau supérieur.



**FINISH**

Charcoal Metallic (TeXtreme, Red)

SIZES

54, 56, 58, 61cm

WEIGHT

7.6 kg



FRAME Felt Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK Felt Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, and blades, flat mount disc standard, 12 x 100mm thru axle

HEADSET FSA integrated sealed cartridge bearing with carbon fiber cone spacer, Felt top cap, 43 - 47cm: IS-21, 1.125", 51 - 61cm: No.42, 1.125 - 1.5"

STEM 3T ARX II Pro Grey, $\pm 6^\circ$ rise, $\varnothing 31.8$ mm, 43cm: 80mm, 47 - 51cm: 90mm, 54 - 56cm: 100mm, 58cm: 110mm, 61cm: 120mm

HANDLEBAR 3T Ernova Pro, 77mm reach, 123mm drop, $\varnothing 31.8$ mm, 43-47cm: 380mm, 51cm: 400mm, 54 - 56cm: 420mm, 58 - 61cm: 440mm

GRIPS Felt VelvetGel tape with 3M reflective base with reflective Felt Bubble-Tech F-Wing bar end plugs

SHIFTERS Shimano Ultegra Di2 R8070 11-speed

FRONT DERAILLEUR Shimano Ultegra R8050 Di2 braze-on

REAR DERAILLEUR Shimano Ultegra R8050 Di2 11-speed long cage

CRANKSET FSA SL-K Modular Adventure BB386, 48/32T, 43 - 47cm: 165mm, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET FSA BB386 with 30mm bearings

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-32T

BRAKE LEVERS Shimano Ultegra R8070, hydraulic

FRONT BRAKE Shimano R8070 hydraulic disc with 160mm rotor

REAR BRAKE Shimano R8070 hydraulic disc with 140mm rotor

SADDLE Prologo Scratch 2 Space T2.0

SEATPOST 3T Zero 25 Team Stealth, $\varnothing 27.2$ mm x 350mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET DT Swiss ER1400 Spline db 21, tubeless ready, 20mm inner width, 21mm depth, 1475g (wheelset)

FRONT HUB DT Swiss 240db, 12 x 100mm thru axle, Center Lock

REAR HUB DT Swiss 240, 11-speed, 12 x 142mm thru axle, Center Lock

SPOKES DT Swiss Aerolite 2.0/0.9/2.3 (front); Aero-comp 2.0/1.25/2.3 (Rear), bladed

TIRES Vittoria Rubino Pro G+ folding, 700 x 28c

ACCESSORIES Carbon assembly paste, chain plate protector, valve cores, Di2 internal battery charging cables



FINISH
Matte Carbon (Acid Green, Black Fade)

SIZES
51, 54, 56, 58, 61cm

WEIGHT
8.19 kg



FRAME Felt Variable Road UHC Performance carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK Felt Variable Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, and blades, flat mount disc standard, 12 x 100mm thru axle

HEADSET FSA No.42, 1.125 - 1.5", integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), Felt top cap

STEM Felt VR OS SuperLite, ±6° rise, Ø35mm, 51cm: 90mm, 54 - 56cm: 100mm, 58cm: 110mm, 61cm: 120mm

HANDLEBAR Felt VR OS SuperLite Road Variable-Shape, short 65mm reach, 125mm drop, Ø35mm, 43cm: 380mm, 47cm: 400mm, 51cm: 420mm, 54cm: 440mm, 56 - 61cm: 460mm

GRIPS Felt VelvetGel tape with 3M reflective base with reflective Felt Bubble-Tech F-Wing bar end plugs

SHIFTERS Shimano Ultegra R8020 11-speed with Felt Elite sealed derailleur cable and housing

FRONT DERAILLEUR Shimano Ultegra R8000 braze-on

REAR DERAILLEUR Shimano Ultegra R8000 11-speed long cage

CRANKSET Rotor 3D30 Adventure Crank, 48/32T, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET Rotor BB386 with 30mm bearings

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-32T

BRAKE LEVERS Shimano Ultegra R8020, hydraulic

FRONT BRAKE Shimano R8070 hydraulic disc with 160mm rotor

REAR BRAKE Shimano R8070 hydraulic disc with 140mm rotor

SADDLE Prologo Kappa Space T2.0

SEATPOST Felt VR UHC Performance carbon fiber, Ø27.2mm x 330mm length

SEATPOST CLAMP Felt single bolt, Ø31.8mm

RIMS/WHEELSET DT Swiss E1800 db 23, tubeless ready, 20mm inner width, 23mm depth, 1655g (wheelset)

FRONT HUB DT Swiss 370db, 12 x 100mm thru axle, Center Lock

REAR HUB DT Swiss 370db, 11-speed, 12 x 142mm thru axle, Center Lock

SPOKES DT Swiss New aero 2.0/1.2/3.0 (NDS); Aerocomp 2.0/1.0/2.8 (DS), bladed

TIRES Schwalbe ONE V-Guard folding, 700 x 28c

ACCESSORIES Carbon assembly paste, valve cores, chain plate protector

**FINISH**

Red (Carbon, White)

SIZES

51, 54, 56, 58, 61cm

WEIGHT

8.7 kg



FRAME Felt Variable Road UHC Performance carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK Felt Variable Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, and blades, flat mount disc standard, 12 x 100mm thru axle

HEADSET FSA No.42, 1.125 - 1.5", integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), Felt top cap

STEM Felt VR OS SuperLite, $\pm 6^\circ$ rise, $\varnothing 35$ mm, 51cm: 90mm, 54 - 56cm: 100mm, 58cm: 110mm, 61cm: 120mm

HANDLEBAR Felt VR OS SuperLite Road Variable-Shape, short 65mm reach, 125mm drop, $\varnothing 35$ mm, 43cm: 380mm, 47cm: 400mm, 51cm: 420mm, 54cm: 440mm, 56 - 61cm: 460mm

GRIPS Felt VelvetGel tape with 3M reflective base with reflective Felt Bubble-Tech F-Wing bar end plugs

SHIFTERS Shimano RS505 11-speed with Felt Elite sealed derailleur cable and housing

FRONT DERAILLEUR Shimano Ultegra R8000 braze-on

REAR DERAILLEUR Shimano Ultegra R8000 11-speed long cage

CRANKSET FSA Gossamer Pro ABS Adventure BB386, 48/32T, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET FSA BB386 with 30mm bearings

CHAIN KMC X-11, 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-32T

BRAKE LEVERS Shimano RS505, hydraulic

FRONT BRAKE Shimano RS505 hydraulic disc with 160mm rotor

REAR BRAKE Shimano RS505 hydraulic disc with 140mm rotor

SADDLE Prologo Kappa Space PAS

SEATPOST Felt VR Road SL seat post, $\varnothing 27.2$ mm x 330mm length

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Felt Variable Road VR21, tubeless ready, 21mm inner width, 23mm depth

FRONT HUB Felt Variable Road RSL3, sealed cartridge bearing, 12 x 100mm thru axle, Center Lock, 28H

REAR HUB Felt Variable Road RSL3, sealed cartridge bearing, 11-speed, 12 x 142mm thru axle, Center Lock, 28H

SPOKES 2.0mm stainless steel

TIRES Schwalbe DURANO RaceGuard folding, 700 x 28c

ACCESSORIES Carbon assembly paste, chain plate protector

VR30 DISC

Fr. 1999.-

VR1 FRAME

Fr. 1999.-



FINISH
Matte Cyan (Black, Red)

SIZES
51, 54, 56, 58 cm

FINISH
Matte Aqua (TeXtreme, White)

SIZES
54, 56, 58 cm

FRAME Felt Versatile Road Disc FLite Custom Butted 6069 aluminum, Hydroform TIG-welded construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) cable routing

FORK Felt Versatile Road Disc UHC Advanced carbon fiber construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat-mount disc standard and 12 x 100mm Maxle style dropouts

HEADSET 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VR OS SuperLite, ±6° rise, Ø35mm: 51cm=90, 54-56cm=100, 58cm=110mm, 61cm=120mm

HANDLEBAR Felt VR OS SuperLite Road VariableShape, short 65mm reach, 125mm drop, Ø35mm

SHIFTERS Shimano RS505 Hydraulic
FRONT DERAILLEUR Shimano 105 clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano 105 long cage

CRANKSET FSA Omega Adventure BB386 EVO: 51cm = 170mm, 54 - 56cm = 172.5mm, 58 - 61cm = 175mm

CHAINWHEEL FSA 46/30T

BOTTOM BRACKET FSA PF30

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-32T

BRAKE LEVERS Shimano 105

FRONT BRAKE Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

REAR BRAKE Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

CABLES Shimano Hydraulic brake and and Felt Slick derailleur

SADDLE Prologo Kappa Space

SEATPOST Felt VR UHC Performance carbon fiber, Ø27.2mm, 330mm length bolt

SEATPOST CLAMP Felt single bolt, Ø30.6mm

RIMS/WHEELSET Felt Versatile Road VR21 Disc (tubeless ready), 21mm Width (Inner), 23mm Depth

FRONT HUB Felt Versatile Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

REAR HUB Felt Versatile Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

SPOKES 2.0mm stainless steel

TIRES Schwalbe Durano Race Guard HS 464, 700c x 28c

FRAME Felt Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing, 27.2mm seat post size

FORK Felt Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, and blades, flat mount disc standard, 12 x 100mm thru axle

HEADSET FSA integrated sealed cartridge bearing with carbon fiber cone spacer, Felt top cap, 43 - 47cm: IS-21, 1.125", 51 - 61cm: No.42, 1.125 - 1.5"

SEATPOST CLAMP Felt single bolt, Ø31.8mm

ACCESSORIES Carbon assembly paste, chain plate protector, FSA headset, Felt seat clamp, front and rear thru axles

WEIGHT 1.68 kg



ROAD WOMAN SERIES

Die Felt Woman Serie 2018 ist speziell auf die Anforderungen von Fahrerinnen an ein Rennrad zugeschnitten. Das geneigte Oberrohr bietet eine hervorragende Überstandshöhe zum Klettern und Sprinten mit verbesserter vertikaler Nachgiebigkeit. Der Körper einer Frau hat ganz andere Proportionen als der eines Mannes, daher ist es nicht sehr sinnvoll, den Rahmen einfach zu verkleinern. Das Material-Layup der Women Rennräder ist auf eine verbesserte Leistung und auf damenspezifische Merkmale wie kleinere Rohrdurchmesser, dünnere Rohrwände und kürzere Schnittpunkte am Rahmen abgestimmt.

La série Felt Woman 2018 est une gamme de vélos de route spécialement destinée aux femmes. Le tube supérieur incliné diminue sa hauteur par rapport au sol pour grimper et sprinter avec une plus grande souplesse verticale. Parce que les proportions des corps des femmes sont différentes de celles des hommes, réduire la taille du cadre n'est pas une solution efficace. La combinaison de matières de la série Women est personnalisée pour améliorer les performances et intègre des caractéristiques spécifiques aux femmes, comme des tubes de diamètres inférieurs aux parois plus fines et des intersections de cadre plus courtes.



FINISH
TeXtreme (Shell Blue, Electricity Yellow)

SIZES
47, 51, 54 cm

WEIGHT
8.28 kg



FRAME Felt Fit Woman Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK Felt Fit Woman Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, and blades, flat mount disc standard, 12 x 100mm thru axle

HEADSET FSA integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), Felt top cap, 43 - 47cm: IS-21, 1.125", 56cm: No.42, 1.125 - 1.5"

STEM Felt Fit Woman VR OS SuperLite, ±6° rise, Ø35mm, 43cm: 60mm, 47cm: 80mm, 51cm: 90mm, 54 - 56cm: 100mm

HANDLEBAR Felt Fit Woman VR OS SuperLite Road VariableShape, short 65mm reach, 125mm drop, Ø35mm, 43cm: 360mm, 47cm: 380mm, 51cm: 400mm, 54cm: 420mm, 56cm: 440mm

GRIPS Felt VelvetGel tape with 3M reflective base with reflective Felt Bubble-Tech F-Wing bar end plugs

SHIFTERS Shimano Ultegra R8020 11-speed, hydraulic with Felt Elite sealed derailleur cable and housing

FRONT DERAILLEUR Shimano Ultegra R8000 braze-on

REAR DERAILLEUR Shimano Ultegra R8000 11-speed long cage

CRANKSET Rotor 3D30 Adventure Crank, 48/32T, 43 - 47cm: 167.5mm, 51cm: 170mm, 54 - 56cm: 172.5mm

BOTTOM BRACKET Rotor BB386 with 30mm bearings

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-32T

BRAKE LEVERS Shimano Ultegra R8020, hydraulic

FRONT BRAKE Shimano R8070 hydraulic disc with 160mm rotor

REAR BRAKE Shimano R8070 hydraulic disc with 140mm rotor

SADDLE Prologo Kappa DEA2 T2.0

SEATPOST Felt Fit Woman VR UHC Performance carbon fiber, Ø27.2mm x 330mm length

SEATPOST CLAMP Felt single bolt, Ø31.8mm

RIMS/WHEELSET DT Swiss E1800 db 23, tubeless ready, 20mm inner width, 23mm depth, 1655g (wheelset)

FRONT HUB DT Swiss 370db, 12 x 100mm thru axle, Center Lock

REAR HUB DT Swiss 370db, 11-speed, 12 x 142mm thru axle, Center Lock

SPOKES DT Swiss New aero 2.0/1.2/3.0 (NDS); AeroComp 2.0/1.0/2.8 (DS), bladed

TIRES Vittoria Rubino Pro G+, 700 x 28c

ACCESSORIES Carbon assembly paste, chain plate protector, valve cores

**FINISH**

White (Pearl)

SIZES

47, 51, 54 cm

WEIGHT

8.7 kg



FRAME Felt Fit Woman Versatile Road UHC Advanced carbon fiber, MmC with InsideOut construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

FORK Felt Fit Woman Versatile Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat-mount disc standard and 12 x 100mm Maxle style dropouts

HEADSET 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing ; 51 - 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing ; with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman VR OS SuperLite, ±6° rise, Ø35mm 43cm = 60mm, 47 = 80mm, 51cm = 90mm, 54cm = 100mm, 56cm = 100mm

HANDLEBAR Felt Fit Woman VR OS SuperLite Road VariableShape, short 65mm reach, 125mm drop, Ø35mm 43cm = 400mm, 47 - 51cm = 420mm, 54cm = 440mm, 56 = 460mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano RS505 Hydraulic

FRONT DERAILLEUR Shimano 105 braze-on

REAR DERAILLEUR Shimano 105 long cage

CRANKSET New FSA Gossamer Pro ABS Adventure BB386 EVO 43-47cm = 165mm, 51cm = 170mm, 54 - 56cm = 172.5mm
CHAINWHEEL FSA 48/32T
BOTTOM BRACKET FSA PF30

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-32T

BRAKE LEVERS Shimano RS505 Hydraulic

FRONT BRAKE Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

REAR BRAKE Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

CABLES Shimano Hydraulic brake and and Felt Slick derailleur

SADDLE Prologo Kappa DEA2

SEATPOST Felt Fit Woman VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

SEATPOST CLAMP Felt single bolt, Ø30.6mm

RIMS/WHEELSET Felt Fit Woman Versatile Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

FRONT HUB Felt Versatile Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

REAR HUB Felt Versatile Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

SPOKES 2.0mm stainless steel

TIRES Vittoria Rubino Pro Folding, 700c x 28c

ACCESSOIRES Carbon assembly paste, chain plate protector



FINISH
Matte Carbon (Pewter, Aqua)

SIZES
43, 47, 51, 54 cm

WEIGHT
7.7 kg



FRAME Felt Fit Woman Road UHC Advanced carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Fit Woman Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

HEADSET 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing ; 51 - 54cm: FSA NO.382, 1.125" - 1.25" sealed cartridge bearing; 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman SuperLite, Ø31.8mm: 43cm = ±17° rise, 60mm, 47cm = ±17° rise, 80mm, 51cm = ±17° rise, 90mm, 54 - 56cm = ±17° rise, 100mm

HANDLEBAR Felt Fit Woman SuperLite Road, short 65mm reach, 125mm drop, Ø31.8mm 43 - 47cm = 380mm 51cm = 400mm 54cm = 420mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano 105 11-speed

FRONT DERAILEUR Shimano 105 braze-on

REAR DERAILEUR Shimano 105 short cage

CRANKSET Shimano 105 43 - 47cm = 165mm
51cm = 170mm 54cm = 172.5mm

CHAINWHEEL Shimano 50/34T

BOTTOM BRACKET Token For BB386 Frame with Shimano Crankset

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 10-speed, 12-28T

BRAKE LEVERS Shimano 105

FRONT BRAKE dual pivot caliper

REAR BRAKE direct mount caliper

CABLES Felt Slick brake and derailleur

SADDLE Felt Fit Woman Road

SEATPOST Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

SEATPOST CLAMP Felt single bolt, Ø30.6mm

RIMS/WHEELSET Felt Fit Women Road WRSL3 (tubeless ready), 22mm Width, 24mm Depth

FRONT HUB Felt R3, sealed bearing, 28H

REAR HUB Felt R3, sealed cartridge bearing, 32H, 10-speed (11-speed compatible)

TIRES Schwalbe Durano Race Guard, 700c x 25c

**FINISH**

Matte Merlot (White, Red)

SIZES

43, 47, 51, 54 cm

WEIGHT

8.21 kg



FRAME Felt Fit Woman Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, BB386 bottom bracket shell, replaceable rear derailleur hanger

FORK Felt Fit Woman Road UHC Advanced carbon fiber blades and dropouts with size specific ControlTaper aluminum steer tube

HEADSET 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing ;
51 - 54cm: FSA NO.382, 1.125" - 1.25" sealed cartridge bearing;
56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing ; with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman SuperLite, Ø31.8mm: 43cm = ±17° rise, 60mm, 47cm = ±17° rise, 80mm, 51cm = ±17° rise, 90mm, 54 - 56cm = ±17° rise, 100mm

HANDLEBAR Felt Fit Woman SuperLite Road, short 65mm reach, 125mm drop, Ø31.8mm: 43 - 47cm = 380mm, 51cm = 400mm, 54 - 56cm = 420mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano 105

FRONT DERAILLEUR Shimano 105 clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano 105 short cage

CRANKSET Shimano 105: 43 - 47cm = 165mm, 51cm = 170mm, 54 - 56cm = 172.5mm

CHAINWHEEL Shimano 50/34T

BOTTOM BRACKET Token For BB386 Frame with Shimano Crankset

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

BRAKE LEVERS Shimano 105

FRONT BRAKE Dual pivot caliper

REAR BRAKE Dual pivot caliper

CABLES Felt Slick brake and derailleur

SADDLE Prologo Nago Evo Space T2.0

SEATPOST Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

SEATPOST CLAMP Felt single bolt, Ø30.6mm

RIMS/WHEELSET Felt Fit Women Road WRSL3 (tubeless ready), 22mm Width, 24mm Depth

FRONT HUB Felt R3, sealed bearing, 28H

REAR HUB Felt R3, sealed cartridge bearing, 32H, 11-speed compatible

SPOKES 2.0mm stainless steel

TIRES Schwalbe Durano Race Guard, 700c x 25c



FX SERIES

Die Anforderungen an ein erstklassiges Crossrad sind klar: Es bezwingt Schmutz, Sand, Schlamm und Schnee, es ist leichtgewichtig zum bergauf fahren und man muss schnell ab- und aufsteigen können. Zugleich muss es aber auch als Strassenrad schnell und wendig sein sowie die grobe Behandlung verkraften, die mit dem Sport einhergeht.

Zu den 2017 Designmerkmalen gehören eine optimierte Mud Clearance vorn und hinten, geschwungene Sitzstreben für mehr Fahrkomfort und ein abgeflachtes Oberrohr zum bequemeren Schultern in Laufabschnitten. Die FX Produktlinie zeichnet sich durch Details wie ein BB30-Innenlager, ein konfiguriertes Oberrohr und beste Eignung für Scheibenbremsen aus.

Le terrain imprévisible et toujours changeant en cyclo-cross met les capacités du cycliste et son vélo à rude épreuve. Ce sport unique exige un vélo léger et performant qui résiste à tous les éléments et excelle sur les terrains les plus rudes.

Les conditions préalables pour fabriquer un vélo cyclo-cross de qualité sont claires : il doit être maniable en toute confiance sur terre, sable, boue et neige ; il doit être léger pour les ascensions ; il faut pouvoir en monter et en descendre rapidement. Il doit également être aussi rapide et agile qu'un vélo de route, et assez robuste pour résister aux conditions souvent extrêmes de ce sport. Leur conception limite de façon optimale l'accumulation de boue devant et derrière, les haubans courbés augmentent le confort de roulage, et un tube supérieur aplati sur la partie inférieure améliore le confort de portée sur l'épaule durant les passages à pied. Un pédalier BB30, une douille de direction conique et la compatibilité avec des freins à disques sont quelques-uns des détails présents sur cette ligne de produits FX haut de gamme 2017.

**FINISH**

Matte Carbon (Blue, Red)

SIZES

47, 50, 53, 55, 57, 60 cm

WEIGHT

8.47 kg



FRAME Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MmC with InsideOut construction, BB386 and 12 x 142mm with Syntace style thru axle dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

FORK Felt Cyclocross UHC Ultimate + TeXtreme® carbon fiber monocone construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube, crown, blades with post mount disc tabs and 15 x 100mm Maxle style dropouts

HEADSET FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap and bolt

STEM 3T ARX II, ±6° rise, Ø31.8mm 47 - 53cm = 90mm, 55cm = 100mm, 57cm = 110mm, 60cm = 120mm

HANDLEBAR 3T Ergoterra Pro, 89mm reach, 127mm drop, Ø31.8mm 47 - 50cm = 420 / 450mm, 53 - 60cm = 440 / 470mm

GRIPS Felt CxGel Tape Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano R685 Hydro

FRONT DERAILEUR Shimano Ultegra clamp-on, Ø31.8mm

REAR DERAILEUR Shimano Ultegra short cage

CRANKSET Shimano Ultegra 47cm = 165mm, 50cm = 170mm, 53cm = 172.5mm, 55 - 60cm = 175mm

CHAINWHEEL Shimano 46/36T

BOTTOM BRACKET FSA PF30 with 24mm spindle reducers for BB386 Frame

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano, 11-28T

BRAKE LEVERS Shimano R685 Hydraulic

FRONT BRAKE Shimano R785 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

REAR BRAKE Shimano R785 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

CABLES Shimano Hydraulic brake and Felt Cross Elite Sealed Compressionless derailleur

SADDLE Prologo Nago Evo X8 T2.0

SEATPOST 3T Ionic VR 25 Pro, Ø27.2mm, 350mm length

SEATPOST CLAMP Felt single bolt, Ø31.8mm

RIMS/WHEELSET DT Swiss R24 Classic db

FRONT HUB DT Swiss 340 Classic db Center Lock, 100 x 15mm thru axle

REAR HUB DT Swiss 340 Classic db Center Lock, 12 x 142mm thru axle

SPOKES DT Swiss Champion Spokes

TIRES Schwalbe X-One Evo, HS 467, 700c x 33c

ACCESSOIRES Carbon assembly paste, chain plate protector, tubeless valve stems, Felt CxR cowbell, touch-up paint



FINISH
Matte TeXtreme (Slime Green, Magenta)

SIZES
50, 53, 55, 57 cm

WEIGHT
9.0 kg



FRAME Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK Felt Cyclocross UHC Advanced + TeXtreme carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steerer tube, carbon fiber blades, flat mount disc standard, 12 x 100mm thru axle

HEADSET FSA integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), Felt top cap and aluminum bolt, No.42, 1.125 - 1.5"

STEM Felt CXR SuperLite, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm, 47 - 53cm: 90mm, 55cm: 100mm, 57cm: 110mm, 60cm: 120mm

HANDLEBAR Felt CXR SuperLite, 86mm reach, 130mm drop, $\varnothing 31.8$ mm, 47 - 50cm: 420/450mm, 53 - 60cm: 440 / 470mm

GRIPS Felt CxGel tape with Felt Bubble-Tech F-Wing bar end plugs

SHIFTERS SRAM Rival Cx1, 1x11

REAR DERAILLEUR SRAM Force CX1 11-speed medium cage

CRANKSET SRAM S350 Cx1 GXP, XSYNC 40T, 47cm: 165mm, 50cm: 170mm, 53cm: 172.5mm, 55 - 60cm: 175mm

BOTTOM BRACKET Token BB386 with 22/24mm bearings

CHAIN SRAM 11-speed

FREEWHEEL/CASSETTE SRAM 11-speed, 11-32T

BRAKE LEVERS SRAM Rival Cx1, hydraulic

FRONT BRAKE SRAM Rival hydraulic disc flat mount with SRAM 160mm Centerline rotor

REAR BRAKE SRAM Rival hydraulic disc flat mount with SRAM 140mm Centerline rotor

SADDLE Prologo Nago X8 T2.0

SEATPOST Felt CxR2, $\varnothing 27.2$ mm x 300mm length

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Novatec 30 Disc, tubeless ready

FRONT HUB Felt R2 Disc, sealed cartridge bearing, 100 x 12mm thru axle, 6-bolt, 24H

REAR HUB Felt R2 Disc, sealed cartridge bearing, 11-speed, 12 x 142mm thru axle, 6-bolt, 28H

SPOKES 2.0mm stainless steel with aluminum nipples

TIRES Schwalbe X-One All Around MicroSkin TL-Easy, folding, 700 x 33c

ACCESSORIES Carbon assembly paste, chain plate protector

**FINISH**

Matte Navy (Magenta, Silver)

SIZES

50, 53, 55, 57 cm

WEIGHT

9.45 kg



FRAME Felt Cyclocross FLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, BB386, 12 x 142mm with Syntace style thru axle dropouts, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal cable routing

FORK Felt Cyclocross UHC Advanced carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steer tube and crown, carbon fiber blades with flat mount disc standard and 12 x 100mm Maxle style dropouts

HEADSET FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap and bolt

STEM Felt CXR SuperLite, $\pm 7^\circ$ rise, $\varnothing 31.8$ mm: 47 - 53cm = 90mm, 55cm = 100mm, 57cm = 110mm, 60cm = 120mm

HANDLEBAR Felt CXR SuperLite, 86mm reach, 130mm drop, $\varnothing 31.8$ mm: 47 - 50cm = 420 / 450mm, 53 - 60cm = 440 / 470mm

GRIPS Felt CxGel Tape
Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS Shimano R505 Hydro
FRONT DERAILLEUR Shimano 105 clamp-on, $\varnothing 34.9$ mm

REAR DERAILLEUR Shimano 105 short cage

CRANKSET Gossamer Compact BB386 EVO: 47cm = 165mm, 50cm = 170mm, 53cm = 172.5mm, 55 - 60cm = 175mm

CHAINWHEEL FSA 46/36T

BOTTOM BRACKET FSA PF30 for BB386 Frame

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano, 11-28T

BRAKE LEVERS Shimano R505 Hydraulic

FRONT BRAKE Shimano R505 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

REAR BRAKE Shimano R505 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

CABLES Felt All-Weather compressionless sealed Slick brake and derailleur

SADDLE Prologo Nago Evo X10 T2.0
SEATPOST Felt CxR3, $\varnothing 27.2$ mm, 300mm length

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Felt CxR3 Disc (tubeless ready)

FRONT HUB Felt R3 Disc, sealed bearing, 24H

REAR HUB Felt R3 Disc, sealed cartridge bearing, 28H, 11-speed

SPOKES 2.0mm stainless steel

TIRES Schwalbe X-One Evo, HS 467, 700c x 33c

ACCESSOIRES Felt CxR cowbell

F24 X

Fr. 799.-

F1-X DISC FRAMESET

Fr. 1899.-



FINISH
Matte Fluoro Red (Black)

SIZES
39cm

FINISH
Matte TexTreme (Silver, White)

SIZES
50, 53, 55 cm

FRAME Felt Cyclocross FLite Custom Butted 6061 aluminum, TIG-welded construction, threaded bottom bracket, replaceable rear derailleur hanger

FORK Felt Cyclocross tapered aluminum blades, crown and dropouts, 1.125" Cr-Mo steer tube

HEADSET FSA IS3E integrated, 1.125" sealed bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt top cap and aluminum bolt

STEM Felt SuperLite, ±7° rise, Ø26.0mm, 80mm

HANDLEBAR Felt K:1, 75mm reach, 120mm drop, Ø26.0mm, 360mm

GRIPS Felt CxGel Tape
Bar Ends/Caps Felt Bubble-Tech "F Wing"

SHIFTERS microSHIFT Road Short Reach

FRONT DERAILLEUR microSHIFT Road clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Sora short cage

CRANKSET Felt CxR:K Road, 155mm

CHAINWHEEL Felt 40/28T

BOTTOM BRACKET Square Tapered

PEDALS Superlight CX platform

CHAIN KMC 9-speed

FREEWHEEL/CASSETTE Shimano, 11-32T

BRAKE LEVERS microSHIFT Road Short Reach withTektro top mount levers

FRONT BRAKE Mini V-Brake

REAR BRAKE Mini V-Brake

CABLES Felt All-Weather sealed Slick brake and derailleur

SADDLE Felt CxR:K

SEATPOST Felt CxR3, Ø27.2mm

SEATPOST CLAMP Felt single bolt, Ø31.8mm

RIMS/WHEELSET Felt CxR:K

FRONT HUB Felt R4, sealed bearing, 24H

REAR HUB Felt R4, sealed bearing, 28H, 9-speed

SPOKES 1.8mm stainless steel

TIRES Kenda Happy Medium, 24" x 1.125"

ACCESSOIRES Felt CxR cowbell

WEIGHT 9.48 kg

FRAME Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MmC w/ InsideOut construction, BB386 & 12 x 142mm w/ Syntace style thru axle dropouts, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal cable routing (mechanical compatible)

WEIGHT 1.29 kg



IA SERIES

Das Felt IA ist das ultimative aerodynamische Triathlon-Rad für Höchstleistungen! Superlativen gibt es zuhauf: Integration der Bremsen und Kabelzüge im Rahmen, Rahmenprofil im Windkanal entwickelt. Das IA ist schlicht das zur Zeit aerodynamischste Triathlonrad der Welt. Die Aerodynamik und der Komfort des Felt IA ermöglicht es Ihnen, schneller, länger und stärker zu fahren. Mit den vier aufeinanderfolgenden Siegen 2013, 2014, 2015 und 2016 am Ironman in Kona hat Felt mit dem IA den aktuellen Standard in der Aerodynamik gesetzt.

Les vélos Felt de la gamme IA sont les vélos de Triathlon les plus ultimes, les plus impressionnants! Les superlatifs ne manquent pas: entièrement carénés, hyper profilés, ce sont les vélos les plus aérodynamiques du monde. De véritables Formule 1 du vélo sur Route!! En Triathlon, l'inertie, l'aérodynamisme et le confort du Felt IA vous permettent de rouler plus vite, plus fort, plus longtemps. Avec les victoires en 2013, 2014, 2015 et 2016 à l'Ironman à Kona le Felt IA établit la meilleure norme de l'Aérodynamique.



FINISH
Matte Carbon (Blue, Magenta Fade)

SIZES
51, 54, 56 cm

WEIGHT
9.2 kg



FRAME Felt Integrated Aero Tri UHC Advanced + TeX-treme carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell, horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, internal mechanical or electronic cable routing

FORK Felt Dagger UHC Advanced carbon fiber mono-coque construction, 1.125" carbon fiber steerer, brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

HEADSET FSA IS integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

STEM Felt Dagger

HANDLEBAR Felt Dagger UHC Ultimate + Nano base bar with Felt *f*-Bend 3-position extensions

GRIPS Felt VelvetGel tape and dimpled gel pads with Felt bar end plugs

SHIFTERS SRAM RED eTap 11-speed wireless

FRONT DERAILLEUR SRAM RED eTap braze-on

REAR DERAILLEUR SRAM RED eTap 11-speed

CRANKSET Quarq Prime Carbon, 52/36T, 48 -51cm: 165mm, 54 -56cm: 170mm, 58cm: 172.5mm

BOTTOM BRACKET Token BB30 with 22/24mm bearings

CHAIN SRAM 11-speed

FREEWHEEL/CASSETTE SRAM 11-speed, 11-28T

BRAKE LEVERS SRAM 500 Aero

FRONT BRAKE Felt Aero Brake System with integrated cover

REAR BRAKE Felt Aero Brake System with integrated cover with Felt Super-Slick brake cable with Link housing

SADDLE ISM PS1.0

SEATPOST Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock Comfort Module internals, 300mm length

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

RIMS/WHEELSET Zipp 30 Course clincher, tubeless ready

FRONT HUB Devox TTR3, sealed cartridge bearing, 100mm QR, 24H

REAR HUB Devox TTR3, sealed cartridge bearing, 11-speed, 130mm QR, 28H

SPOKES Aero stainless steel

TIRES Felt Aero TTR2 folding, 700 x 23c

ACCESSORIES Carbon assembly paste, aero seat post slot covers, IA Aeropac, IA Calpac, eTap charger, Dagger stem cover with 1/4-turn Garmin Mount, valve extenders, IA BTS storage box

**FINISH**

Matte Carbon (Black, Acid Fade)

SIZES

51, 54, 56, 58 cm

WEIGHT

9.2 kg



FRAME Felt Integrated Aero Tri UHC Advanced carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell, horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, internal mechanical or electronic cable routing

FORK Felt Dagger UHC Advanced carbon fiber mono-coque construction, 1.125" carbon fiber steerer, brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

HEADSET FSA IS integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

STEM Felt Dagger

HANDLEBAR Felt Dagger UHC Ultimate + Nano base bar with Felt *f*-Bend 3-position extensions

GRIPS Felt VelvetGel tape and dimpled gel pads with Felt bar end plugs

SHIFTERS Shimano Dura-Ace Di2 R9160 TT/Tri 11-speed

FRONT DERAILLEUR Shimano Ultegra R8050 Di2 braze-on

REAR DERAILLEUR Shimano Ultegra R8050 Di2 11-speed short cage

CRANKSET Vision TriMax Pro TT BB30, 52/36T, 48 -51cm: 165mm --- 54 -56cm: 170mm --- 58cm: 172.5mm

CHAINWHEEL

BOTTOM BRACKET FSA BB30 with 30mm bearings

BATTERY

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 12-25T

BRAKE LEVERS Aero TT/Tri carbon

FRONT BRAKE Felt Aero Brake System with integrated cover

REAR BRAKE Felt Aero Brake System with integrated cover with Felt Super-Slick brake cable with Link housing

SADDLE ISM PS1.0

SEATPOST Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock Comfort Module internals, 300mm length

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

RIMS/WHEELSET Mavic Aksium

FRONT HUB

REAR HUB

SPOKES

TIRES Felt Aero TTR2 folding, 700 x 23c

ACCESSORIES Carbon assembly paste, aero seat post slot covers, IA Aeropac, IA Calpac, Dagger stem cover with 1/4-turn Garmin Mount, valve extenders, IA BTS storage box



FINISH
Matte Carbon (Black, Red Fade)

SIZES
51, 54, 56, 58 cm

WEIGHT
9.4 kg



FRAME Felt Integrated Aero Tri UHC Performance carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell, horizontal dropouts with integrated dropout adjusters, aerodynamically optimized for direct mount rear brake, internal mechanical or electronic cable routing

FORK Felt IA UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steerer, blades, dropouts, crown; aerodynamically optimized for a conventional brake

HEADSET FSA IS integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

STEM Felt Tri155, -6° rise, Ø31.8mm, 90mm

HANDLEBAR Felt Bayonet 3 base bar with Felt *f*-Bend 3-position extensions, Ø31.8mm, 48 - 51cm: 390mm, 54 - 58cm: 420mm

GRIPS Felt VelvetGel tape, Felt Tri Tip grips and dimpled gel pads with Felt bar end plugs

SHIFTERS Shimano Dura-Ace Di2 R9160 TT/Tri 11-speed

FRONT DERAILLEUR Shimano Ultegra R8050 Di2 braze-on

REAR DERAILLEUR Shimano Ultegra R8050 Di2 11-speed short cage

CRANKSET Vision TriMax Pro TT BB30, 52/36T, 48 -51cm: 165mm, 54 -56cm: 170mm, 58cm: 172.5mm

BOTTOM BRACKET FSA BB30 with 30mm bearings

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

BRAKE LEVERS Shimano Dura-Ace TT/Tri

FRONT BRAKE Vision TriMax Aero caliper

REAR BRAKE Shimano BR5810 direct mount caliper

SADDLE ISM PS1.0

SEATPOST Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock Comfort Module internals, 300mm length

SEATPOST CLAMP Felt Internalloc integrated with titanium bolts

RIMS/WHEELSET Devox 35A, tubeless ready,

17mm width, 35mm depth

FRONT HUB Devox TTR3, sealed cartridge bearing, 100mm QR, 24H

REAR HUB Devox TTR3, sealed cartridge bearing, 11-speed, 130mm QR, 28H

SPOKES Aero stainless steel

TIRES Felt Aero TTR2 folding, 700 x 23c

ACCESSORIES Carbon assembly paste, aero seat post slot covers, IA Aeropac, IA Calpac, Di2 Internal battery charging cables, IA BTS storage box

**FINISH**

Matte Carbon (White, Blue)

SIZES

51, 54, 56 cm

WEIGHT

TBC



FRAME Felt Integrated Aero Tri UHC Performance carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell, horizontal dropouts with integrated dropout adjusters, aerodynamically optimized for direct mount rear brake, internal mechanical or electronic cable routing

FORK Felt IA UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steerer, blades, dropouts, crown; aerodynamically optimized for a conventional brake

HEADSET FSA IS integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

STEM Felt Tri155, -6° rise, Ø31.8mm, 90mm

HANDLEBAR Felt Bayonet 3 base bar with Felt f-Bend 3-position extensions, Ø31.8mm, 48 - 51cm: 390mm, 54 - 58cm: 420mm

GRIPS Felt VelvetGel tape, Felt Tri Tip grips and dimpled gel pads with Felt bar end plugs

SHIFTERS microSHIFT TT 11-speed

FRONT DERAILLEUR Shimano Ultegra R8000 braze-on

REAR DERAILLEUR Shimano Ultegra R8000 11-speed short cage

CRANKSET Vision TriMax Pro TT BB30, 52/36T, 48 -51cm: 165mm, 54 -56cm: 170mm, 58cm: 172.5mm

BOTTOM BRACKET FSA BB30 with 30mm bearings

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

BRAKE LEVERS Aero TT/Tri

FRONT BRAKE Vision TriMax Aero caliper

REAR BRAKE Shimano BR5810 direct mount caliper

SADDLE ISM PS1.1

SEATPOST Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock Comfort Module internals, 300mm length

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

RIMS/WHEELSET Devox 30A, tubeless ready, 17mm width, 27mm depth

FRONT HUB Devox TTR4, 100mm QR, 24H

REAR HUB Devox TTR3, sealed cartridge bearing, 11-speed, 130mm QR, 28H

SPOKES 2.0mm stainless steel

TIRES Felt Aero TTR2 folding, 700 x 23c

ACCESSORIES Carbon assembly paste, aero seat post slot covers, IA Aeropac, IA Calpac, IA BTS storage box

IA FRD Framekit

Fr. 6699.-

B14

Fr. 2299.-



FINISH
Matte TeXtreme (White)

SIZES
54, 56, 58 cm

FINISH
Matte Charcoal (Acid Green, Black)

SIZES
51, 54, 56, 58, 61cm

FRAME Felt Integrated Aero Tri UHC Ultimate + TeXtreme carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell, horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, internal mechanical or electronic cable routing

SEATPOST CLAMP Felt Internaloc integrated with titanium bolts

ACCESSORIES Carbon assembly paste, aero seat post slot covers, IA Aeropac, IA Calpac, Dagger stem cover with 1/4-turn Garmin Mount, valve extenders, IA BTS storage box

FORK Felt Dagger UHC Ultimate + TeXtreme carbon fiber monocoque construction, 1.125" carbon fiber steerer, brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

WEIGHT 3.165 kg

HEADSET FSA TH-873-CB integrated, 1.125" sealed ceramic ACB cartridge bearings with Felt compression device

STEM Felt Dagger

HANDLEBAR Felt Dagger UHC Ultimate + Nano base bar with Felt f-Bend carbon fiber 3-position extensions

GRIPS Dimpled gel pads with Felt bar end plugs

FRONT BRAKE Felt Aero Brake System with integrated cover

REAR BRAKE Felt Aero Brake System with integrated cover

SEATPOST Felt Vibration Reducing Aero Tri UHC Ultimate + TeXtreme carbon fiber with 3T DiffLock Comfort Module internals, 300mm length

FRAME Felt Aero TT/Tri UHC Performance carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell, horizontal dropouts with integrated dropout adjusters, internal mechanical or electronic cable routing

BOTTOM BRACKET FSA BB30 with 30mm bearings

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

FORK Felt Aero TT/Tri UHC Performance carbon fiber blades and dropouts, 1.125" aluminum steerer tube

BRAKE LEVERS Aero TT/Tri

FRONT BRAKE Dual pivot caliper

HEADSET "FSA IS-21 integrated, 1.125" integrated sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), Felt top cap

REAR BRAKE TRP T822 TT direct mount caliper brake

SADDLE Prologo Nago Evo Tri40 T2.0

STEM Devox Tri, ±17° rise, Ø31.8mm, 47cm (650c): 60mm, 51cm: 80mm, 54 - 56cm: 90mm, 58cm: 100mm, 61cm: 110mm

SEATPOST Felt DA/B Aero UHC Advanced carbon fiber, 350mm length

SEATPOST CLAMP Felt Aero Integrated DA/B

HANDLEBAR DEVOX Bayonet 3 base bar with DEVOX f-Bend 3-position extensions, Ø31.8mm, 48 - 51cm: 390mm, 54 - 58cm: 420mm, 61cm: 440mm

RIMS/WHEELSET Devox 30A, tubeless ready, 17mm width, 27mm depth

FRONT HUB Devox TTR4, 100mm QR, 24H

GRIPS Felt VelvetGel tape, Felt Tri Tip grips and dimpled gel pads with Felt bar end plugs

REAR HUB Devox TTR3, sealed cartridge bearing, 11-speed, 130mm QR, 28H

SHIFTERS microSHIFT TT 11-speed

SPOKES 2.0mm stainless steel

FRONT DERAILLEUR Shimano Ultegra R8000 braze-on

TIRES Vittoria Zaffiro Pro Slick folding, 700 x 23c, 47cm: Vittoria Rubino G+ 650 x 23c

REAR DERAILLEUR Shimano Ultegra R8000 11-speed short cage

WEIGHT 9.4 kg

CRANKSET FSA Omega Compact BB30, 50/34T, 47 (650c): 165mm, 51cm: 167.5mm, 54 - 56cm: 170mm, 58 - 61cm: 172.5mm

**FINISH**

Matte Black (Silver, Blue)

SIZES

51, 54, 56, 58 cm

WEIGHT

7.27 kg



FRAME Felt Aero Track UltraLite Custom Butted 7005 aluminum, threaded BB shell, horizontal dropouts w/ cast steel surfaces & integrated chain tensioners

FORK Felt Aero Track UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steer tube

HEADSET FSA IS21 integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap & aluminum bolt

STEM 3T Pro Stem, +/-6° rise, Ø31.8mm
51 - 56cm = 85mm
58 - 61cm = 100mm

HANDLEBAR Felt Tkr1, Ø31.8mm
51cm = 360mm
54 - 58cm = 390mm
61cm = 420mm

GRIPS Felt Gel Tape

BAR ENDS/CAPS Felt Bubble-Tech "F Wing"

CRANKSET TruVativ Omnium GXP
51 - 54cm = 165mm
56cm = 167.5mm
58 - 61cm = 170mm

CHAINWHEEL TruVativ 48T x 1/8"

BOTTOM BRACKET Sram GXP

CHAIN KMC Z510HX 1-Speed

FREEWHEEL 15T x 1/8" w/ lockring

SADDLE Prologo Zero II T2.0

SEATPOST Felt Tkr bladed carbon fiber, Ø27.2mm, 300mm

SEATPOST CLAMP Felt single bolt, Ø30.6mm

RIMS / WHEELSET

MAVIC ELLIPSE LIFT Clincher

FRONT HUB Mavic, QRM+ sealed cartridge bearing, 20H

REAR HUB Mavic, QRM+ sealed cartridge bearing, 20H, double-threaded ixed/ ixed

SPOKES Bladed double butted stainless steel

TIRES Challenge Pista OT, 320tpi, 700c x 23c

ACCESSOIRES Carbon Assembly Paste, touch-up paint



CITY SERIES

ALLROUND / TREKKING / URBAN

Gelungene Mischung aus Komfort & sportlicher Leistung. Die Produktlinie QX-Equipped bietet Fahrräder für jeden Tag und jede Gelegenheit: Ein perfektes Rad für die Fahrt zur Arbeit oder für den Einkauf.

Die QX vereinen die Stabilität eines Mountainbikes mit der Fahrperformance eines 700c. Die QX sind genau das Richtige, wenn ein Rad alles können soll: Ob in der Stadt, auf Waldwegen, leichten Trails oder staubigen Strassen, mit diesem universellen Rad ist alles möglich.

Un concontré de confort et de haute performance. La nouvelle ligne QX-Equipped vous offres des vélos pour tous les jours et toutes les occasions: un vélo pour aller au travail ou en balade.

Les QX sont un croisement entre la stabilité d'un vélo tout-terrain et les performances routières d'un 700c. Les vélos QX sont parfaits pour les cyclistes qui souhaitent un vélo polyvalent et efficace en toute situation: Que ce soit dans la ville, sur un chemin forestier, un trail facile ou des routes poussiéreuses, avec ce vélo polyvalent tout est possible.

**FINISH**

Gloss Brushed Raw (Reflective Black)

SIZES

51, 54, 56, 58, 61 cm



FRAME FELT Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, tapered 1.125" - 1.5" head tube, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steerer tube with integrated crown, flat mount disc mounting

HEADSET FSA integrated, No.42B-CUP, 1.125" - 1.5"

STEM Felt VariableAngle, $\pm 8^\circ/\pm 16^\circ$ rise, $\varnothing 31.8$ mm, XS: 80mm --- SM/MD: 90mm --- LG/XL: 100mm --- XXL: 110mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, $\varnothing 31.8$ mm, 9° sweep, XS/SM/MD: 600mm --- LG/XL/XXL: 640mm

SHIFTERS Shimano RS700 Rapidfire Plus, 2x11

FRONT DERAILLEUR Shimano 105, clamp-on, $\varnothing 31.8$ mm

REAR DERAILLEUR Shimano 105 11-speed long cage

CRANKSET Shimano RS500, 50/34T, SM: 170mm --- MD/LG: 172.5mm --- XL/XXL: 175mm

BOTTOM BRACKET Shimano sealed cartridge external, BSA threaded, 68mm

PEDALS Felt fitness aluminum platform with TPE non-slip inlay

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano, 11-speed, 11-32T

BRAKE LEVERS Tektro hydraulic
FRONT/REAR BRAKE Tektro R310 flat mount hydraulic disc, Front: 160mm, Rear: 140mm

SADDLE Selle Royal Look In Sport A200, Cr-Mo rails

SEATPOST Felt Endurance Road UHC Performance carbon fiber, $\varnothing 27.2$ mm x 300mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB Felt, sealed cartridge bearing, 100mm QR, 6-bolt, 32H

REAR HUB Felt, sealed cartridge bearing, 11-speed, 135mm QR, 6-bolt, 32H

SPOKES 2.0 / 1.8mm double butted stainless steel

TIRES Vittoria Randonneur Pro, folding, double shield puncture protection, reflective stripe, 120tpi, 700 x 32c

VERZA SPEED 20

Fr. 999.-

VERZA SPEED 40

Fr. 629.-



FINISH

Matte Black (Reflective Blue)

SIZES

51, 54, 56, 58, 61 cm

FINISH

Gloss Chartreuse (Reflective Black)

SIZES

51, 54, 56 cm

FRAME FELT Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, tapered 1.125" - 1.5" head tube, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness UHC Advanced carbon fiber monocoque construction, Control-Taper 1.125" - 1.5" aluminum steerer tube with integrated crown, flat mount disc mounting

HEADSET FSA integrated, No.42B-CUP, 1.125" - 1.5

STEM Felt Variable Angle, $\pm 8^\circ/\pm 16^\circ$ rise, $\varnothing 31.8$ mm, XS: 80mm SM/MD: 90mm LG/XL: 100mm XXL: 110mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, $\varnothing 31.8$ mm, 9° sweep, XS/SM/MD: 600mm LG/XL/XXL: 640mm

SHIFTERS Shimano Tiagra Rapidfire Plus, 2x10

FRONT DERAILLEUR Shimano Tiagra, clamp-on, $\varnothing 31.8$ mm

REAR DERAILLEUR Shimano Tiagra 10-speed long cage

CRANKSET FSA Omega Adventure, 50/34T, SM: 170mm MD/LG: 172.5mm XL/XXL: 175mm

BOTTOM BRACKET FSA MegaExo sealed cartridge, BSA threaded, 68mm

PEDALS Felt fitness aluminum platform with TPE non-slip inlay

CHAIN KMC 10-speed

FREEWHEEL/CASSETTE Shimano, 10-speed, 11-34T

BRAKE LEVERS Promax hydraulic

FRONT/REAR BRAKE Promax F1 flat mount hydraulic disc, Front: 160mm, Rear: 140mm

SADDLE Selle Royal Look In Sport A200, Cr-Mo rails

SEATPOST Felt Endurance Road UHC Performance carbon fiber, $\varnothing 27.2$ mm x 300mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB Felt, 100mm QR, 6-bolt, 32H

REAR HUB Felt, 10-speed, 135mm QR, 6-bolt, 32H

SPOKES 2.0 / 1.8mm double butted stainless steel

TIRES Vittoria Randonneur, double shield puncture protection, reflective stripe, 30tpi, 700 x 32c

FRAME FELT Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness F-Lite aluminum blades, 1-1/8" 4130 Cr-Mo steerer tube, flat mount disc tabs

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM F-Lite aluminum, $\pm 17^\circ$ rise, $\varnothing 31.8$ mm, SM/MD: 90mm LG/XL: 100mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, $\varnothing 31.8$ mm, 9° sweep, SM/MD: 600mm LG/XL: 640mm

SHIFTERS Shimano M310 Rapidfire Plus, 3x8

FRONT DERAILLEUR Shimano M310, clamp-on, $\varnothing 31.8$ mm

REAR DERAILLEUR Shimano Acera 8-speed, long cage

CRANKSET SR/Suntour XCC, 48/38/28T, SM/MD: 170mm LG/XL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

PEDALS Felt fitness nylon platform with TPE non-slip inlay

CHAIN KMC 8-speed

FREEWHEEL/CASSETTE Shimano, 8-speed, 11-34T

BRAKE LEVERS Promax mechanical disc

FRONT/REAR BRAKE Promax flat mount mechanical disc, 160mm rotor

SADDLE Selle Royal Look In Sport A200, Cr-Mo rails

SEATPOST Felt Aluminum double bolt micro-adjust, $\varnothing 27.2$ mm x 330mm

SEATPOST CLAMP Felt single bolt, $\varnothing 31.8$ mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB Felt, 100mm QR, 6-bolt, 32H

REAR HUB Felt, 8/9-speed, 135mm QR, 6-bolt, 32H

SPOKES 2.0 / 1.8mm double butted stainless steel

TIRES Vittoria Randonneur, double shield puncture protection, reflective stripe, 30tpi, 700 x 32c

Fr. 1299.-

QX 90 EQ



FINISH
Matte Black (Shadow, Red)

SIZES
Man: 52, 55, 58 cm
Lady: 44, 49 cm

FRAME FELT QX suspension fork specific, 6061 aluminum, tapered style headtube, integrated kickstand & Basta lock mount, internal light cable routing, disc-brake specific

FORK SR Suntour SF14-NCX-D DS LO, hydr Lockout, coil spring w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, post mount, electric cable guide

HEADSET FSA #10P Semi-Integrated 1 1/8" Aheadset: Steel Cups, Caged Bearing, Double Water Sealed w/ Felt Tornado Alloy Top Cap

STEM Felt SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware

HANDLEBAR Felt QX 6061 butted alu riser: Ø31.8mm, 25mm rise x 9° sweep

SHIFTERS Shimano Deore SL-M610 10-speed Rapid Fire

FRONT DERAILLEUR Shimano Deore FD-T610: top-swing

REAR DERAILLEUR Shimano Deore XT RD-T8000-SGS: long cage

CRANKSET Shimano FC-T521 10-speed crankset, Hollowtech, Octalink BB, 48x36x26T w/ chainguard:

BOTTOM BRACKET BB-ES300 Octalink, 121mm axle

PEDALS Felt low-profile nylon cage & body, taper head Cr-Mo axle

CHAIN KMC X10

FREEWHEEL/CASSETTE Shimano CS-HG62 10-speed cassette, 11-32T

BRAKE LEVERS Shimano BL-M355 hydr.

FRONT/REAR BRAKE Shimano BR-M355 hydraulic: SM-RT20 160mm Centerlock

SEATPOST Felt twin clamp micro-adjust 6061 aluminum, Ø27.2mm x 300mm

RIMS/WHEELSET Alexrims MD17 double-wall aluminum disc brake, single eyelets

FRONT HUB Shimano DH-3D37 hub dynamo 32H: 6V/3.0W, Centerlock disc mount, w/ Shimano QR lever

REAR HUB Shimano FH-M4050 8/9/10-speed 32H rear: Centerlock disc mount w/ Shimano QR lever

TIRES Schwalbe MARATHON MONDIAL RaceGuard, reflective sidewall, 37-622 w/ presta valve tubes

FENDERS Felt QX style fenders: w/ stainless hardware

KICKSTAND KSA 40 style kickstand: rear dropout mount

LIGHTSYSTEM Trelock LS-915 Prio headlight 50 Lux w/parking light and sensor automatic Trelock LSLS-623 LED rear light w/ parking light

CARRIER Felt 6061 tubular aluminum, integrated frame mount: w/ internal electric wiring, accessory attachment mount, incl. stainless steel spring clamp

WEIGHT 15.15 kg

Fr. 999.-

QX 80 EQ



FINISH
Matte Black (Fluo Lemon, Red)

SIZES
Man: 48, 52, 55 cm
Lady: 44, 49 cm

FRAME FELT QX suspension fork specific, 6061 aluminum, tapered style headtube, integrated kickstand & Basta lock mount, internal light cable routing, disc-brake specific

FORK SR Suntour SF14-NEX HLO, hydr Lockout, coil spring w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, disc-brake specific, electric cable guide

HEADSET FSA #10P Semi-Integrated 1 1/8" Aheadset: Steel Cups, Caged Bearing, Double Water Sealed w/ Felt Tornado Alloy Top Cap

STEM Felt SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware

HANDLEBAR Felt QX 6061 butted alu riser: Ø31.8mm, 25mm rise x 9° sweep

SHIFTERS Shimano Altus SL-M370 9-speed

FRONT DERAILLEUR Shimano Alivio FD-T4000: top-swing

REAR DERAILLEUR Shimano Deore RD-M591-SGS: long cage

CRANKSET Shimano Alivio FC-T4010 9-speed crankset, forged aluminum, 48x36x26T w/ chainguard:

BOTTOM BRACKET BB-ES300 Octalink, 126mm axle

PEDALS Felt low-profile nylon cage & body, taper head Cr-Mo axle

CHAIN Sunrace CH-M94

FREEWHEEL/CASSETTE Sunrace CS-M96 9-speed cassette, 11-32T

BRAKE LEVERS Shimano BL-M355 hydr.

FRONT/REAR BRAKE Shimano BR-M355 hydraulic: SM-RT20 160mm Centerlock

SEATPOST CLAMP Felt bolt-type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET Alexrims MD17 double-wall aluminum disc brake, single eyelets

FRONT HUB Shimano DH-3D37 hub dynamo 32H: 6V/3.0W, Centerlock disc mount, w/ Shimano QR lever

REAR HUB Forged aluminum 8/9-speed cassette 32H rear: Centerlock disc mount w/ aluminum QR lever

TIRES Schwalbe SILENTO KevlarGuard, reflective sidewall, 37-622 w/ presta valve tubes

FENDERS Felt QX style fenders: w/ stainless hardware

KICKSTAND KSA 40 style kickstand: rear dropout mount

LIGHTSYSTEM Trelock LS-433 Bike-i-Go headlight 30 Lux w/parking light Trelock LSLS-623 LED rear light w/ parking light

CARRIER Felt 6061 tubular aluminum, integrated frame mount: w/ internal electric wiring, accessory attachment mount, incl. stainless steel spring clamp

WEIGHT 15.90 kg



FINISH
Matte Sea Green (Fluo Lemon, Red)

SIZES
Man: 52, 55, 58 cm
Lady: 44, 49 cm

WEIGHT
15.45 kg



FRAME FELT QX suspension fork specific, 6061 aluminum, tapered style headtube, integrated kickstand & Basta lock mount, internal light cable routing, v- & disc-brake compatible

FORK SR Suntour SF13-NEX P, coil spring w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, v- & disc-brake compatible, electric cable guide

HEADSET FSA #10P Semi-Integrated 1 1/8" Aheadset: Steel Cups, Caged Bearing, Double Water Sealed w/ Felt Tornado Alloy Top Cap, Custom 1 x 15mm Curved, 3 x 5mm & 1 x 10mm straight washers

STEM Felt SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware, 44cm = 70mm

HANDLEBAR Felt QX 6061 aluminum riser: Ø31.8mm, 25mm rise x 9° sweep

SHIFTERS Shimano ST-EF51 8-speed EZ-Fire w/ integrated brake lever

FRONT DERAILLEUR Shimano FD-M191: top-swing

REAR DERAILLEUR Shimano Alivio RD- T4000-SGS: long cage

CRANKSET Shimano FC-M311 8-speed crankset, forged aluminum, 48x38x28T w/ chainguard: 44 - 52

CHAINGUIDE Felt QX custom aluminum

BOTTOM BRACKET sealed cartridge, 122,5mm axle

PEDALS Felt low-profile nylon cage & body, steel axle

CHAIN Sunrace CH-M84

FREEWHEEL/CASSETTE Sunrace CS-M66 8-speed cassette, 11-32T

BRAKE LEVERS included w/ shifter

FRONT/REAR BRAKE Tektro 855-AL v-brake: w/ 110mm arms, fender compatible, custom one piece 60mm pads

SADDLE Felt QX low profile: w/ comfort fit top & foam base, satin steel rails

SEATPOST Felt twin clamp micro-adjust 6061 aluminum, Ø27.2mm x 300mm

SEATPOST CLAMP Felt bolt-type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET Alexrims MV17 double-wall aluminum, w/ CNC sidewalls

FRONT HUB Shimano DH-3N31 hub dynamo 32H: 6V/3.0W w/ Shimano QR lever

REAR HUB Forged aluminum 8/9-speed cassette 32H rear: w/ aluminum QR lever

SPOKES 2.0mm stainless steel

TIRES Schwalbe SILENTO KevlarGuard, reflective sidewall, 37-622 w/ presta valve tubes

FENDERS Felt QX style fenders: w/stainless hardware

KICKSTAND KSA 40 style kickstand: rear dropout mount

LIGHTSYSTEM Trelock LS-433 Bike-i-Go headlight 30 Lux w/parking light Trelock LSLS-623 LED rear light w/ parking light

CARRIER Felt 6061 tubular aluminum, integrated frame mount: w/ internal electric wiring, accessory attachment mount, incl. stainless steel spring clamp

**FINISH**

Matte Black (Grey, Red)
Matte Charcoal (White, Red)

SIZES

Man: 52, 55, 58 cm
Lady: 44, 49 cm

WEIGHT

12.20 kg



FRAME FELT QX rigid fork specific, 6061 aluminum, tapered style headtube, integrated kickstand & Basta lock mount, disc-brake specific

FORK Felt rigid 6061 aluminum blades, steel steerer, disc-brake specific, eyeleted

HEADSET FSA No. 10P 1 1/8" semi integrated Ahead-set: steel cups, caged bearings, double sealed, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 1 x 10mm straight washers

STEM Felt SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware 44cm = 70mm

HANDLEBAR Felt QX 6061 double-buttet aluminum flat bar: Ø31.8mm, 9° sweep

GRIPS Felt ergo grip dual-density Kraton rubber, wing-style Bar Ends/Caps Felt F-Wing end plugs

SHIFTERS Shimano Altus SL-M370 9-speed

FRONT DERAILLEUR Shimano Alivio FD-T4000: top-swing

REAR DERAILLEUR Shimano Deore RD-M591-SGS: long cage

CRANKSET Shimano Alivio FC-T4010 9-speed crankset, forged aluminum, 48x36x26T w/ chainguard:

BOTTOM BRACKET BB-ES300 Octalink, 126mm axle

PEDALS Felt low-profile nylon cage & body, steel axle

CHAIN Sunrace CH-M94

FREEWHEEL/CASSETTE Sunrace CS-M96 9-speed cassette, 11-32T

BRAKE LEVERS Shimano BL-M355 hydraulic

FRONT/REAR BRAKE Shimano BR-M355 hydraulic: SM-RT20 160mm Centerlock rotor

SADDLE Felt QX low profile: w/ comfort fit top & foam base, satin steel rails

SEATPOST Felt twin clamp micro-adjust 6061 aluminum, Ø27.2mm x 300mm

SEATPOST CLAMP Felt bolt-type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET Alexrims MD17 double-wall aluminum disc brake, single eyelets

FRONT HUB Forged aluminum 32H: Centerlock disc mount w/ aluminum QR lever

REAR HUB Forged aluminum 8/9-speed cassette 32H rear: Centerlock disc mount w/ aluminum QR lever

SPOKES 2.0 / 1.8mm double butted stainless steel

TIRES Schwalbe Spicer 35-622 w/ presta valve tubes



<p>FINISH Matte Charcoal (Fluo Lemon) White (Fluo, Aquamarin)</p>	<p>SIZES Man: 52, 55, 58 cm Lady: 44, 49 cm</p>	<p>WEIGHT 13.65 kg</p>	
--	--	-----------------------------------	---

FRAME FELT QX suspension fork specific, 6061 aluminum, tapered style headtube, integrated kickstand & Basta lock mount, disc-brake specific
 FORK SR Suntour SF14-NEX HLO DS, hydr Lockout, coil spring w/preload adjust, 63mm travel: aluminium lowers & crown , STKM stanchions & steerer, disc-brake specific

HEADSET FSA No. 10P 1 1/8" semi integrated Aheadset: steel cups, caged bearings, double sealed, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 1 x 10mm straight washers

STEM Felt SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware 44cm = 70mm

HANDLEBAR Felt QX 6061 butted aluminum riser: Ø31.8mm, 25mm rise x 9° sweep

SHIFTERS Shimano Altus SL-M370 9-speed

FRONT DERAILLEUR Shimano Alivio FD-T4000: top-swing

REAR DERAILLEUR Shimano Deore RD-M591-SGS: long cage

CRANKSET Shimano Alivio FC-T4010 9-speed crankset, forged aluminum, 48x36x26T w/ chainguard

BOTTOM BRACKET BB-ES300 Octalink, 126mm axle

PEDALS Felt low-profile nylon cage & body, steel axle

CHAIN Sunrace CH-M94

FREEWHEEL/CASSETTE Sunrace CS-M96 9-speed cassette, 11-32T

BRAKE LEVERS Shimano BL-M355 hydraulic

FRONT BRAKE Shimano BR-M355 hydraulic: SM-RT20 160mm Centerlock rotor

REAR BRAKE Shimano BR-M355 hydraulic: SM-RT20 160mm Centerlock rotor

CABLES Custom Felt internally routed shift cables w/

CNC aluminum ferrules

SEATPOST Felt twin clamp micro-adjust 6061 aluminum, Ø27.2mm x 300mm

SEATPOST CLAMP Felt bolt-type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET Alexrims MD17 double-wall aluminum disc brake, single eyelets

FRONT HUB Forged aluminum 32H: Centerlock disc mount w/ aluminum QR lever

REAR HUB Forged aluminum 8/9-speed cassette 32H rear: Centerlock disc mount w/ aluminum QR lever

SPOKES 2.0 / 1.8mm double butted stainless steel
 TIRES Schwalbe CX COMP 40-622 w/ presta valve tubes

**FINISH**

Matte Sea Green (Red, Fluo)
Matte Burgundy (Reflective White)

SIZES

Man: 52, 55, 58cm
Lady: 44, 49 cm

WEIGHT

13.25 kg



FRAME FELT QX suspension fork specific, 6061 aluminum, tapered style headtube, integrated kickstand & Basta lock mount, v- and disc-brake compatible

FORK SR Suntour SF13-NEX P, coil spring w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, v- & disc-brake compatible

HEADSET FSA No. 10P 1 1/8" semi integrated Ahead-set: steel cups, caged bearings, double sealed, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 1 x 10mm straight washers

STEM Felt SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware 44cm = 70mm

HANDLEBAR Felt QX 6061 aluminum riser: Ø31.8mm, 25mm rise x 9° sweep

GRIPS Felt ergo grip dual-density Kraton rubber, wing-style

SHIFTERS Shimano ST-EF51 8-speed EZ-Fire w/ integrated brake lever

FRONT DERAILLEUR Shimano FD-M191: top-swing

REAR DERAILLEUR Shimano Alivio RD- T4000-SGS: long cage

CRANKSET Shimano FC-M311 8-speed crankset, forged aluminum, 48x38x28T w/ chainguard: 44 - 52 Bottom Bracket sealed cartridge, 122,5mm axle Pedals Felt low-profile nylon cage & body, steel axle

CHAIN Sunrace CH-M84

FREEWHEEL/CASSETTE Sunrace CS-M66 8-speed cassette, 11-32T **BRAKE LEVERS** included w/ shifter

FRONT/REAR BRAKE Tektro 855-AL v-brake: w/ 110mm arms, fender compatible, custom one piece 60mm pads

SADDLE Felt QX low profile: w/ comfort fit top & foam base, satin steel rails

SEATPOST Felt twin clamp micro-adjust 6061 aluminum, Ø27.2mm x 300mm

SEATPOST CLAMP Felt bolt-type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET Alexrims MV17 double-wall aluminum, w/ CNC sidewalls

FRONT HUB Forged aluminum 32H: w/ aluminum QR lever

REAR HUB Forged aluminum 8/9-speed cassette 32H rear: w/ aluminum QR lever

SPOKES 2.0mm stainless steel

TIRES Schwalbe CX COMP 40-622 w/ presta valve tubes



BMX

FREESTYLE / DIRT

BMX ist kein Sport, sondern ein Lifestyle. Felt lebt und verkörpert diesen Stil: Unsere BMX Räder sind speziell danach entwickelt. Felt zeigt ein spannendes BMX Sortiment 2017, das optisch sehr klar und schlicht gehalten ist.

Ob für den Anfänger im Skatepark oder den individuellen Streerider - Felt baut die besten BMX der Welt.

Le BMX n'est pas un sport, c'est un style de vie. Felt incarne et adopte cette philosophie: Nos vélos BMX sont spécialement conçus. Felt présente la nouvelle gamme BMX 2017 qui est très claire et épurée cette année.

Que vous soyez débutants sur le skatepark ou streerider totalement individuelle - les BMX Felt sont les meilleures du monde.

Fr. 599.-

FUUSE DIRT



FINISH
Satin Black

WEIGHT
10.9 kg

FRAME Felt BMX 100% Cr-Mo frame, 21" top tube, removable brake hardware, mid-size BB, integrated head tube, tapered seat and chainstays
 FORK Felt BMX 100% Cr-Mo, butted steerer tube, tapered legs, 3/8" axle slots, 5mm dropouts
 STEM FeltUp, top mount, forged aluminum, 51mm extension
 HANDLEBAR Felt BMX Cr-Mo, 8.75" rise
 CRANKSET 2-piece, 8-spline Cr-Mo, 175mm
 CHAINWHEEL Felt Spacely design, CNC

aluminum, 25T
 CHAIN KMC Z410, 1/8"
 FREEWHEEL 9T 1-piece driver
 BRAKE LEVERS Tektro aluminum w/ hinged clamp
 FRONT BRAKE Alu caliper
 REAR BRAKE Tektro 907 U-brake
 RIMS / WHEELSET
 Alex DUS30 double-wall rear, Alex MUS30 front
 ACCESSOIR 1 pair 36mm pegs, FB Velcro cable strap, FB head tube badge

Fr. 499.-

MYSTIC



FINISH
Dark Coral Blue

WEIGHT
11.1 kg

FRAME Felt BMX, Cr-Mo main tubes (TT & DT), 20.8" top tube length, mid-size BB, integrated head tube
 FORK Felt BMX 100% Cr-Mo, butted steerer tube, tapered legs, 3/8" axle slots, 5mm dropouts
 STEM FeltUp, top mount, forged aluminum, 51mm extension
 HANDLEBAR Felt BMX steel, 8.75" rise
 CRANKSET 3-piece, 8-spline Internal Clamp tubular heat-treated Cr-Mo, 170mm
 CHAINWHEEL Felt Spacely design, aluminum, 25T
 CHAIN KMC Z410, 1/8"

FREEWHEEL 9T 1-piece driver
 BRAKE LEVERS Tektro aluminum w/ reach adjust
 FRONT BRAKE Alu caliper
 REAR BRAKE Tektro 907 U-brake
 RIMS / WHEELSET
 Aluminum single-wall
 FRONT HUB Aluminum, 3/8" Cr-Mo axle, 36H
 REAR HUB Aluminum, 9T driver cassette, 14mm axle, 36H
 ACCESSOIR
 2 pair 36mm pegs



Fr. 449.-

CHASM DIRT



FINISH
Satin Aple White

WEIGHT
11.3 kg

FRAME Felt BMX Cr-Mo main tubes (TT & DT), 20.8" top tube length, mid-size BB, integrated head tube, tapered seat and chainstays
 FORK Felt BMX 100% Cr-Mo, butted steerer tube, tapered legs, 3/8" axle slots, 5mm dropouts
 STEM FeltUp, top mount, forged aluminum, 51mm extension
 HANDLEBAR Felt BMX steel, 8.75" rise
 CRANKSET 3-piece, 8-spline Internal Clamp tubular heat-treated Cr-Mo, 170mm
 CHAINWHEEL Felt Spacely design, aluminum, 25T

CHAIN KMC Z410, 1/8"
 BRAKE LEVERS Tektro alu
 FRONT BRAKE Alu caliper
 REAR BRAKE Tektro 907 U-brake
 RIMS / WHEELSET
 Aluminum single-wall
 FRONT HUB Alu, 3/8" Cr-Mo axle, 36H
 REAR HUB Aluminum, 9T driver cassette, 14mm axle, 36H
 ACCESSOIR 1 pair 36mm pegs, FB head tube badge

Fr. 429.-

ETHIC



FINISH
1. Black Coral
2. White Black Fade

WEIGHT
12.6 kg

FRAME Felt BMX 20" top tube length, mid-size BB, seatstay mounted brake bosses, weld-on detangler tabs
 FORK Felt BMX steel, 14mm axle slots, 5mm thick dropouts
 STEM FeltUp, top mount, forged aluminum, 51mm extension
 HANDLEBAR Felt BMX steel, 8.5" rise
 CRANKSET 3-piece, 8-spline tubular heat-treated Cr-Mo, 170mm
 CHAINWHEEL
 Felt Spacely design, steel, 25T
 CHAIN KMC Z410, 1/8"
 FREEWHEEL 9T 1-piece driver

BRAKE LEVERS Tektro aluminum w/ reach adjust
 FRONT/REAR BRAKE Tektro 907 U-brake
 RIMS / WHEELSET
 Aluminum single-wall
 FRONT HUB Steel, 14mm Cr-Mo axle, 36H
 REAR HUB Aluminum, 9T driver cassette, 14mm axle, 36H
 ACCESSOIR
 2 pair 36mm pegs



BASE 20.5" DIRT

FR. 379.-



FINISH
Satin ANTIFREEZE GREEN

WEIGHT
12.5 kg

FRAME Felt BMX steel, 20.5" top tube length, USA size BB, seatstay mounted brake bosses, detangler tab holes
 FORK Felt BMX steel, 3/8" axle slots, 5mm thick dropouts
 STEM FeltUp, top mount, forged aluminum, 51mm extension
 HANDLEBAR Felt BMX steel, 8.5" rise
 CRANKSET 3-piece, 8-spline tubular heat-treated Cr-Mo, 170mm
 CHAINWHEEL Felt Spacely design, steel, 38T
 CHAIN KMC Z410, 1/8"
 FREEWHEEL 14T Dicta
 BRAKE LEVERS Tektro aluminum w/

reach adjust
 FRONT BRAKE Alu caliper
 REAR BRAKE Tektro 907 U-brake
 RIMS / WHEELSET Aluminum single-wall
 FRONT HUB Steel, 3/8" Cr-Mo axle, 36H
 REAR HUB Steel, 14mm axle, 36H, M30 free-wheel threading
 ACCESSOIR 1 pair 36mm pegs

HERETIC

FR. 379.-



FINISH
1. GREY BLACK FADE
2. ORANGE

WEIGHT
12.9 kg



FRAME Felt BMX steel, 20" top tube length, USA size BB, seatstay mounted brake bosses, weld-on detangler tabs
 FORK Felt BMX steel, 14mm axle slots, 5mm thick dropouts
 STEM FeltUp, top mount, forged aluminum, 51mm extension
 HANDLEBAR Felt BMX steel, 8.5" rise
 CRANKSET 3-piece, 8-spline tubular heat-treated Cr-Mo, 170mm
 CHAINWHEEL Felt Spacely design, steel, 38T
 CHAIN KMC Z410, 1/8"
 FREEWHEEL 14T Dicta

BRAKE LEVERS Tektro aluminum w/ reach adjust
 FRONT/REAR BRAKE Tektro 907 U-brake
 RIMS / WHEELSET Aluminum single-wall
 FRONT HUB Steel, 14mm Cr-Mo axle, 36H
 REAR HUB Steel, 14mm axle, 36H, M30 free-wheel threading
 ACCESSOIR 2 pair 36mm pegs

BASE 18.5"

FR. 369.-



FINISH
MATTE DENIM BLUEGREEN

WEIGHT
11.6 kg

FRAME Felt BMX steel, 18.5" top tube length, low-standover height, USA size BB, seatstay mounted brake bosses, de-tangler tab holes
 FORK Felt BMX steel, 3/8" axle slots, 5mm thick dropouts
 STEM FeltUp, top mount, forged aluminum, 51mm extension
 HANDLEBAR Felt BMX steel, 7" rise
 CRANKSET 3-piece, 8-spline tubular heat-treated Cr-Mo, 160mm
 CHAINWHEEL Felt Spacely design, steel, 38T
 CHAIN KMC Z410, 1/8"

FREEWHEEL 14T Dicta
 BRAKE LEVERS Tektro aluminum w/ reach adjust
 FRONT BRAKE Alu caliper
 REAR BRAKE Tektro 907 U-brake
 RIMS / WHEELSET Aluminum single-wall
 FRONT HUB Steel, 3/8" Cr-Mo axle, 36H
 REAR HUB Steel, 14mm axle, 36H, M30 free-wheel threading
 ACCESSOIR 1 pair 36mm pegs

VAULT 16"

FR. 339.-



FINISH
GREY BLACK FADE

WEIGHT
11.0 kg



FRAME Felt BMX steel, 16.5" top tube length, USA size BB, chainstay mounted brake bosses
 FORK Felt BMX steel, 3/8" axle slots, 5mm thick dropouts
 STEM FeltUp, top mount, forged aluminum, 51mm extension
 HANDLEBAR Felt BMX steel, 6.5" rise
 CRANKSET 3-piece, 8-spline tubular heat-treated Cr-Mo, 140mm
 CHAINWHEEL Felt Spacely design, steel, 28T
 CHAIN KMC Z410, 1/8"

FREEWHEEL 13T Odyssey
 BRAKE LEVERS Tektro alu
 FRONT BRAKE Alu caliper
 REAR BRAKE Tektro 907 U-brake
 RIMS / WHEELSET Aluminum single-wall
 FRONT HUB Steel, 3/8" axle, 28H
 REAR HUB Steel, 3/8" axle, 28H, M30 freewheel threading
 ACCESSOIR 1 pair 36mm pegs





FELT
BICYCLES

2018

amsler
bikes & parts

AMSLER & Co. AG
Lindenstrasse 16
8245 Feuerthalen ZH
fon 052 647 36 36
velo@amsler.ch
www.amslervelo.ch
www.felt.ch

IHR FELT HÄNDLER / VOTRE MARCHAND FELT



Hergestellt und gedruckt in der Schweiz.
Gedruckt auf FSC-zertifiziertem Papier.
Alle Angaben entsprechen dem Stand bei Drucklegung.
Irrtümer, Fehler und Änderungen vorbehalten.
Sous réserve de modification de prix et modèle.